



Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

proTechnica

Pro-Sound & Lighting Solutions

www.pro-technica.com

BUY ONLINE at www.MusicWorld.bg

EUR

Price List 07/2010

Effective July 12th 2010

Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.



E C P B R

Model

Description

EUR
Netto
(ex. VAT)EUR
+ 20% DDS
(incl. VAT)






Wings Platinum 4










Y C N N B		SWP-4/START	Wings Platinum 4 - Starter License Full Version of Wings Platinum 4 multimedia software. Two control tracks each for arranging audio, image and video objects at standard resolution; one marker track for pause and position markers. Scope of delivery: Dongle, manual and CD.	249,00	298,80 EUR
Y C N N B		SWP-4/ADVANCED	Wings Platinum 4 - Advanced License Powerful Full Version of Wings Platinum 4 multimedia software. Any number of control tracks for arranging audio, image, text and video objects at HD resolution; any number of marker tracks for pause, position and jump markers. Scope of delivery: Dongle, manual and CD.	499,00	598,80 EUR
Y C N N B		SWP-4/PRO	Wings Platinum 4 - Pro License Extensive Full Version of Wings Platinum 4 multimedia software. Offering the same scope of functions as the Advanced Version, the Pro Version features extra functions for sound editing and multi-channel sound output as well as unlimited resolution for professional presentation. Allows dualdisplay programming on one computer (precondition: dual head graphics card). Scope of delivery: Dongle, manual and CD.	799,00	958,80 EUR
Y C N N B		SWP-4/MD	Wings Platinum 4 - Single Channel License Network-compatible Full Version of Wings Platinum 4 multimedia software offering the same range of functions as the Pro Version; timeline-based playback of audio, video, image, crossfade tracks with full preview on the master; unlimited number of crossfade layers/PIPs with keyframe control for alpha channel, size, aspect ratio and position; realtime rendering with frame-accurate syncing of several systems (unlimited) on the network via the SmartSync-Engine™; highresolution output on an unlimited number of displays. Scope of delivery: Dongle (for one display), manual and CD.	1.380,00	1.656,00 EUR
Y C N N B		SWP-4/MD/D	Wings Platinum 4 Dual - Dual Channel License Network-compatible Full Version of Wings Platinum 4 multimedia software offering the same range of functions as the Pro Version; timeline-based playback of audio, video, image, crossfade tracks with full preview on the master; unlimited number of crossfade layers/PIPs with keyframe control for alpha channel, size, aspect ratio and position; realtime rendering with frame-accurate syncing of several systems (unlimited) on the network via the SmartSync-Engine™; highresolution output on an unlimited number of displays. Scope of delivery: one Dongle (for two displays on a single PC), manual and CD.	1.980,00	2.376,00 EUR
Y C N N B		SWP-4/VIOSO	Wings Platinum 4 VIOSO - Single Channel License Network-compatible Full Version of Wings Platinum 4 multimedia software offering the same range of functions as the Wings Platinum 4 Multidisplay Single Channel license. VIOSO features for Single-Channel Output: properly aligned projection, real time optimization of colour and geometry on extraordinary backgrounds. Scope of delivery: Dongle (for one display), manual and CD. Please consider the hardware requirements below!**	2.380,00	2.856,00 EUR
Y C N N B		SWP-4/VIOSO/D	Wings Platinum 4 VIOSO DUAL - Dual Channel License Network-compatible Full Version of Wings Platinum 4 multimedia software offering the same range of functions as the Wings Platinum 4 Multidisplay Dual Channel license. VIOSO features for Dual-Channel Output: properly aligned projection, real time optimization of colour and geometry on extraordinary backgrounds. Scope of delivery: one Dongle (for two displays on a single PC), manual and CD. Please consider the hardware requirements below!**	3.980,00	4.776,00 EUR
Y C N N B		SWP-4/PROMPTER	Wings Platinum 4 - Prompter Module Prompter Module enables Wings Platinum 4 to send preview images and notes to a prompter device via TCP/IP network. The show can be interactively controlled using Play/Pause/Next/Previous functions.	149,00	178,80 EUR
Y C N N B		SWP-4/SC	Wings Platinum 4 - ShowControl Module Extension module for all Wings Platinum 4 licenses in Show Control mode. Allows programming of an unlimited number of input and outputs of DMX, MIDI, 0-10V, RS232/485 switches. Usable in combination with Starter and Advanced License, where it allows multi-channel sound output and sound editing as well as an unlimited number of marker tracks. Scope of delivery: Enable code -> supplied by AV Stumpfl.	380,00	456,00 EUR












**** Remark for Vioso: For using this software you will need a Windows-based computer system with one, two or four channel graphic outputs and a digital video camera for calibration.**

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Wings Platinum 4 Upgrade				
Y C N N B	 SWP-4/UG/START/ADV	Wings Platinum 4 Upgrade Starter to Advanced License Upgrade from Starter to Advanced License. Scope of delivery: Enable code -> supplied by AV Stumpfl.	250,00	300,00 EUR
Y C N N B	 SWP-4/UG/START/PRO	Wings Platinum 4 Upgrade Starter to Pro License Upgrade from Starter to Pro License. Scope of delivery: Enable code -> supplied by AV Stumpfl.	550,00	660,00 EUR
Y C N N B	 SWP-4/UG/START/MD	Wings Platinum 4 Upgrade Starter to MD License Upgrade from Starter to Multidisplay License. Scope of delivery: Enable code -> supplied by AV Stumpfl.	1.131,00	1.357,20 EUR
Y C N N B	 SWP-4/UG/ADV/PRO	Wings Platinum 4 Upgrade Advanced to Pro License Upgrade from Advanced to Pro License. Scope of delivery: Enable code -> supplied by AV Stumpfl.	300,00	360,00 EUR
Y C N N B	 SWP-4/UG/ADV/MD	Wings Platinum 4 Upgrade Advanced to MD License Upgrade from Advanced to Multidisplay License. Scope of delivery: Enable code -> supplied by AV Stumpfl.	881,00	1.057,20 EUR
Y C N N B	 SWP-4/UG/PRO/MD	Wings Platinum 4 Upgrade Pro to MD License Upgrade from Pro to Multidisplay License. Scope of delivery: Enable code -> supplied by AV Stumpfl.	581,00	697,20 EUR
Wings Platinum 4 Updates (from Wings Platinum 3)				
Y C N N B	 SWP-4/UD/START	Wings Platinum 4 Update Starter License Update from Wings Platinum 3 Starter to Wings Platinum 4 Starter license. (1/3 of sales price). Scope of delivery: Enable code -> supplied by AV Stumpfl.	83,00	99,60 EUR
Y C N N B	 SWP-4/UD/ADVANCED	Wings Platinum 4 Update Advanced License Update from Wings Platinum 3 Advanced to Wings Platinum 4 Advanced license. (1/3 of sales price). Scope of delivery: Enable code -> supplied by AV Stumpfl.	167,00	200,40 EUR
Y C N N B	 SWP-4/UD/PRO	Wings Platinum 4 Update Pro License Update from Wings Platinum 3 Pro to Wings Platinum 4 Pro license. (1/3 of sales price). Scope of delivery: Enable code -> supplied by AV Stumpfl.	267,00	320,40 EUR
Y C N N B	 SWP-4/UD/MD	Wings Platinum 4 Update Multidisplay License Update from Wings Platinum 3 Multidisplay to Wings Platinum 4 Multidisplay license. (1/3 of sales price). Scope of delivery: Enable code -> supplied by AV Stumpfl.	460,00	552,00 EUR
MediaEngine - Videoserver				
Y C N N B	 SME-D1R	MediaEngine Dual Channel out 19"/4HE Core i7 based high performance Multidisplay Server, up to 2x Multidisplay output, RAID1, 19" Case 4U / depth approx. 510mm, Wings Platinum 4 and ISEO preinstalled	4.800,00	5.760,00 EUR
Y C N N B	 SME-Q1R	MediaEngine Quad Channel out 19"/4HE Core i7 based high performance Multidisplay Server, up to 4x Multidisplay output, RAID1, 19" Case 4U / depth approx. 510mm, Wings Platinum 4 and ISEO preinstalled	5.800,00	6.960,00 EUR
Optional Accessories for MediaEngine Videoservers				
Y C N N B	SCZ-RM/RACK/6HE-CA	19" Rackcase 6HE California for 1 x SME-Q1R double-walled, foam bedded professional flightcase	495,00	594,00 EUR
Y C N N B	SMZ-2XCOM-PCIE	Serial PCI-E controller 2 x RS-232, DB9 Serial Port 2x RS232 serial port on PCIe card	69,90	83,88 EUR
Y C N N B	SMZ-BMD/DLHDEX3	Blackmagic Design DeckLink HD Extreme 3 SD/HD/2K 4:4:4 video input card with SDI, HDMI and analog entrances	970,00	1.164,00 EUR
Y C N N B	SMZ-BMD / INTENSITYPRO	Blackmagic Design INTENSITY PRO 1x High definition HDMI in, compatibel to analog inputs, 1x HDMI out 2	49,00	58,80 EUR
Y C N N B	SMZ-DATAP / VISIONRGBE	VisionRGB-E1 1 channel for RGB/VGA/DVI, Capture Card, Component HD, HDMI up to 1080P, DVI up to 1920 x 1200, VGA up to 2048 x 1536	1.080,00	1.296,00 EUR
Y C N N B	SMZ-DATAP / VISIONRGB2	VisionRGB-E2 2 channel for RGB/VGA/DVI, Capture Card, Component HD, HDMI up to 1080P, DVI up to 1920 x 1200, VGA up to 2048 x 1536	1.590,00	1.908,00 EUR
Y C N N B	SMZ-EDIROL/FA-101	EDIROL FA-101 FireWire Audio Interface 10 in/out 10 in / 10 out 24bit/96 kHz, up to 6 in / 6 out 24bit/192 kHz, Low-latency WDM/ASIO 2.0 Driver Support, FireWire Bus powered or AC adaptor	459,00	550,80 EUR
Iseo 2 Software (Protection with USB-Dongle)				
Y C N N B	SXV-LT/DG	Iseo 2 Lite Dongle Version Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software license "Lite" allows 1 network connection and 5 pages per project. Supported OS: Windows XP/ Vista / 7. Scope of delivery: USB dongle + license key, installation CD/DVD and manual. The system is unlocked via a dongle and an unlock code.	290,00	348,00 EUR














<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
		Iseo 2 Advanced - Dongle Version		
Y C N N B	SXV-AD/DG	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software license "Advanced" allows 5 network connections and 10 pages per project. Supported OS: Windows XP/ Vista / 7. Scope of delivery: USB dongle + license key, installation CD/DVD and manual. The system is unlocked via dongle and unlock code.	585,00	702,00 EUR
		Iseo 2 Pro - Dongle Version		
Y C N N B	SXV-PR/DG	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software license "Pro" allows 10 network connections and 20 pages per project. Supported OS: Windows XP/ Vista / 7. Scope of delivery: USB dongle + license key, installation CD/DVD and manual. The system is unlocked via dongle and unlock code.	875,00	1.050,00 EUR
		Iseo 2 Premium - Dongle Version		
Y C N N B	SXV-PM/DG	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software License "Premium" allow an unlimited number of network connections and pages per project. Supported OS: Windows XP/ Vista / 7. Scope of delivery: USB dongle + license key, installation CD/DVD and manual. The system is unlocked via dongle and unlock code.	1.170,00	1.404,00 EUR
		Iseo 2 Software (Protection with online activation)		
		Iseo 2 Lite Activation Version		
Y C N N B	SXV-LT	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software license "Lite" allows 1 network connection and 5 pages per project. Scope of delivery: License key for a computer with Windows CE / Pocket PC / Mobile / XP / Vista / 7, incl. installation CD and manual. The license is unlocked via the Internet.	290,00	348,00 EUR
		Iseo 2 Advanced Activation Version		
Y C N N B	SXV-AD	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software license "Advanced" allows 5 network connections and 10 pages per project. Scope of delivery: License key for a computer with Windows CE / Pocket PC / Mobile / XP / Vista / 7, incl. installation CD and manual. The license is unlocked via the Internet.	585,00	702,00 EUR
		Iseo 2 Pro Activation Version		
Y C N N B	SXV-PR	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software license "Pro" allows 10 network connections and 20 pages per project. Scope of delivery: License key for a computer with Windows CE / Pocket PC / Mobile / XP / Vista / 7, incl. installation CD and manual. The license is unlocked via the Internet.	875,00	1.050,00 EUR
		Iseo 2 Premium Activation Version		
Y C N N B	SXV-PM	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. The software can also be used as independent Digital Signage system. Software License "Premium" allow an unlimited number of network connections and pages per project. Scope of delivery: License key for a computer with Windows CE / Pocket PC / Mobile / XP / Vista / 7, incl. installation CD and manual. The license is unlocked via the Internet.	1.170,00	1.404,00 EUR
		*Remark for activation licenses: Activation licenses can only be activated on one computer and once activated not transferred to other computers.		
		Iseo 2 Software (Project Licenses for Smartphones)		
		Iseo Mobile Project License Standard		
Y C N N B	SXV-ST/MP	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. "Standard" license allows 2 network connections and 72 objects. Scope of delivery: License key for one device, incl. installation CD and manual. The license is unlocked via the Internet.	490,00	588,00 EUR
		Iseo Mobile Project License Extended		
Y C N N B	SXV-EX/MP	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. "Extended" license allows 5 network connection and 144 objects per project. Scope of delivery: License key for one device, incl. installation CD and manual. The license is unlocked via the Internet.	735,00	882,00 EUR
		Iseo Mobile Project License Unlimited		
Y C N N B	SXV-UL/MP	Software for controlling light, projectors, matrix switchers, relays, EIB/KNX, Wings Platinum shows, etc. "Unlimited" license allows unlimited network connections and objects per project. Scope of delivery: License key for one device, incl. installation CD and manual. The license is unlocked via the Internet.	1.075,00	1.290,00 EUR
		*Remark for smartphone licenses: Activation licenses can only be activated on one computer and once activated not transferred to other computers.		











ECBBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Iseo 2 Software expansion modules				
YCNBB	SXV-JB	Iseo Jukebox Module for Iseo Jukebox Module for extension of remote control functions of Wings Platinum; for combination of several timelines in playlists. Their playing times can be defined and edited in a calendar. The module is only operable in combination with a valid Iseo License on a Windows XP, Vista or 7 computer. Scope of delivery: License key is supplied by AV Stumpfl.	385,00	462,00 EUR
Iseo 2 Upgrades				
YCNBB	SXV-UG/LT/AD	Iseo Upgrade - Lite to Advanced Upgrade from Lite to Advanced License. Scope of delivery: The license key is supplied by AV Stumpfl	295,00	354,00 EUR
YCNBB	SXV-UG/LT/PR	Iseo Upgrade - Lite to Pro Upgrade from Lite to Pro License. Scope of delivery: The license key is supplied by AV Stumpfl	585,00	702,00 EUR
YCNBB	SXV-UG/LT/PM	Iseo Upgrade - Lite to Premium Upgrade from Lite to Premium License. Scope of delivery: The license key is supplied by AV Stumpfl	880,00	1.056,00 EUR
YCNBB	SXV-UG/AD/PR	Iseo Upgrade - Advanced to Pro Upgrade from Advanced to Pro License. Scope of delivery: The license key is supplied by AV Stumpfl	290,00	348,00 EUR
YCNBB	SXV-UG/AD/PM	Iseo Upgrade - Advanced to Premium Upgrade from Advanced to Premium License. Scope of delivery: The license key is supplied by AV Stumpfl	585,00	702,00 EUR
YCNBB	SXV-UG/PR/PM	Iseo Upgrade - Pro to Premium Upgrade from Pro to Premium License. Scope of delivery: The license key is supplied by AV Stumpfl	295,00	354,00 EUR
*Remark for smartphone licenses: Activation licenses can only be activated on one computer and once activated not transferred to other computers				
Iseo Touchpanels and accessories (Mobile)				
YCNBB	 SXM-08B	Iseo Touch M84 8.4" Mobile Touchpanel Versatile and mobile radio control unit with 8.4" SVGA-TFT touch display. For controlling light, projectors, matrix switchers, relays, IR receivers, EIB/KNX, Wings Platinum shows, etc. Scope of delivery: Touchpanel with WLAN connection, mains power supply and protective rubber jacket.	2.049,00	2.458,80 EUR
YCNBB	 SXM-10B	Iseo Touch M104 10.4" Mobile Touchpanel Versatile and mobile radio control system with 10.4" SVGA-TFT touch display. For controlling light, projectors, matrix switchers, relays, IR receivers, EIB/KNX, Wings Platinum shows, etc. Scope of delivery: Touchpanel with WLAN connection, mains power supply and protective rubber jacket.	2.232,00	2.678,40 EUR
YCNBB	 HIB-IBD-008-54	Docking Station 2xUSB / 1xLAN Docking Station for Iseo Touch M84/M104 with ATOM CPU.	95,00	114,00 EUR
YCNBB	 HIB-IBD-006-14	Li-Ion external Battery Additional rechargeable battery Additional external battery for Iseo Touch M84/M104.	190,00	228,00 EUR
*Remark: Our touchpanels are delivered with pre installed Iseo software but do not yet include a license. The license can be ordered additionally on individual demands.				
Iseo Touchpanels (Wall mounting)				
YCNBB	 SXW-07G	Iseo Touch W70 7" Touchpanel (Glass) Versatile, wall-mount remote control unit with 7" WVGA-TFT touch display. For controlling light, projectors, matrix switchers, relays, IR receivers, EIB/KNX, Wings Platinum shows, etc. Scope of delivery: Touchpanel with LAN connection, flush-mounting frame, mains power supply. Design: transparent. Attention: This device can not be used as digital signage or digital door sign display due to the Windows CE operating system.	835,00	1.002,00 EUR
YCNBB	SXW-W89B	Iseo Touch W89 8.9" Touchpanel (Steel) fanless Windows XP Pro based 8.9" Touchpanel PC, Intel Atom 1.6 GHz, 1 GB RAM, 160GB SATA HDD, WXGA 16:9 (1024 x 600). Interfaces on device: 2x COM, 4x USB, 2xGBitLAN, 1x Line out, 1x Mic in. Delivery scope: Touchpanel, AC/DC Adapter/DC Adapter; WxHxD: 283x222x45mm. Variant: mat black	995,00	1.194,00 EUR
YCNBB	SXW-12S	Iseo Touch W120 12" Touchpanel (Aluminium) fanless Windows XP Pro based 12.1" Touchpanel PC, Intel Atom 1.6 GHz, 1 GB RAM, 160GB SATA HDD, 80° viewing angle, IP65 compliant, XGA 4:3 (1024x768). Interfaces on device: 1x COM, 2x USB, 1xGBitLAN. Delivery scope: Touchpanel, AC/DC Adapter/DC Adapter; WxHxD: 283x222x45mm, Variant: aluminium (silver)	1.445,00	1.734,00 EUR
*Remark: Our touchpanels are delivered with pre installed Iseo software but do not yet include a license. The license can be ordered additionally on individual demands.				









E C P B R	Model	Description	EUR	EUR
			Netto (ex. VAT)	+ 20% DDS (incl. VAT)
SC LAN Modules				
Y C N N B	 SCL-DMX512IO	SC LAN Module DMX512 in/out LAN/-DMX control module for controlling 512 DMX channels via TCP/IP or UDP/IP; one XLR-3-pin female connector for DMX-out and one XLR-3-pin male connector for DMX-in. Power supply via PoE (Power over Ethernet) or external 12V mains power supply. SCL-DMX512IO, mains power supply and operating instructions.	570,00	684,00 EUR
Y C N N B	 SCL-IR1IO	SC LAN Module IR 1 in/out LAN/Infrared control module for transmitting and receiving and for learning infrared signals via TCP/IP or UDP/IP. Power supply via PoE (Power over Ethernet) or external 12V mains power supply. SCL-IR1/O, mains power supply and operating instructions.	320,00	384,00 EUR
Y C N N B	 SCL-REL8O	SC LAN Module Relay 8 out LAN/Relay control module for controlling 8 relay contacts via TCP/IP or UDP/IP. Power supply via PoE (Power over Ethernet) or external 12V mains power supply. SCL-REL8O, 2x8 plug-in terminals, 12V mains power supply and operating instructions.	570,00	684,00 EUR
Y C N N B	 SCL-RMT8I	SC LAN Module Remote 8 in LAN/ Remote control module with 8 switch inputs, for querying the status of external devices (buttons, switches, etc.) via TCP/IP or UDP/IP. Power supply via PoE (Power over Ethernet) or external 12V mains power supply. SCL SW8I, 2x8 plug-in clip contacts, 12V mains power supply and operating instructions.	570,00	684,00 EUR
Y C N N B	 SCZ-LAN-EIB	SC LAN Module REG IG/S 1.1 LAN adapter for EIB/KNX control via UDP/IP multicast. Scope of delivery: SCZ-LAN-EIB/KNX-DEVICE description. Basically every device which comes with a network connector can be controlled by the SC TouchControl. Other devices can be connected by adapters. We provide a very easy to understand driver format which can be used to define new devices. The syntax can be found in the SC TouchControl documentation. By using our free of charge software SC PC Control every computer can be remotely controlled over the network.	700,00	840,00 EUR
Y C N N B	 SCZ-LAN-RS232	SC LAN Module RS 232 LAN network adapter, bi-directional, RS232 to LAN via TCP/IP or UDP/IP; power supply via external 12V mains power supply. Scope of delivery: SCZ-LAN, mains power supply, operating instructions.	220,00	264,00 EUR
Y C N N B	 SCZ-WLAN-RS232	SC LAN Module WLAN/RS 232 WLAN radio network adapter, bi-directional, RS232 to WLAN via TCP/IP or UDP/IP; power supply via external power supply unit. Scope of delivery: SCZ-WLAN, mains power supply.	320,00	384,00 EUR
SC Master				
Y C N N B	 SCM-LT	SC Master Lite MP3 player for playback of 2-channel sound (stereo sound) and Show Controller. Allows connection of various peripheral devices that can be controlled in sync with sound. REMOTE connector for 3x Remote in (StartShow 1-3), 5x Remote out (Aux, DMX, Midi, Dali, IR). 2 serial interfaces for RS232in/out, RS232out; - DATA I/O connector for keyboard matrix with up to 16 keys; SC Net connector for connection of SC Net Modules; CUE-IN connector for timecode and control signals in; CUE-OUT connector for timecode, DLC (and Matetrac) out; - LINE-OUT connectors for connection to amplifiers and active loudspeakers; - POWER connector for connection of mains power supply. Scope of delivery: SC Master Lite, mains power supply, remote control unit with batteries, manual.	760,00	912,00 EUR
Y C N N B	 SCM-LT/LS	SC Master Lite LS MP3 player for playback of 2-channel sound (stereo sound) and Show Controller. Allows connection of various peripheral devices that can be controlled in sync with sound. REMOTE connector for 3x Remote in (StartShow 1-3), 5x Remote out (Aux, DMX, Midi, Dali, IR). 2 serial interfaces for RS232in/out, RS232out; - DATA I/O connector for keyboard matrix with up to 16 keys; SC Net connector for connection of SC Net Modules; CUE-IN connector for timecode and control signals in; CUE-OUT connector for timecode, DLC (and Matetrac) out; - LINE-OUT connectors for connection to amplifiers and active loudspeakers; integrated Audio amplifier with 2x10W (4-8 ohm), THD 0,1% @ 1W. - POWER connector for connection of mains power supply. Scope of delivery: SC Master Lite, mains power supply, remote control unit with batteries, manual.	980,00	1.176,00 EUR
Y C N N B	SCM-UGA/4	SC Master (2/2) Upgrade Upgrade from 2 to 4 channels Audio upgrade to 4-channel audio player; performance increase from 1x Stereo to 2x Stereo; the enable code is hardware specific and generated by AV Stumpfl. Please specify your device serial number in your order - we need it to identify your device!	220,00	264,00 EUR
Y C N N B	SCM-UGA/6-16	SC Master (6/16) Upgrade Upgrade from 6 to 16 channels Audio upgrade to 16-channel audio player; performance improvement from 3x Stereo to 8x Stereo; the enable code is hardware specific and generated by AV Stumpfl. Please specify your device serial number in your order - we need it to identify your device!	610,00	732,00 EUR











<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
	SCM-2M	SC Master 2		
		MP3 player for playback of 2-channel sound (stereo sound) and Show Controller. Allows connection of various peripheral devices that can be controlled in sync with sound. REMOTE connector for 3x Remote in (StartShow 1-3), 5x Remote out (Aux, DMX, Midi, Dali, IR); 2 serial RS232 connectors for RS232in/out, RS232out; - DATA I/O connector for keypad matrix for up to 16 keys. SC NET connector for connection of SC Net Modules. - CUE-IN connector for timecode and control signals in. CUE-OUT connector for timecode, DLC (and Matetrac) out. - LINE-OUT 1 stereo connectors for connection to amplifier or active loudspeakers, output of audio to channel 1+2. - LINE-OUT 2 stereo connectors for connection to amplifier or active loudspeakers, output of audio to channel 3+4 (disabled for this version - can be enabled as an option). - POWER connector for connection of mains power supply. Input and output functions can be extended by the following: - integrated audio mixer allowing connection of external audio sources via a MIC IN mono jack microphone connector.	1.120,00	1.344,00 EUR
Y C N N B				
	SCM-4M	SC Master 4		
		MP3 player for playback of 4-channel sound (2x stereo sound) and Show Controller. Allows connection of various peripheral devices that can be controlled in sync with sound. REMOTE connector for 3x Remote in (StartShow 1-3), 5x Remote out (Aux, DMX, Midi, Dali, IR); 2 serial RS232 connectors for RS232in/out, RS232out; - DATA I/O connector for keypad matrix with up to 16 keys. SC NET connector for connection of SC Net Modules. - CUE-IN connector for timecode and control signals in; CUE-OUT connector for timecode, DLC (and Matetrac) out. - LINE-OUT 1 stereo connectors for connection to amplifier or active loudspeakers, output of audio to channel 1+2. - LINE-OUT 2 stereo connectors for connection to amplifier or active loudspeakers, output of audio to channel 3+4. - POWER connector for connection of mains power supply. Input and output functions can be extended by the following: - integrated audio mixer allowing connection of external audio sources via a MIC IN mono jack microphone connector.	1.350,00	1.620,00 EUR
Y C N N B				
	SCM-6	SC Master 6		
		MP3 player for playback of 6-channel sound (3x stereo sound) and Show Controller. Allows connection of various peripheral devices that can be controlled in sync with sound. REMOTE connector for 3x Remote in (StartShow 1-3), 5x Remote out (Aux, DMX, Midi, Dali, IR); 2 serial RS232 connectors for RS232in/out, RS232out; - DATA I/O connector for keypad matrix with up to 16 keys. SC NET connector for connection of SC Net Modules. - CUE-OUT connector for timecode, DLC (and Matetrac) out. - 8 LINE-OUT stereo connectors for connection to amplifier or active loudspeakers, balanced audio output to channels 1-6 (for this version channels 7-16 are disabled; they can be enabled as an option). - POWER connector for connection of mains power supply. Scope of delivery: SC Master 16, mains power supply, remote control unit with batteries, manual.	1.540,00	1.848,00 EUR
Y C N N B				
	SCM-16	SC Master 16		
		MP3 player for playback of 16-channel sound (8x stereo sound) and Show Controller. Allows connection of various peripheral devices that can be controlled in sync with sound. REMOTE connector for 3x Remote in (StartShow 1-3), 5x Remote out (Aux, DMX, Midi, Dali, IR); 2 serial RS232 connectors for RS232in/out, RS232out. - DATA I/O connector for keypad matrix with up to 16 keys. SC NET connector for connection of SC Net Modules. - CUE-OUT connector for timecode, DLC (and Matetrac) out. - 8 LINE-OUT stereo connectors for connection to amplifier or active loudspeakers, balanced audio output to channels 1-16. - POWER connector for connection of mains power supply. Scope of delivery: SC Master 16, mains power supply, remote control unit with batteries, manual.	2.150,00	2.580,00 EUR
Y C N N B				
		SC NET Modules		
				
		SC Analog 8out		
		SC Net Module / analog control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector with 8x variable, analog outputs for connection to devices that can be run with 0-10 V DC. Scope of delivery: SC Analog 8out, 25-pin SUB-D connector, manual. **Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
Y C N N B	SCN-ANA80			
		SC DMX512out		
		SC Net Module / DMX control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector for controlling light devices pursuant to 512 DMX protocol. Scope of delivery: SC DMX 512out, connecting cable DMX512 XLR (3- or 5-pin), manual.**Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
Y C N N B	SCN-DMX5120			
		SC OpenCollector 16out		
		SC Net Module / Open-collector control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector with 16 open-collector outputs for wearfree switching of consumers that require high switching frequencies. Scope of delivery: SC Open Collector 16out, 25-pin SUB-D connector, manual. **Optional mains power supply, CAT5 cable and terminator are available as an accessory!	390,00	468,00 EUR
Y C N N B	SCN-OC160			
		SC OpenCollector 32out		
		SC Net Module / Open-collector control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 44-pin SUB-D connector with 32 open-collector outputs for wearfree switching of consumers that require high switching frequencies. Scope of delivery: SC Open Collector 32out, 44-pin SUB-D connector, manual. **Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
Y C N N B	SCN-OC320			
		SC Relais 8out		
		SC Net Module / Relay control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector with 8 floating, switchable relay outputs. Scope of delivery: SC Relay 8out, 25-pin SUB-D connector, manual. **Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
Y C N N B	SCN-REL80			













Y C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		SC Remote 16in		
Y C N N B	 SCN-RMT16I	SC Net Module / REMOTE control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector with 16 external inputs, switching contacts, etc. for starting shows from CF card. The type of triggering (at a positive (+ 5V) or a negative (-5V) signal edge). is set by configuring pin 17. Scope of delivery: SC Open Remote16in, 25-pin SUB-D connector, manual.**Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
		SC Remote 16in-out		
Y C N N B	 SCN-RMT16IO	SC Net Module / REMOTE-In/Output control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector with 16 external inputs for switches, switching contacts, etc. for starting shows on CF Card. Light emitting diodes for acknowledgements (or any other information) can be connected in parallel with the switching contacts and freely programmed. Scope of delivery: SC Remote 16in-out. 25-pin SUB-D connector, manual.**Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
		SC Servo 8out		
Y C N N B	 SCN-SRV80	SC Net-Modul / Servo-Steuermodule; für den direkten Betrieb am PC mit Wings Platinum oder mit einem SC Master über SC NET IN; ein SC NET OUT zur SCNet-Erweiterung mit Anschlu? eines weiteren SC Gerates; eine 25pol. SUB-D Buchse für Anschlu? an 8 Standard-Servos aus dem Modellbau; Drehbewegungen und exakte Positionierung können mit geringem Aufwand mit Wings Platinum programmiert werden; die Stromversorgung der Servos erfolgt aus dem mitgeliefertem Netzgerät. Lieferumfang: SC Servo 8out, 25pol. SUB-D Stecker, HanNetzteil und Handbuch. **optional Netzgerät, CAT5-Kabel und Terminator sind als Zubehör erhältlich!	500,00	600,00 EUR
		SC Serial 4in-out		
Y C N N B	 SCN-SER4IO	SC Net Module / Serial control module for direct computer operation via Wings Platinum or an SC Master unit via SC NET IN. One SC NET OUT for extension by one additional SC Net unit. One 25-pin SUB-D connector with 4 serial RS232 inputs/outputs. The interface allows free software configuration and communication with all sorts of RS232-connected hardware via hardware handshake. Scope of delivery: SC SERIAL 4in-out, 25-pin SUB-D connector with 4x9-pin SUB-D adapter cable, manual. **Optional mains power supply, CAT5 cable and terminator are available as an accessory!	500,00	600,00 EUR
SC VideoPlayer + Accessories				
		CompactFlash Video Player MPEG-2 Single Player		
Y C N N B	 SCV-CFVP/MKII/S	MPEG-Video Player, single, for playback of MPEG-1 and MPEG-2 videos in PAL and NTSC. One playing unit with CF card slot, one RS232-IN and one RS232-OUT connector for serial communication. One 25-pin SUB-D CONTROL connector for external starting of videos, one COMPOSITE video output, one S-VIDEO output. One STEREO-AUDIO output for connection to amplifier or active loudspeakers. The SC Video Player is supplied along with standard firmware (videos 0 - 9 can be called up, video 0 runs in a loop). On demand it can also be supplied with other player firmware**. Scope of delivery: SC Video Player Dual, mains power supply, remote control unit with batteries, manual.**optional: Cable SCF-SSK-SCV-Loop in combination with special firmware** (= for synced operation of several SC Video players on a network)	390,00	468,00 EUR
		CompactFlash Video Player LS with integrated amplifier		
Y C N N B	 SCV-CFVP/MKII/S-LS	MPEG-Video Player, single, for playback of MPEG-1 and MPEG-2 videos in PAL and NTSC. One playing unit with CF card slot, one RS232-IN and one RS232-OUT connector for serial communication. One 25-pin SUB-D CONTROL connector for external starting of videos, one COMPOSITE video output, one S-VIDEO output. One STEREO-AUDIO output with integrated 2x10 W amplifier output rating for connection to passive loudspeakers. The SC Video Player is supplied along with standard firmware (videos 0 - 9 can be called up, video 0 runs in a loop). On demand it can also be supplied with other player firmware**. Scope of delivery: SC Video Player Dual, mains power supply, remote control unit with batteries, manual.**optional: Cable SCF-SSK-SCV-Loop in combination with special firmware** (= for synced operation of several SC Video players on a network)	590,00	708,00 EUR
		CompactFlash Video Player Dual MPEG-2 Player		
Y C N N B	 SCV-CFVP/MK2/D	MPEG-Video Player, dual, for playback of MPEG-1 and MPEG-2 videos in PAL and NTSC. Two synced playing units with one separate CF Card slot each and separate power switches. One RS232-IN and one RS232-OUT connector for serial communication. One 25-pin SUB-D CONTROL connector for external starting of videos, one COMPOSITE video output per player, one S-VIDEO output per player. One STEREO-AUDIO output per player for connection to amplifier or active loudspeakers. The SC Video Player is supplied along with standard firmware (videos 0 - 9 can be called up, video 0 runs in a loop). On demand it can also be supplied with other player firmware**. Scope of delivery: SC Video Player Dual, mains power supply, remote control unit with batteries, manual. **optional: Cable SCF-SSK-SCV-Loop in combination with special firmware** (= for synced operation of several SC Video players on a network)	690,00	828,00 EUR
HD Player + Accessories				
		HD Player lite CF HD Video Player		
Y C N N B	 SCV-HD/LT	Supports CF I/II bis 16 GB, Supports MPEG2, HD WMV9 up to 1920*1080 max. 12Mbit/s, Outputs: Video, S-Video, Y.Pb.Pr up to 1080i, VGA up to 1280*1024 / 1360*768, HDMI up to 1920x1080p, Stereo Audio via Cinch Scheduled video playback. Integrated into Iseo Digital Signage solution.	330,00	396,00 EUR
		HD Player plus CF HD Video Player		
Y C N N B	 SCV-HD/PL	Supports CF I/II bis 16 GB, Supports MPEG2, HD WMV9 up to 1920*1080 max. 12Mbit/s, Outputs: Video, S-Video, Y.Pb.Pr up to 1080i, VGA up to 1280*1024 / 1360*768, HDMI up to 1920x1080p, Stereo Audio via Cinch Scheduled video playback. Simultaneous playback of video, images and ticker text. Integrated into Iseo Digital Signage solution.	375,00	450,00 EUR
		External IR receiver for HD Player		
Y C N N B	 SCV-HDZ-IRC	IR Receiver cable	5,00	6,00 EUR

Y C N N B	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		Play Button for HD Player		
Y C N N B	 SCV-HDZ-PB	Play Button for connection to "Play Buttons Box". 1.5m cable	3,50	4,20 EUR
		Play Buttons Box for HD Player		
Y C N N B	 SCV-HDZ-PBB	For connecting up to 12 Play Buttons and IR Sensor	50,00	60,00 EUR
		PIR Sensor for HD Player		
Y C N N B	 SCV-HDZ-PIR	Motion detector for connection to "Play Buttons Box". 1.5m cable	35,00	42,00 EUR
		Touch Sensor Button Interface for HD Player		
Y C N N B	 SCV-HDZ-WIR5SB	IR remote control key pad with 5 touch sensitive buttons	45,00	54,00 EUR
Y C N N B	 HCF-4GB-HA-HSPRO	CompactFlash-Card 4GB 200x for HD Player	29,00	34,80 EUR
Y C N N B	 HCF-8GB-HA-HSPRO	CompactFlash-Card 8GB 200x for HD Player	45,00	54,00 EUR
Y C N N B	 HCF-16GB-HA-HSPRO	CompactFlash-Card 16GB 200x for HD Player	79,00	94,80 EUR
Y C N N B	 HCF-32GB-HA-HSPRO	CompactFlash-Card 32GB 200x for HD Player	119,00	142,80 EUR
Show Control Accessories				
		SC Master start extension Laser Light Barrier V2		
Y C N N B	 SCF-LLB.2	Laser light barrier for all SC Master units for starting shows stored on CF card upon interruption of the light barrier. Receiver unit with 2x 4-pin telephone jack connector for 1x connection to the SC Master/Remote input and 1x connection to the transmitter unit for power supply. Scope of delivery: Transmitter unit with 10-m connecting cable, receiver unit with 5-m connecting cable, manual. **optional: Max. extension of the connecting cable to 100m possible.*	250,00	300,00 EUR
		SC Master start extension Motion Detector		
Y C N N B	 SCF-MD	PIR motion detector for all SC Master units for starting shows on CF cards through peoples movements. Cable connection either to the SC Master Remote or the DATA I/O connector. Scope of delivery: Motion detector with 5-m connecting cable, alternatively with 14-pin DIN/Cinch jack or 9-pin SUB-D Cinch jack. **optional: Max. extension of the connecting cable to 20m possible.	100,00	120,00 EUR
		SC Master start extension DCF77 Radio controlled Clock		
Y C N N B	 SCF-RCC	DCF-77 Radio Clock Module for all SC Master units for time- and date-controlled starting of shows on CF card. With connecting cable for connection to the SC Master Remote input, wall mounting frame. - For undisturbed synchronization the installation location must not be exposed to electromagnetic radiation and the signal receiver be pointing towards Frankfurt!. Scope of delivery: DCF77 Radio Clock Module with 5-m connecting cable, 14-pin DIN/Cinch jack, manual. **optional: Max. extension of the connecting cable to 100m possible.	100,00	120,00 EUR
		SC Master Show Start Cable DataIO-Keyboard Module		
Y C N N B	 SCF-SSK-DA-KM	Start cable with 16 switch inputs for interactive SC Master control via the DATA I/O interface. For starting up to 16 shows via 4x4 matrix either directly or via numerical entry of up to 120 number combinations. Scope of delivery: Cable length 1.8 m. Connections: 9-pin SUB-D connector for DATA I/O; connector strip for connection to a 4-/12- or 16-key keypad.	22,70	27,24 EUR
		SC Master Show Start Cable DataIO-Keyboard Module, 4 keys		
Y C N N B	 SCF-SSK-DA-KM4	Start cable with 4 switch inputs for interactive SC Master control via the DATA I/O interface. For starting up to 4 shows via 1x4 matrix or a 4-key keypad. Scope of delivery: Cable length 1.8 m. Connections: 9-pin SUB-D connector for DATA I/O; connector strip for connection to a 4-key keypad.	22,70	27,24 EUR
		SC Master Show Start Cable LED DataIO-Keyboard Module LED		
Y C N N B	 SCF-SSK-DA-KM-LED	Start cable with 16 switch inputs for interactive SC Master control via the DATA I/O interface. For starting up to 16 shows via 4x4 matrix either directly or via numerical entry of up to 120 number combinations. Scope of delivery: Cable length 1.8 m. Connections: 9-pin SUB-D connector for DATA I/O; connector strip for connection to a 12- or 16-key keypad with LED function.	22,70	27,24 EUR
		SC Master Show Start Cable DataIO-Open End		
Y C N N B	 SCF-SSK-DA-OE	Start cable with 16 switch inputs for interactive SC Master control via the DATA I/O interface. For starting up to 16 shows via 4x4 matrix either directly or via numerical entry of up to 120 number combinations. Scope of delivery: Cable length 1.8 m. Connections: 9-pin SUB-D connector for DATA I/O; 8 open tin-coated end contacts for customized self-installation.	22,70	27,24 EUR
		SC Master Show Start Cable DataIO-Remote 16in Parallel		
Y C N N B	 SCF-SSK-DA-P16	Start cable with 16 switch inputs for interactive SC Master 16/6 control via the DATA I/O interface. For simultaneous starting and playing of up to 16 shows on CF card. Scope of delivery: 30-cm cable with 25-pin SUB-D connector to 9-pin SUB-D connector, installation manual.	98,00	117,60 EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
Y C N N B	SCF-SSK-OCRE16-KM4	OCRE16-Keyboard Module 4 Keys DSUB25F - KM4 Start cable for connection to 4-key keypad (SCZ-KMV04) or OCRE cable.	22,70	27,24 EUR
Y C N N B	 SCF-SSK-PC-KM	PC Show Start Cable RS232PC-Keyboard Module Start cable with 16 switch inputs for interactive control of Wings Platinum via the RS232 PC port. For starting up to 16 timelines within a show via a 4x4 matrix keypad. Scope of delivery: Cable length 1.8 m. Connections: 9-pin SUB-D connector for DATA I/O, connector strip for connection to a 4-/12- or 16-key keypad.	98,00	117,60 EUR
Y C N N B	 SCF-SSK-PC-KM4	SC Master Show Start Cable RS232PC-Keyboard Module 4 Keys Start cable for a 4-key keypad, connecting cable between the serial RS232 PC port and a 4-key keypad. Scope of delivery: 1.8-m cable with 9-pin SUB-D connector to 8-pin connector strip.	98,00	117,60 EUR
Y C N N B	 SCF-SSK-PC-OE	PC Show Start Cable RS232PC-Open End Start cable with 24 switch inputs for interactive control of Wings Platinum via the RS232 PC port. For starting up to 24 timelines within a show via a 6x4 matrix keypad. Scope of delivery: Cable length 1.8 m. Connections: 9-pin SUB-D connector for DATA I/O, 10 open tin-coated end contacts for customized self-installation.	98,00	117,60 EUR
Y C N N B	 STF-PCSTART/XLR	Start/Pause Taster with XLR/M for computer Start/ Pause Start-Pause control unit for SC Master with SCF-SSK-PC-ST-XLR cable. Scope of delivery: STF PCSTART/XLR unit with 5-m cable, 1.8-m connecting cable from 9-pin to 25-pin SUB-D connector.	98,00	117,60 EUR
Y C N N B	SCF-SSK-RMT64-KM	SC Remote64 Show Start Cable Remote64-Keyboard Module Start cable for connection of up to 4x 12-key modules (4x3 matrix) to an SC Remote 64 Module.	22,70	27,24 EUR
Y C N N B	 HCF-T001GB	CompactFlash-Card 1GB 5,2Mbs for SC Master External SC Master memory, max. 1 GB memory capacity. Scope of delivery: Memory card + cover.	25,00	30,00 EUR
Y C N N B	 HCF-T002GB	CompactFlash-Card 2GB 5,2Mbs for SC Master External SC Master memory, max. 2 GB memory capacity. Scope of delivery: Memory card + cover.	48,00	57,60 EUR
Y C N N B	 HCF-T004GB	CompactFlash-Card 4GB 40Mbs for SC Master External SC Master memory, max. 4 GB memory capacity. Scope of delivery: Memory card + cover.	75,00	90,00 EUR
Y C N N B	 HIR-IRT-TRANS-1K	External IR Transmitter 1-diode-array External infrared aerial for the SC-LAN-IR Module. Scope of delivery: Cable with plug.	10,00	12,00 EUR
Y C N N B	 HIR-IRT-TRANS-2K	External IR Transmitter 2-diode-array External infrared aerial for the SC-LAN-IR Module. Scope of delivery: Cable with plug.	20,00	24,00 EUR
Y C N N B	 HIR-IRT-TRANS-4K	External IR Transmitter 4-diode-array External infrared aerial for the SC-LAN-IR Module. Scope of delivery: Cable with plug.	38,00	45,60 EUR
Y C N N B	SCK-AUD-KL-XLR	SC Master 6/16 sym. Audio cable - Phone jack 6.3 - XLR3M, 1.8m Balanced audio cable with 6.3 mm phone jack for connection between SC Master 16/6/Lite LS (via 6.3/3.6 mm jack adapter also for SC Master 2/4/Lite) and 3-pin XLR sockets of various loudspeakers. Scope of delivery: Cable 1.8 m.	22,70	27,24 EUR
Y C N N B	SCK-A-SCN-HUB4	SC Net-Distributor - 4-fold 4-fold distributor module for star-shaped arrangement of SC Net cables. Please bear in mind that the maximum permissible signal line length (up to 300 m) must be reduced markedly and a CAN-repeater be used.	22,70	27,24 EUR
Y C N N B	SCK-A-SCN-HUB8	SC Net-Distributor - 8-fold 8-fold distributor module for star-shaped arrangement of SC Net cables. Please bear in mind that the maximum permissible signal line length (up to 300 m) must be reduced markedly and a CAN-repeater be used.	22,70	27,24 EUR
Y C N N B	SCK-DMX_INTCONN/3	DMX512 3pol. Verbindungskabel - XLR3M-XLR3F, 1.8m XLR extension cable for DMX interface with 3-pin XLR connection. Scope of delivery: Cable with 3-pin XLR socket/plug. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
Y C N N B	SCK-DMX_INTCONN/5	DMX512 5 pin. Connection - XLR5M-XLR5F, 1.8m XLR extension cable for DMX interfaces with 5-pin XLR connection. Scope of delivery: Cable with 5-pin XLR socket/plug. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
		SC Net Output DMX512 3pol. - DB25M - XLR3F		
Y C N N B	SCK-N_DM512_3	XLR connecting cable between SC Module DMX 512 and DMX interface with 3-pin XLR connection. Scope of delivery: Cable with 25-pin SUB-D plug /3-pin XLR socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Net Output DMX512 5pol. - DB25M - XLR5F		
Y C N N B	SCK-N_DM512_5	XLR connecting cable between SC Module DMX 512 and DMX interface with 5-pin XLR connection. Scope of delivery: Cable with 25-pin SUB-D plug/3-pin XLR socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Net Output 8x Servo - DB25M - 8x 3-pin servo connector.		
Y C N N B	SCK-N_SERVO80	Connecting cable between SC Module Servo 8out and 8 servos with 3-pin male connectors. Scope of delivery: 8-fold distribution cable, 25-pin SUB-D connector/ 8x 3-pin male connectors. Length: 1.8 m (standard), optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Cable Connector S		
Y C N N B	SCK-NCON/S	CAT5 cable coupling for extension of SC Net system cable, shielded version.	10,00	12,00 EUR
		SC Cable 0.5 m STP - SC NET connecting cable		
Y C N N B	 SCK-N005/STP	SC Net cable, CAT5, shielded, twisted pair, length 0.5 m	10,00	12,00 EUR
		SC Cable 1.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N010/STP	SC Net cable, CAT5, shielded, twisted pair, length 1.0 m	12,00	14,40 EUR
		SC Cable 2.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N020/STP	SC Net cable, CAT5, shielded, twisted pair, length 2.0 m	15,00	18,00 EUR
		SC Cable 3.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N030/STP	SC Net cable, CAT5, shielded, twisted pair, length 3.0 m	18,00	21,60 EUR
		SC Cable 5.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N050/STP	SC Net cable, CAT5, shielded, twisted pair, length 5.0 m	20,00	24,00 EUR
		SC Cable 10.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N100/STP	SC Net cable, CAT5, shielded, twisted pair, length 10.0 m	23,00	27,60 EUR
		SC Cable 20.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N200/STP	SC Net cable, CAT5, shielded, twisted pair, length 20.0 m	27,00	32,40 EUR
		SC Cable 30.0 m STP - SC NET connecting cable		
Y C N N B	 SCK-N300/STP	SC Net cable, CAT5, shielded, twisted pair, length 30.0 m	30,00	36,00 EUR
		SC NET Terminator - Terminating resistor 100R		
Y C N N B	SCK-TERMINATOR	Terminating resistor for terminating the signal line at the last module within the SC Net and for terminating any unused SC Net module outputs. Scope of delivery: Resistor in housing.	15,00	18,00 EUR
		Y-Distributor for SC Remote - DIN14M - 2xDIN14F, 0.2m		
Y C N N B	SCK-Y_REMOTE	Y-Remote distribution cable for SC Master units; for simultaneous operation of IR control unit and EC mixer. Scope of delivery: Distribution unit with 30-m cable for REMOTE connector.	30,00	36,00 EUR
		PC-SCNet Cable - For connecting the SCNetModule with the PC (RS232).		
Y C N N B	SCK-N_PC	Connecting cable for all SC devices and SC Net modules. For direction operation via Wings Platinum. Connection between SC Net and PC RS232. Scope of delivery: serial cable with RS232 socket for connection to the PC.	22,70	27,24 EUR
		Output Adapter cable 4xRS232 - 25pin SUB-D - 4x9pin SUB-D		
Y C N N B	SCK-ORS232/4	Connecting cable for SC Module Serial 4in-out to 4x RS232 connector, from 25-pin SUB-D plug to 4x RS232 9-pin SUB-D socket or to 4x RS232 9-pin SUB-D plug via null modem adapter cable. Scope of delivery: 4-fold distribution cable, 25-pin SUB-D connector/ 4x RS 232 9-pin SUB-D connectors. Length: 30 cm (standard).	50,00	60,00 EUR
		SC Master/DMX512 3pol. Cable - DIN14M-XLR3F, 1.8m		
Y C N N B	SCK-MDMXE/3	Connecting cable between SC Master and a DMX interface. Connection between SC Master / 14-pin Remote and 3-pin XLR DMX interface. Scope of delivery: 14-pin DIN plug / 3-pin XLR socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Master/DMX512 5pol. Cable - DIN14M-XLR5F, 1.8m		
Y C N N B	SCK-MDMXE/5	Serial connecting cable between SC Master and a DMX interface. Connection between SC Master / 14-pin Remote and 5-pin XLR DMX interface. Scope of delivery: 14-pin DIN plug / 5-pin XLR socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Master - SC Video Player - RS232 Connecting Cable		
Y C N N B	SCK-SCV_SCM	Serial connecting cable between SC Master and SC Video Player. Connection between SC Master/RS232in-out and SC Video Player RS232in/CLK. Scope of delivery: 9-pin SUB-D plug / 8-pin telephone jack socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Master - SC Video Player - RS232-Clock Sync Cable		
Y C N N B	SCK-SCV_SCM_CLK	Connecting cable between SC Master and SC Video Player. Connection between SC Master/RS232in-out and SC Video Player RS232in/CLK. Is required for syncing SC Master and SC Video player. Scope of delivery: 9-pin SUB-D plug / 8-pin telephone jack socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	98,00	117,60 EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
		SC Video Player - Keyboard M12 - 25-pin SUB-D M - KM12		
Y C N N B	SCK-SCV_KM	Start cable for 12-key keypad. Connecting cable between the SC Video Player 25-pin SUB-D Control connector and the keypad connector strip. Keyboard Module: SCZ-KMV12_P. Scope of delivery: 1.8-m cable with 25-pin SUB-D connector to 22-pin connector strip.	22,70	27,24 EUR
		SC Video Player - Keyboard M4 - 25-pin SUB-D M - KM4		
Y C N N B	SCK-SCV_KM4	Start cable for a 4-key keypad. Connecting cable between SC Video Player 25-pin SUB-D Control connector and the keypad connector strip. Keyboard Module: SCZ-KMV04. Scope of delivery: 1.8-m cable with 25-pin SUB-D connector to 8-pin connector strip.	22,70	27,24 EUR
		SC Video Player - Open End (25-pin SUB-D M - Open End)		
Y C N N B	SCK-SCV_OE	Start cable with 10 switch inputs for interactive control of SC Video Player / 25-pin SUB-D Control. For starting up to 10 shows. Scope of delivery: Cable length 1.8 m. Connections: 25-pin SUB-D plug / 8 open tin-coated end contacts for customized self-installation.	22,70	27,24 EUR
		PC - SC Video Player - RS232 connecting cable		
Y C N N B	SCK-SCV_PC	Connecting cable between SC Video Player and the computer. Connection between SC Video Player RS232in/CLK and computer ComPort RS232in/CLK. Scope of delivery: 9-pin SUB-D plug / 8-pin telephone jack socket. Length: 1.8 m (standard). Length: optionally at € 2,00/meter.	22,70	27,24 EUR
		SC Master Software Module - DMX512 Extension for 64 channels		
Y C N N B	 SCZ-DMXE	Software Module for SC Master DMX Upgrade. Upgrade from 6 to 64 DMX channels via 14-pin Remote out. Scope of delivery: Enable code (for SC Master X performance improvement; SOFTWARE UPGRADE is carried out by AV Stumpf).	250,00	300,00 EUR
		SC I/O Connector Screw		
Y C N N B	 SCZ-CON/SCREW	Plug-in connection 25-pin SUB-D plug with screw terminal clamps. Scope of delivery: Plug with housing, screws.	45,00	54,00 EUR
		SC I/O Connector Screw		
Y C N N B	SCZ-CON/SCREW_LED	LED channel control IN/OUT connector with terminal-screw connection. Scope of delivery: Plug with housing, screws.	55,00	66,00 EUR
		SC I/O Connector Solder		
Y C N N B	 SCZ-CON/SOLD	25-pin SUB-D connector with solder hook terminals. Scope of delivery: Plug with housing, screws.	15,00	18,00 EUR
		SC mounting Hardware - SC DIN Rail Mount S1		
Y C N N B	SCZ-DRM/S1	Adapter for mounting SCNet Modules on DIN rails. Scope of delivery: Plastic rail, screws.	60,00	72,00 EUR
		Warranty extension 2 years		
Y C N N B	SCZ-GAR2/D	for SC Master 6/16	100,00	120,00 EUR
		SC Accessories Keyboard Module 4, IP67		
Y C N N B	 SCZ-KMV04	4-key keypad (labelled F1-F4). Nondestructive version for SC Master, SC Video Player and computer. Connection via adapter cable SCK-SCV_KM4 for SC Video Player, SCF-SSK-DA-KM4 for SC Master and SCF-SSK-PC-KM4 for the computer. Scope of delivery: Keypad, sealing, screws and nuts, description.	50,00	60,00 EUR
		SC Accessories Keyboard Module 12, IP67		
Y C N N B	 SCZ-KMV12	12-key keypad (labelled 1-9,*0,#). Nondestructive version for SC Master and computer. Connection via adapter cable SCF-SSK-DA-KM for SC Master and SCFSSK-PC-KM for the computer. Scope of delivery: Keypad, sealing, screws and nuts, description.	72,00	86,40 EUR
		SC Accessories Keyboard Module 12, IP67, LED		
Y C N N B	 SCZ-KMV12-LED	12-key keypad with illuminated keys (labeled 1-9,*0,#). Nondestructive version for SC Master. Connection via adapter cable SCF-SSK-DA-KM-LED. Scope of delivery: Keypad, sealing, screws and nuts, description.	82,00	98,40 EUR
		SC Accessories Keyboard Module 12, IP67		
Y C N N B	 SCZ-KMV12_P	12-key keyboard (labeled 1-9,*0,#). Nondestructive version for SC Video Player. Connection via the adapter cable SCK-SCV_KM for SC Video Player. Scope of delivery: Keypad, sealing, screws and nuts, description.	82,00	98,40 EUR
		SC Accessories Keyboard Module 16, IP67		
Y C N N B	 SCZ-KMV16	16-key keyboard (labeled 1-9,A,B,C,D,E,F). Nondestructive version for SC Master and computer. Connection via adapter cable SCF-SSK-DA-KM for SC Master and SCF-SSK-PC-KM for the computer. Scope of delivery: Keypad, sealing, screws and nuts, description.	95,00	114,00 EUR
		SC Accessories Keyboard Module 16, IP67, LED		
Y C N N B	 SCZ-KMV16-LED	16-key keyboard with illuminated keys (labeled 1-9, A, B, C, D, E, F). Nondestructive version, for connection to the SC Master via the adapter cable SCF-SSK-DAKM_LED.	105,00	126,00 EUR
		SC Master Output Hardware Open-Collector Remote Extension		
Y C N N B	 SCZ-OCRE	Open-collector 16-Remote cable for SC Master/ DATA I/O. 16 outputs for switching 16 wearfree open-collector outputs and 8 inputs for starting shows on CF cards.	190,00	228,00 EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
		SC Master I/O Hardware Open-Collector Remote Extension		
Y C N N B	 SCZ-OC40RE	Open-collector 40-Remote cable for SC Master/ DATA I/O. 40 outputs for switching 40 wearfree open-collector outputs and 8 inputs for starting shows on CF cards.	250,00	300,00 EUR
		RFID-System for SC Master		
		RFID receiver Receiver for contactless identification system for the SC Master (Lite/2(M)/4(M)/6/16).	320,00	384,00 EUR
		RFID-System for SC Master		
Y C N N B	 SCZ-RFID-TPC	RFID Transponder Card Transponder for usage in combination with RFID receiver (range approx. 80 mm), credit card.	6,30	7,56 EUR
		RFID-System for SC Master		
Y C N N B	 SCZ-RFID-TPD5	RFID Transponder Disc50 Transponder for usage in combination with RFID receiver (range approx. 80 mm), plastic disk.	4,70	5,64 EUR
		RFID-System for SC Master		
Y C N N B	 SCZ-RFID-TPT	RFID Transponder Tear Shape Transponder for usage in combination with RFID receiver (range approx. 40 mm), keyring pendant.	5,50	6,60 EUR
		RFID-System for SC Master		
Y C N N B	 SCZ-RFID-TPW	RFID Transponder Watch Transponder for usage in combination with RFID receiver (range approx. 40 mm), watch.	9,60	11,52 EUR
		SC mounting hardware		
Y C N N B	 SCZ-RM/M1S2	SC Rack Mount M1S2 Adapter plate for 19" mounting of SC Master and two SC Net Modules, 1.5 U	80,00	96,00 EUR
		SC mounting hardware		
Y C N N B	SCZ-RM/M1-BLIND	SC RM M1 Dummy cover	10,00	12,00 EUR
		SC mounting hardware		
Y C N N B	 SCZ-RM/M2	SC Rack Mount M2 Adapter plate for 19" mounting of two SC Net Modules, 1.5 U	80,00	96,00 EUR
		SC mounting hardware		
Y C N N B	 SCZ-RM/PLATE1	19" Rack Plate 1U 19" dummy panel 1 U	18,00	21,60 EUR
		SC mounting hardware		
Y C N N B	SCZ-RM/PLATE2	19" Rack Plate 2U 19" dummy panel 2 U	20,00	24,00 EUR
		SC mounting hardware		
Y C N N B	SCZ-RM/PLATE3	19" Rack Plate 3U 19" dummy panel 3 U	25,00	30,00 EUR
		SC mounting hardware		
Y C N N B	SCZ-RM/S1-BLIND	SC RM S1 Dummy Cover	10,00	12,00 EUR
		SC mounting hardware		
Y C N N B	 SCZ-RM/S5	SC Rack Mount S5 Adapter plate for 19" mounting of five SC Net Modules, 1 U.	80,00	96,00 EUR
		SC Accessories		
Y C N N B	SCZ-USB/DMX-IO	USB-DMX512 unit for recording and output of DMX signals. Scope of delivery: USB512 unit, USB-cable, CD-Rom with driver and installation instructions: is supported by Wings 3.60 and up.	390,00	468,00 EUR
		SC Accessories		
Y C N N B	 STZ-NG1/115	Mains power supply, 115V, 4TelJack For SD102/302/404/Event//SC Master Lite/2M/4M/6/16	44,00	52,80 EUR
		SC Accessories		
Y C N N B	 STZ-NG1/230	Mains power supply, 230V, 4TelJack For SD102/302/404/Event//SC Master Lite/2M/4M/6/16	44,00	52,80 EUR
		SC Accessories		
Y C N N B	STZ-NG3-SWITCH	Switched mode mains power supply, 230V, 8DIN For SC Master Lite LS	95,00	114,00 EUR
		Switched mains power supply, 100-240VEU Version		
Y C N N B	STZ-NG6-SCV-EU	For SC LAN Module, SC Video Player, HD Player	39,00	46,80 EUR
		Switched mains power supply, 100-240VUK Version		
Y C N N B	STZ-NG6-SCV-UK	For SC LAN Module, SC Video Player, HD Player	39,00	46,80 EUR
		Switched mains power supply, 100-240VUS Version		
Y C N N B	STZ-NG6-SCV-US	For SC LAN Module, SC Video Player, HD Player	39,00	46,80 EUR