



### Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions

www.pro-technica.com

# EUR

## Price List 9/2010

Effective September 1, 2010

Subject to change without prior notice.

All former price lists expire with the publishing of this version.

All prices are suggested net retail prices; ex works.

There are applicable our General Terms of Business, only.

Articles marked \* will be discontinued soon!

EUR	EUR
Netto	+ 20% DDS
(ex. VAT)	(incl. VAT)

E C P B R

Model

Description

## Diamond Series Consoles

### All include:

8 DMX universes, 4'096 DMX Channels; Dual head XVGA video output; Printed, Water Proof Console Cover; Qwerty Keyboard and Trackball fitted in console drawer; Visualisation software; Full fixture support; Control Personality Files supplied for over 220 fixtures; Internal High Resolution Electronic Legending; Operators Manual; MIDI input; Audio inputs; MS embedded XP software licence; Advanced timing functions; Modem and Ethernet controller; Ready for future enhancements: RDM, the latest DMX standard; Ethernet; Spare PCI slots for additional devices; USB ports for flash backup and easy connection to other peripherals

**Diamond 4** consoles require two external screens which are not included in the console price. These should have a resolution of at least 1280 \* 1024 and can generally be sourced locally at a competitive price. Alternatively purchase 2 off 30-01-6005 (see below).



N H Y N B	Model	Description	EUR	EUR	
			Netto	+ 20% DDS	
			(ex. VAT)	(incl. VAT)	
		<b>Diamond 4 Vision Console</b>	23.977,00	<b>28.772,00</b>	EUR
N H Y N B	09-01-0150	Diamond 4 Vision Flightcase	1.140,00	<b>1.368,00</b>	EUR
N H Y N B	09-01-0151	Diamond 4 Vision packaging (if not supplied flightcased) (Nett price)	300,00	<b>360,00</b>	EUR
N H Y N B	8100-9055	Additional Silver D4 Vision Coated Console Heat Reflective cover	65,00	<b>78,00</b>	EUR
		<b>Diamond 4 Elite Console</b>	18.000,00	<b>21.600,00</b>	EUR
N H Y N B	09-01-0200	Diamond 4 Elite Flightcase	960,00	<b>1.152,00</b>	EUR
N H Y N B	09-01-0201	Diamond 4 Elite packaging (if not supplied flightcased) (Nett price)	270,00	<b>324,00</b>	EUR
N H Y N B	8100-9050	Additional Silver D4 Elite Coated Console Heat Reflective cover	65,00	<b>78,00</b>	EUR
		<b>Diamond 4 options:-</b>			
N H Y N B	11-02-0121	Console desk lights ( 2 required for Elite, 3 for Vision)	67,00	<b>80,00</b>	EUR
N H Y N B	30-01-6005	LCD Colour Monitor resolution 1280 * 1024 (Nett price)	420,00	<b>504,00</b>	EUR
N H Y N B	09-01-0085	Flightcase suitable for 2 off LCD colour monitors (as above) (Nett price)	240,00	<b>288,00</b>	EUR
N H Y N B	1804-5000	UPS Mains supply (Net price)	132,00	<b>158,00</b>	EUR

### PC Simulation / Off Line Editor

N H Y N B		Simulation software allowing off line editing of shows (included with console) or available as no charge download from www.avolites.com	30,00	<b>36,00</b>	EUR
-----------	--	---	-------	--------------	-----

### Diamond 4 Desktop

The Desktop series of components allows off line editing of a Diamond 4 show, and with the addition of the software unlock and EZ DMX the simulation software can be used to actually run a show either as a backup to the main console or as a small stand alone system for exhibitions etc. The 'Pilot' gives physical playbacks enhancing the usability of software. To run the software a good quality software stable PC running MS Windows XP is required, with at least 500Mb memory, 40Gb free hard disk space, 1 free USB port and a graphics screen with resolution of at least 1280 \* 1204



N H Y N B	30-10-7610	Diamond 4 Desktop software (dongle to unlock software)	1.800,00	<b>2.160,00</b>	EUR
N H Y N B	33-65-3102	EZ DMX unit. 8 DMX universe output box for Desktop system	1.182,00	<b>1.418,00</b>	EUR
N H Y N B	30-01-7601	Diamond 4 Pilot controller (provisional price)	1.032,00	<b>1.238,00</b>	EUR

### NEW!

### ShowSafe for Diamond 4/Pearl Expert

Comprehensive back up for Avolites Pearl Expert and Diamond Consoles, activated at the touch of a switch; 8 Universes of DMX output and MIDI In/Out; 10 USB connections; Built in LCD Status Screen with configuration buttons; Connects to Pearl Expert using Ethernet and USB cables; Pearl Expert and ShowSafe output DMX Simultaneously; Built In Pearl Expert Simulator panel gives access to all console functions; Rackmounted in a 19 inch flightcase




N H Y N B	30-01-2000	Fully flightcased 19in unit	4.740,00	<b>5.688,00</b>	EUR
N H Y N B		special price if purchased at the same time as a Diamond 4 or Pearl Expert	3.240,00	<b>3.888,00</b>	EUR



## Pearl Series Consoles

### NEW! PEARL Expert Titan Console


**TITAN Operating System; Dual Boot** – Run the Expert on the new, feature rich and innovative TITAN Operating System or switch to Pearl Classic Mode, the industry standard Pearl OS that you all know and love; 2048 Output Channels – 4 full-speed DMX universes RDM ready; Shape Generator for instant creation of patterns & effects; 120 intelligent lights – full control of any mixture of fixtures; 240 separate Dimmer Control Channels; Dimmer with soft patch, with multiple response curves and HTP control; 600 memories or sequences; 20 sequences may be run simultaneously; 20 Playback Submasters; Unique Split Roller; Reverse printed Poly Carbonate Laminate front panel; Stainless Steel Front Panel; Newly styled end cheeks finished in a tough grey and metal impregnated paint; Two Speed silver slim encoder knobs; 4 DMX XLR connectors; Built In Stage Visualiser; Built in CD/DVD writer/re writer; Built in QWERTY Keyboard and Touch "mouse" pad; USB Memory pen port; Theatrical style keypad channel selection and playback control; MIDI, and MIDI timecode inputs; Personality files for over 1000 fixtures; Windows XP Embedded




N H Y N B	30-01-9900	<b>Pearl Expert Titan Console</b> (order flightcase and options separately)	10.200,00	<b>12.240,00</b>	EUR
		<b>Pearl Expert Options:</b>			
N H Y N B	1374-0070	15/17" LCD Monitor Mounting Arm (for fixed installation only)	180,00	<b>216,00</b>	EUR
N H Y N B	30-01-9910	15/17" LCD Monitor Mounting arm (monitor and arm fit in Flightcase)	162,00	<b>194,00</b>	EUR
N H Y N B	30-01-9905	LCD Monitor and Mounting Arm	540,00	<b>648,00</b>	EUR
N H Y N B	09-01-0061	Standard Control System Flightcase for Pearl	480,00	<b>576,00</b>	EUR
N H Y N B	8100-9001	Printed, Water Proof Console Cover for Pearl Expert	48,00	<b>58,00</b>	EUR
N H Y N B	11-02-0121	Pearl Expert and Diamond 4 Console Lamp	67,00	<b>80,00</b>	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
	<b>NEW!</b>	<b>Expert Touch Wing</b>		
		Engage in fast intuitive programming; Explore the wide screen touch interface with limitless scrollable windows; Exciting, integrated video control with thumbnail view selection; Embrace the ability to create your personalised interface.		
N H Y N B	<b>30-01-9950</b>	Expert Touch Wing	1.320,00	<b>1.584,00</b> EUR
N H Y N B	<b>30-01-9951</b>	Expert Touch wing interface kit	132,00	<b>158,00</b> EUR
	<b>NEW!</b>	<b>ShowSafe for Diamond 4/Pearl Expert</b>		
		Comprehensive back up for Avolites Pearl Expert and Diamond Consoles, activated at the touch of a switch; 8 Universes of DMX output and MIDI In/Out; 10 USB connections; Built in LCD Status Screen with configuration buttons; Connects to Pearl Expert using Ethernet and USB cables; Pearl Expert and ShowSafe output DMX Simultaneously; Built In Pearl Expert Simulator panel gives access to all console functions; Rackmounted in a 19 inch flightcase		
N H Y N B	<b>30-01-2000</b>	Fully flightcased 19in unit	4.740,00	<b>5.688,00</b> EUR
N H Y N B		special price if purchased at the same time as a Diamond 4 or Pearl Expert	3.240,00	<b>3.888,00</b> EUR


**NEW! TIGER Touch**

		Runs Titan Software using intuitive touch screen interface; 4 Physical 5-pin DMX outputs; Control 12 universes of DMX using ArtNet; 15.4 inch, High Contrast wide screen touch interface; Live an powerful Cue List control; 20 submasters for Cues, Cue Lists and Chases; 1000 virtual Playback Executors; Fixture Exchange; Fixture Overlap; Individual attribute times; Colour picker; 3 encoder wheels; Individual key profiles on every playback; 10 direct Macro buttons and Macro library; Expandable library for over 1000 fixtures; Support of Artnet and Avotalk protocols; Media Server Support utilizing Avolites Active Fixtures in conjunction with the new, cross platform, Media Server protocol "CITP" where "Clips" and Live Previews are presented graphically on the console screen; Full showfile compatibility with Pearl Expert		
N H Y N B	<b>30-01-3000</b>	<b>Tiger Touch Console</b>	7.777,00	<b>9.332,00</b> EUR
		<b>Tiger Touch Options:</b>		
N H Y N B	<b>09-01-0035</b>	Flightcase Includes space for LCD Monitor, Wing and manuals cables etc.	432,00	<b>518,00</b> EUR
N H Y N B	<b>11-02-0121</b>	Pearl Expert and Diamond 4 Console Lamp	67,00	<b>80,00</b> EUR
N H Y N B	<b>8100-9100</b>	Cover for Pearl Tiger / Tiger Touch	33,00	<b>40,00</b> EUR
N H Y N B	<b>8100-9001</b>	Printed, Water Proof Console Cover for Pearl Expert		
		All accessories as Pearl Tiger Classic		


**NEW! TITAN Mobile – the awesome power of Titan in it's most concentrated form!**


		Avolites TITAN Mobile binds the awesome power of TITAN software with a compact and lightweight unit that connects to your laptop to produce a fully featured moving light control system.		
		As our industry 'greens up' and wises up, many shows have become 'festival tours' where the only things to be freighted around are the band, designers and flexible control systems.		
		The control surface of TITAN Mobile coupled with Avolites touring experience enables designers to 'keep it live' while preserving their shows visual integrity.		
		Live Playbacks, Solo and Flash buttons, user programmable buttons and Attribute controllers enable fast and accurate show programming in a flight friendly package. Avolites TITAN Mobile – catering to the needs of our ever changing industry.		
N H Y N B	<b>TITAN Mobile</b>			<b>P.O.A</b> EUR

**PEARL 2010, (Shown with included LCD)**

		2048 Output Channels – 4 full-speed DMX universes; Colour LCD VGA screen (as shown in picture); Shape Generator for instant creation of patterns & effects; 240 intelligent lights – full control of any mixture of fixtures; 240 separate Dimmer Control Channels; Dimmer with soft patch, with multiple response curves and HTP control; 450 memories or sequences; 15 sequences may be run simultaneously; 15 Playback Submasters; Reverse printed Poly Carbonate Laminated front panel; Two Speed silver slim encoder knobs; Output panel has 4 DMX XLR connectors; Supplied with PC applications, Visualiser, Pearl Simulation program and Avolites Cache Builder; Internal Flash Drive, similar in functionality to a hard disk but faster and more rugged; Fitted with 3.5 inch, 1.44MB floppy disk drive and USB memory interface; Removable external Memory Stick; Bass, Mid, and Treble sound to light triggers; Theatrical style keypad channel selection and playback control; MIDI, and MIDI timecode inputs; Fitted with Extended Memory; Fixture Library of more than 3000 files; USB memory connection;		
N H Y N B	<b>30-01-9010</b>	<b>Pearl 2010 Console (order flightcase and options seperately)</b>	7.777,00	<b>9.332,00</b> EUR
		<b>Pearl 2010 Options:</b>		
N H Y N B	<b>1221-1010</b>	LCD Monitor for Pearl/Sapphire/Axure	300,00	<b>360,00</b> EUR
N H Y N B	<b>09-01-0068</b>	Standard Control System Flightcase for Pearl 2010	522,00	<b>626,00</b> EUR
N H Y N B	<b>8100-9001</b>	Printed, Water Proof Console Cover for Pearl 2010	48,00	<b>58,00</b> EUR
N H Y N B	<b>11-02-0121</b>	Flexible Halogen Console Lamp for Pearl	67,00	<b>80,00</b> EUR

**PEARL Tiger, (Shown with LCD which is included as standard)**

		Offers all the Pearl features including Theatre Playback, Timecode, MIDI triggers, etc. but with 10 playbacks and a single row of preset faders and USB memory pen interface; 2048 channels to 240 moving lights on 4 isolated DMX outputs; 10 playback submasters; expandable to 15 with external playback wing; Full personality library in the console, with free updates on website; Can Save multiple shows instantly to internal USB flash disk or external USB memory stick; Can Load or Save any Pearl show; Supplied with colour LCD VGA screen; Tiger footprint – 67cm by 48cm by 14cm or 30cm with VGA screen; Tiger weight – 13 Kg		
N H Y N B	<b>30-01-7000</b>	<b>Pearl Tiger Console</b>	4.950,00	<b>5.940,00</b> EUR
		<b>Pearl 2010 Options:</b>		
N H Y N B	<b>8100-9100</b>	Cover for Pearl Tiger / Tiger Touch	33,00	<b>40,00</b> EUR
N H Y N B	<b>09-01-0035</b>	Flightcase Includes space for LCD Monitor, Wing and manuals cables etc.	432,00	<b>518,00</b> EUR
N H Y N B	<b>11-02-0121</b>	Console Lamp 18" straight	67,00	<b>80,00</b> EUR

		<b>Pearl Tiger Wing</b>		
		Connects to Pearl Tiger and adds an additional 5 playbacks, giving the same number of playbacks as the Pearl 2010		
N H Y N B	<b>30-01-7001</b>	Pearl Tiger Wing	593,00	<b>712,00</b> EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	---------------------------	---------------------------------

## Azure Series Consoles

### AZURE 2000 Shadow



2048 Control Channels - 4 full-speed DMX lines; 200 intelligent fixtures - full control of any mixture of fixtures; 200 Dimmer Control Channels - with soft patch & response curves; 500 memories or sequences; 20 sequences may be run simultaneously; 10 Playback Submaster Faders with Flash Buttons; 40 Playback Submaster Buttons; Fitted with 3.5" Floppy disk drive; Colour VGA output fitted as standard; MIDI, and MIDI timecode inputs; 100 Preloaded Shapes; Over 3,000 fixture personalities supplied with console or available as download; Mains Lead and Operators Manual; Azure 2000 consoles require a VGA screen which is not included in the console price

N H Y N B	<b>30-01-5500</b>	<b>Azure 2000 - Shadow Console</b> (order Flightcase and Options seperately)	3.593,00	<b>4.312,00</b> EUR
<b>Azure Options</b>				
N H Y N B	<b>09-01-0095</b>	Small Flightcase for Azure, (Graphic tablet stores under console)	435,00	<b>522,00</b> EUR
N H Y N B	<b>1221-1020S</b>	LCD Monitor Azure	353,00	<b>424,00</b> EUR
N H Y N B	<b>8100-5000</b>	Printed, Water Proof Console cover	48,00	<b>58,00</b> EUR
N H Y N B	<b>11-02-0124</b>	Flexible Halogen Console Lamp	57,00	<b>68,00</b> EUR
N H Y N B	<b>11-02-0163</b>	Small Compact Keyboard	143,00	<b>172,00</b> EUR

### NEW!

### ART 2000 POWERCUBE



#### Brand new low-cost dimmer with power and data distribution

New clear and easy menu system; Soft patch; 12 x 10amp dimming channels; 6 x 10amp dimming or hotpower channels; 6 x 16amp hot power channels; 2 x 16amp CEE utility outlets; 1-in-2-out DMX splitter; ArtNet in with 5-pin DMX out; 100% duty cycle; Flightcase included, 63amp 3-phase CEE inlet tail fitted

N H Y N B	<b>17-85-0001</b>	Single-pole MCB Powercube	3.600,00	<b>4.320,00</b> EUR
N H Y N B	<b>17-85-0002</b>	Neutral Disconnect MCB Powercube	4.200,00	<b>5.040,00</b> EUR
N H Y N B	<b>17-85-0003</b>	Delta Mains Powercube	4.200,00	<b>5.040,00</b> EUR
N H Y N B	<b>17-85-0021</b>	Socapex outlet panel		<b>part of system</b>
N H Y N B	<b>17-85-0022</b>	Harting outlet panel		<b>part of system</b>

### ART 2000 Touring Dimming Systems




#### All Art 2000 Touring Systems feature:

Channels rated at 16 Amps at 100% Duty Cycle; Studio Standard Suppression Chokes at 240µ Seconds; Flexible, interchangeable modular design: each 12 channel bay can contain Dimming channels; or Mains Distribution Switching channels; Dual DMX inputs, both with HTP merge and Loop out connectors; Fully flexible soft patching on both DMX inputs; Rotary Level Faders for each channel with HTP merge; Termination switches for both DMX inputs; Camloc or Powerloc Mains Input connectors fitted - 3 Phase + N + E; 4 off 3 Phase, 63 Amp, Mains Disconnect Breakers; Load Lamp Test Facility; Amptown Flightcase, on wheels, with removable Front, Rear and Top; All Art 2000 Systems are CE Compliant.

#### Example Systems

The ART 2000 touring systems consist of two frame sizes which are then populated with a number of different modules and fittings. The frame sizes are T2 for 2 modules and T4 for 4 modules. We have shown in each section a basic and full spec system, but you can specify your exact configuration using the Dimming System option quotation sheet, the prices given DO NOT include patchcables. Prices are for guidance only and systems will be built from the quotation sheets.

<b>Modules:</b>				
N H Y N B		<b>17-80-0018</b>	12 * 16 Amps Dimming	1.410,00 <b>1.692,00</b> EUR
N H Y N B		<b>17-80-0118</b>	12 * 16 Amps DMX Triggered Contactor	1.420,00 <b>1.704,00</b> EUR
N H Y N B		<b>17-80-0019</b>	12 * 16 Amps Power	732,00 <b>878,00</b> EUR
N H Y N B		<b>17-80-0129</b>	Blanking Plate	40,00 <b>48,00</b> EUR
N H Y N B		<b>17-80-0033</b>	6 * 32 Amps Dimming Module	1.498,00 <b>1.798,00</b> EUR
N H Y N B		<b>17-80-0149</b>	3 * 63 Amps Dimming Module	1.628,00 <b>1.954,00</b> EUR
<b>Patch Cables: (fitted with Avolites retaining clip)</b>				
N H Y N B		<b>03-13-0049</b>	Wieland 16 Amp patch cable 0.5m long	8,00 <b>10,00</b> EUR
N H Y N B		<b>03-13-0051</b>	Wieland 16 Amp patch cable 0.8m long	8,00 <b>10,00</b> EUR
<b>Interface cable: for uploading software etc.</b>				
N H Y N B		<b>1808-0016</b>	ART 2000 software upgrade cable	32,00 <b>38,00</b> EUR

### ART 2000 T4 Example Systems and guide pricing

The systems shown below are examples only. Every system will be built to order as required.

#### Art 2000 T4 System - 16 Amp System

**Basic Spec. Includes:** Voltmeter, Phase check indication, Camlock inputs, MCB breakers, with hot patch 120 dimmer / hot channels to 144 circuits, outputs on 20 of Socapex and 3 x 16 amp Cee form connectors, 4 modules of 12 x 16 amp.

**Full Spec. Includes:** As basic system but with Powerlock in and out, RCB's Ampmeter, 32 amp Auxillary output.

#### Art 2000 T4 48 x 16 Amp. Touring Systems:

N H Y N B			Basic Touring Spec. 48 x 16A All Dimming Channels	13.600,00 <b>16.320,00</b> EUR
N H Y N B			Full Touring Spec. 48 x 16A All Dimming Channels	14.934,00 <b>17.921,00</b> EUR
N H Y N B			Basic Touring Spec. 48 x 16A All Mains Distro Channels	10.887,00 <b>13.064,00</b> EUR
N H Y N B			Full Touring Spec. 48 x 16A All Mains Distro Channels	11.154,00 <b>13.385,00</b> EUR

#### Art 2000 T4 System - 32 Amp System

**Basic Spec. Includes:** Voltmeter, Phase check indication, Camlock inputs, MCB breakers, direct out to Cee 32 connectors, 4 modules of 6 x 32 amp.

**Full Spec. Includes:** As basic system but with Powerlock in and out, RCB's Ampmeter 32 amp Auxillary output.

#### Art 2000 T4 24 x 32 Amp. Touring systems:

N H Y N B			Basic Touring Spec. 24 x 32A All Dimming Channels	12.137,00 <b>14.564,00</b> EUR
N H Y N B			Full Touring Spec. 24 x 32A All Dimming Channels	14.424,00 <b>17.309,00</b> EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		<b>Art 2000 T4 System - 63 Amp System</b>		
		<b>Basic Spec. Includes:</b> Voltmeter, Phase check indication, Camlock inputs, MCB's breakers, direct out to Cee 63 connectors, 4 modules of 3 x 63 amp.		
		<b>Full Spec. Includes:</b> As basic system but with Powerlock in and out, RCB's Ampeter, 32 amp Auxillary output.		
		<b>Art 2000 T4 6 x 63 Amp. Touring Systems:</b>		
N H Y N B		Basic Touring Spec. 6 x 63A All Dimming Channels	12.702,00	<b>15.242,00</b> EUR
N H Y N B		Full Touring Spec. 6 x 63A All Dimming Channels	15.122,00	<b>18.146,00</b> EUR



### Art 2000 T2 Example Systems

		<b>Art 2000 T2 System - 16 Amp System</b>		
		<b>Basic Spec. Includes:</b> Voltmeter, Phase check indication, Camlock inputs, MCB breakers, with hot 60 dimmer/hot channels to 72 circuits, out puts on 10 off Socapex, 16 amp and 32 amp Auxillary connectors and 9 patch power connectors 2 modules of 12 x 16 amp		
		<b>Full Spec. Includes:</b> As basic but with Powerlock in and out, RCB's Ampmeter		
		<b>Art 2000 T2 24 x 16 Amp. Touring Systems.</b>		
N H Y N B		Basic Touring Spec. 24 x 16A All Dimming Channels	9.292,00	<b>11.150,00</b> EUR
N H Y N B		Full Touring Spec. 24 x 16A All Dimming Channels	10.804,00	<b>12.965,00</b> EUR
N H Y N B		Basic Touring Spec. 24 x 16A All Mains Distro Channels	7.935,00	<b>9.522,00</b> EUR
N H Y N B		Full Touring Spec. 24 x 16A All Mains Distro Channels	9.447,00	<b>11.336,00</b> EUR



		<b>Art 2000 T2 System - 32 Amp System</b>		
		<b>Basic Spec. Includes:</b> Basic Spec. Include: Voltmeter, Phase check indication, Camlock inputs, MCB breakers, direct out to Cee 32 connectors, 2 modules of 6 x 32amp		
		<b>Full Spec. Includes:</b> Full Spec. include: As basic with Powerlock in and out, RCB's		
		<b>Art 2000 T2 12 x 32 Amp. Touring Systems.</b>		
N H Y N B		Basic Touring Spec. 12 x 32A All Dimming Channels	8.402,00	<b>10.082,00</b> EUR
N H Y N B		Full Touring Spec. 12 x 32A All Dimming Channels	9.034,00	<b>10.841,00</b> EUR



		<b>Art 2000 T2 System - 63 Amp System</b>		
		<b>Basic Spec. Includes:</b> Voltmeter, phase check indication, Camlock inputs, MCB breakers, direct out to Cee 63 connectors, 2 modules of 3 x 63 amp		
		<b>Full Spec. Includes:</b> F As basic but with Powerlock in and out, RCB's Ampmeter.		
		<b>Art 2000 T2 6 x 63 Amp. Touring Systems</b>		
N H Y N B		Basic Touring Spec. 6 x 63A All Dimming Channels	8.614,00	<b>10.337,00</b> EUR
N H Y N B		Full Touring Spec. 6 x 63A All Dimming Channels	9.509,00	<b>11.411,00</b> EUR

### Art 2000 Dimming Patch and Interface cables

We recommend that a mixture of 0.5m and 0.8m cables are purchased. All cables are fitted with the Avolites clip which prevents cables accidentally coming out of the patch connector.

		<b>Patch cablea</b>		
N H Y N B	<b>03-13-0049</b>	Wieland 16 Amp patch cable 0.5m long	8,00	<b>10,00</b> EUR
N H Y N B	<b>03-13-0051</b>	Wieland 16 Amp patch cable 0.8m long	8,00	<b>10,00</b> EUR
		<b>Interface cable for uploading software etc.</b>		
N H Y N B	<b>1808-0016</b>	ART 2000 software upgrade cable	32,00	<b>38,00</b> EUR

### ART 2000 Install Dimming Systems

All install systems are configured to order and there are a large number fo configurations shown below are some of the more popular options to give a price indication, however contact the sales team for an exact quotation, or consult the Art2000 I component price list in appendix 3

#### All Art 2000 Install Systems feature:

Channels rated at 16 Amps at 100% Duty Cycle; Studio Standard Suppression Chokes at 240µ Seconds; 2 Bays containing 12 by 16, 6 by 32, 3 by 63 amp or 12 by 16 Amp Switched channels; Panic input switching to a pre determined state; Dual DMX inputs, both with HTP merge; Fully flexible soft patching on both DMX inputs; Channel test encoder; All Art 2000 Systems are CE Compliant.



		<b>Art 2000 Install Example Systems</b>		
N H Y N B		24 channels 16 Amp (lowest cost system)	3.655,00	<b>4.386,00</b> EUR
N H Y N B		24 channels 16 Amp with RCB protection	4.010,00	<b>4.812,00</b> EUR
N H Y N B		24 channels 16 Amp with Patching to 48 circuits and RCB protection	5.060,00	<b>6.072,00</b> EUR
N H Y N B		24 channels 16 Amp with Patching to 48 circuits, RCB protection, Mains isolator switch	5.325,00	<b>6.390,00</b> EUR
N H Y N B		12 channels of 16 Amps 6 channels of 32 Amps with RCB and Mains Isolator	4.157,00	<b>4.988,00</b> EUR
N H Y N B		48 channels of 16 Amps system wit Patch and RCB protection	9.252,00	<b>11.102,00</b> EUR
N H Y N B		24 channels of 16 Amps 12 channels of 32 Amps RCB protectopn and Mains Isolator	8.060,00	<b>9.672,00</b> EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
-----------	-------	-------------	---------------------------	---------------------------------	--

## ACCESSORIES



### Room Lighting Controller

(connects to Azure series consoles)

N H Y N B	<b>30-12-0100</b>	Room Remote for Azure 2000	473,00	<b>568,00</b>	EUR
N H Y N B	<b>30-12-0110</b>	Room Lighting Controller interface receiver (1 per system required)	78,00	<b>94,00</b>	EUR



### Avolites Serial Connection Stage Visualisation System

N H Y N B	<b>8200-0200</b>	Visualiser Operators Manual	30,00	<b>36,00</b>	EUR
N H Y N B	<b>1808-0013</b>	Visualiser MIDI to RS232 cable	35,00	<b>42,00</b>	EUR
N H Y N B	<b>8500-0502</b>	Avolites Vis and Sim Software on CD	30,00	<b>36,00</b>	EUR
N H Y N B	<b>33-65-8055</b>	Avolites Visualiser and Simulator on CD + Serial cable + Manual	90,00	<b>108,00</b>	EUR

### Avolites DMX to USB to DMX adaptor

Consisting of a 19inch rack mount box with 8 DMX universes as inputs or outputs and MIDI in thro and out connectors, complete with USB and Mains cable. Note that DMX connectors are Female. Supplied with the Visualiser software and Dongle, DMX level viewing software and associated drivers for Win 98, 2000 and XP (Not suitable for use with for NT4)

N H Y N B	<b>33-65-3102</b>	EZ 8 Universe USB to DMX adaptor	1.182,00	<b>1.418,00</b>	EUR
-----------	-------------------	----------------------------------	----------	-----------------	-----



### DMX 512 Splitters & Cables

N H Y N B	<b>33-65-1000</b>	Isolated DMX Rack Splitter 1 inj 8 Out - 19" 1U Rack Mounting	593,00	<b>712,00</b>	EUR
N H Y N B	<b>33-65-2000</b>	Isolated DMX Truss Splitter - 1 in 6 Out - Truss Mounting	540,00	<b>648,00</b>	EUR

### Time Code Converter

N H Y N B	<b>33-65-3000</b>	SMPTE Analogue Time Code to MIDI Time Code Conversion Unit	457,00	<b>548,00</b>	EUR
-----------	-------------------	--	--------	---------------	-----

For use with all Avolites consoles listed in this Price list.

## Spare Parts

### Spare Parts - Software and Eproms

N H Y N B	<b>20-01-7002</b>	Diamond "Operating System" Software on Disk	37,00	<b>44,00</b>	EUR
N H Y N B	<b>20-01-8000</b>	Sapphire "Operating System" Software on Disk	37,00	<b>44,00</b>	EUR
N H Y N B	<b>20-01-9000</b>	Pearl 2000 "Operating System" Software on Disk	37,00	<b>44,00</b>	EUR
N H Y N B	<b>20-02-7002</b>	Diamond Personality Disk (for D11 & D111)	37,00	<b>44,00</b>	EUR
N H Y N B	<b>20-02-8900</b>	Rolacue 96 Personality Disk (for Pearl & Sapphire)	37,00	<b>44,00</b>	EUR

*Note: All operating system software or personality files are available F.O.C. on the Avolites web site:www.avolites.com*

### CONSOLE COVERS - Printed, with Avolites Logo

Tailored and designed specifically for the console

N H Y N B	<b>8100-2000</b>	Sapphire 2000	67,00	<b>80,00</b>	EUR
N H Y N B	<b>8100-9001</b>	Pearl Expert (heat reflective silver)	48,00	<b>58,00</b>	EUR
N H Y N B	<b>8100-9000</b>	Pearl 2000 / 2004 (heat reflective silver)	48,00	<b>58,00</b>	EUR
N H Y N B	<b>8100-5000</b>	Azure 2000	48,00	<b>58,00</b>	EUR
N H Y N B	<b>8100-9050</b>	Diamond 4 Elite (heat reflective silver)	65,00	<b>78,00</b>	EUR
N H Y N B	<b>8100-9055</b>	Diamond 4 Vision (heat reflective silver)	65,00	<b>78,00</b>	EUR

### Avolites Accessories

N H Y N B	<b>1002-0006</b>	Lanyards printed in two colours	3,00	<b>4,00</b>	EUR
N H Y N B	<b>1010-(size: L/M/S)</b>	Embroidered T-Shirt	18,00	<b>22,00</b>	EUR
N H Y N B	<b>1050-0000</b>	Avolites 'Sharpie' pack 5	12,00	<b>14,00</b>	EUR
N H Y N B	<b>1002-0000</b>	Embroidered Tour bag	33,00	<b>40,00</b>	EUR
N H Y N B	<b>11-03-0015</b>	"Rolapage" clear/matt writing tape	10,00	<b>12,00</b>	EUR

### Manuals, Training Videos

		Operations Manual	37,00	<b>44,00</b>	EUR
N H Y N B	<b>8300-0100</b>	Pearl Training Video - Issue 1 (state format PAL, NTSC, SECAM)	18,00	<b>22,00</b>	EUR
N H Y N B	<b>8300-0200N</b>	Azure Training Video - Issue 1 (state format PAL, NTSC, SECAM)	22,00	<b>26,00</b>	EUR