



DENON

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions
www.pro-technica.com








EUR

Price List 06 / 2011











Effective 1 June , 2011














Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.

Articles marked * will be discontinued soon!

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional DJ Products				
	DN-MC6000 Full Mixer / 4-deck MIDI Controller - MAC OSX, XP/Vista/Win7 Compatible			
	<ul style="list-style-type: none"> • Computer Independent 4-Channel, 8 Source Premium Digital Mixer • Optimized for *Traktor and *Virtual DJ users - Traktor LE included • Intuitive 4 deck software control, with visible deck colour change • Real-time Matrix Operation, Analog Sources, USB MIDI & USB Audio • Included USB Audio Interface (Soundcard) 2in/2out (stereo) • MAC OSX Windows XP/Vista/Win7 Compatible • New, 3-way Powerful Video / Audio Assignable cross-fader • Newly designed, high resolution 105mm Touch-Sensitive Jog Wheel • Smooth 100mm long Pitch Slider with high 14-bit resolution • Pitch/Fader/Volume Lock function - holds the last known Audio value • File browse navigation keys & rotary encoder file selector knob w/illuminated ring • 8 (4 + 4) Hot Cue/Sampler buttons w/dual bank selector key, Large size Cue & PLAY buttons • Auto Loop Button w/ Beat Jump (Loop Cut), Manual Loop In/Out buttons • Various EFX control, EFX keys & Param. knobs, GUI control, Mixer, Video, Scratch, Sampler, REC. • Denon's legacy "Pitch Bend" keys, Vinyl & Pitch Bend Jog modes • SYNC key for beat matching between decks, Key Lock on/off button with LED confirmation • Matrix Input Assignment Selector Knob, Selectable PFL input gain & program meters • Independent CUE System (all channels), Split Cue function with Cue/Master pan knob • High quality, high output Headphone Amp • 45mm Channel & Cross Faders, Independent Channel A-B Thru Switch, Cross Fader contour adjustment • Independent 3-Band Channel EQ w/Kills (High-Mid-Low) • XLR Balanced & RCA Unbalanced Master Output, Master Output Stereo/Mono switch • Booth Output w/Source Selector & level control • 3-Band EQ (High-Mid-Low) for Mic 1 & 2, Mic Ducking & Built in Echo Effect • Solid Steel chassis construction with KensingtonTM lock terminal 	505,00		606,00 EUR
				
	DN-SC2000 USB MIDI Controller with 2-deck Support - The Denon DN-SC2000 is an affordable, professionally spec'd and constructed MIDI controller for Native Instruments® TRAKTOR™ Pro, providing a serious portable control solution for laptop DJs. A dual layer system, the DN-SC2000 provides simultaneous switchable control of both TRAKTOR decks, with visual deck colour change. Connecting to Mac® or Windows PC via a single USB2.0 interface (from which the unit is also powered), advanced features include MIDI mapable capability, auto loop function, a wide range of EFX, rugged pitch slider, pitch lock, automatic beat sync, durable rubber button controls and more.	168,00		202,00 EUR
	The solid steel constructed unit incorporates Denon's new high resolution 105-mm touch sensitive jog wheel, smooth 100-mm long 14-bit resolution pitch slider, Pitch Lock function, file browse navigation buttons and ring illuminated rotary encoder file selector knob, large size Cue & PLAY buttons, eight (4 + 4) hot cue/sampler buttons with dual bank selector key, Auto Loop button with Beat Jump and Manual Loop In/Out buttons, EFX Unit 1 and 2 layer and on/off buttons with colour change LEDs, EFX parameter encoders, Denon's legacy Pitch Bend key, a SYNC button for beat matching between decks, and a powerful Shift key, assignable to various			
	Media Player & Controller - 3U 19" Professional PC/Mac compatible USB Midi controller with Serato™ ITCH software. Internal 24-bit processing and USB Audio. BU4500 CD / MP3 Support. Multi-functional Touch Sensitive Jog Disc. Vibrant Tube Display w/ 2-line Text Support. Highly Responsive Soft Rubber Buttons, Switches and Knobs High Speed USB 2.0 Interface.	445,00	216,00	259,00 EUR
				
	Media Player & Controller 40 GB-HD, 4 USB-Ports over HUB remotes DN-D4500/DN-D4000 playerunits 3,8"- display, jogwheel-scratchfunction loop, pitch +/- 100% Music Manager Software TM incl. 19"/3HU	598,00		718,00 EUR
				
	Media Player & Controller - Software LE Version of Remix™ by PSDJ ^R incl. 24-Bit Processing & USB Audio (ASIO), DN-D4500/DN-D4000 Playersteuerung, Jogwheel-Scratchfunction, Loop, Pitch, +/- 100%, 19"/3HE	368,00		442,00 EUR
				
	Double player unit , to remote with DNHD2500 /4500, 19"/2HU	298,00		358,00 EUR
				
	Midi Sub Controller for Serato™ Scratch Live Simple USB Plug & Play Connection (USB MIDI/Bus power) Dedicated tactile Controls to replace Computer Keyboard Shortcuts High Quality Steel Cabinet with Rugged Rubber Keys Serato Approved USB Controller MIDI Mappable for other DJ Software Systems	120,00		144,00 EUR
				

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)	
Professional Single CD Player					
	<p>NICE PRICE</p> <p>DN-S 700 NEW</p> <p>Table Top CD and MP3 Disc Player with Active Platter</p> <ul style="list-style-type: none"> - advanced MP3 Playback functionality (Seamless Looping, Scratching, Hot Starts and Effects), - built-in effects (Filter, Flanger and Filter plus the world's first Echo Loop), - platter effects, 3-way BPM counter and two Hot Starts, - world first, Next Track Reserve with Cross Fader - with the ability to store hundreds of MP3 files on one CD. <p>Next track Reserve allows DJs to cross fade to another song within the same disc for a smooth non-stop mix.</p>	250,00		300,00 EUR	
	<p>NICE PRICE</p> <p>DN-S 1200</p> <p>Table Top CD and MP3 Disc Player / Contoller with Active Platter</p> <p>Denon's smallest CD/USB media player yet, the DN-S1200 packs in high-end features not found in much larger, more expensive units.</p> <ul style="list-style-type: none"> - Compact, 9" wide - Controls DJ Audio and Video Software via MIDI - Built-in Sound Card (USB Audio) - Touch sensitive Scratch disc with the feel of vinyl - Supports up to 50,000 WAV/MP3 files from a USB device 	352,00		422,00 EUR	
	<p>DEAL!</p> <p>DN-S 3000</p> <p>Table Top CD and MP3 Disc Player with Active Platter</p> <ul style="list-style-type: none"> - Direct drive with 2.5 kg-cm torque - Full MP3 playback and file search support - Built-in FX, Deep pitch resolution (0.2%) - Brake, Reverse and Dump platter modes - Next Track function, Hot Starts & Sampler facilities - Seamless Loop to Sampler copy function - Two-way CUE Search system - Extensive preset menu- Motor Driven Active Platter 	499,00	299,00	359,00 EUR	
	<p>DEAL!</p> <p>DN-S 3500</p> <p>Table Top CD and MP3 Disc Player with Motor Driven Active Platter</p> <ul style="list-style-type: none"> - Real time Scratch (CD/MP3) - Next Track Reserve (pick your next song during playback) - 1 Hot Start or Seamless Loop per track or disc (CD/MP3) - 1 (15) Second sampler, A/B Loop Trim (CD/MP3) - 4-Platter Effects; Drag-S, Brake, Dump, Reverse (CD/MP3) - Key adjust accurate up to ±99%, Pitch range; ±4, 10, 16, 24, 50, 100% - Supports ID3 Tags (Artist, Title, Album), Supports C.B.R & V.B.R. MP3 encoding - MP3 File Search System by; Artist, Title, File or Folder (worlds first) - 5000 Internal Custom Memory points - Digital Output w/no limitations (SPDIF) - Fader Start & X-Effect compatible - 20 seconds of shock proof memory (CD/MP3) 	624,00	299,00	359,00 EUR	
	<p>DN-S 3700</p> <p>DN-S3700 Direct Drive Turntable Media Player & Controller</p> <p>Cutting-edge single-deck portable DJ instrument that provides working DJs with a host of useful features for enhanced creative flexibility. Most notably, thanks to its large 9" spinning platter design, the DN-S3700 literally offers the "best of both worlds" from both digital and analog realms. In addition to a host of advanced digital features, including USB and MIDI control, the sleek and elegant unit includes a built-in authentic vinyl record for surface control driven by Denon DJ's High Torque Direct Drive Motor, providing users with the classic and unmistakable feel of true vinyl.</p> <ul style="list-style-type: none"> - High Torque Direct Drive Motor and Spinning Platter Design - Fast Loading Slot-in Drive - USB Device Hosting and Midi Interface Control - Internal 24-bit Processing and USB Audio (sound card) - 5 Superb Built-in Effects - Waveform Display with Multi-line Text and Icon Support - 3 Hot Starts, Auto Loop and Manual Loop Functionality - 3 Platter Effects - Deep Pitch Resolution & Key Adjust 	658,00		790,00 EUR	
	<p>DEAL!</p> <p>DN-S 5000</p> <p>Table Top CD and MP3 Disc Dual Track Player with Active Platter</p> <ul style="list-style-type: none"> - World's First Motor Driven Active Platter for true vinyl emulation - Alpha Track (2 in 1) allows independent and simultaneous playback of another track from the same disc, mix tracks with one drive instead of 2. - Hot Disc lets you eject a disc during play and have it continue for another 35 seconds, you can also loop within the Hot Disc memory - 3-Way Scratch lets you apply scratch effects by selecting Main, Alpha or Sampler Track as the source <p>** For Information on the latest upgrades, see the Upgrades category or the FAQ under the PRO AUDIO menu **</p>	700,00	299,00	359,00 EUR	
Professional Double CD Players					
	<p>DND4500</p> <p>MP3 Playback (folder, artist, album, title)</p> <ul style="list-style-type: none"> - CD Text, ID#, tag and M3u support - 2 Seamless loops, 2 Hot starts & stutter cue points, Brake effect - Shock proof memory, 2-Way pitch bend - Relay play, program play, repeat play, power on play - Jog/shuttle wheel, illuminated action buttons and drive trays - Auto close tray system, Sleep mode, 4 Way time display - Pitch range +/- 4%, 10%, 16% , User adjustable presets - Custom memory - save up to 300 loops and cue's internally - Digital output (SPDIF), Fader Start 	499,00		599,00 EUR	
	BU9000EM	User Replaceable Drive for the DNS-5000	121,00		145,00 EUR
	BU3000EM	Replaceable Drive for the DN-D1000 & 3500	98,00		118,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional DJ Mixer				
	DN-X 1700 	4 channel matrix mixer with rubberised knobs, 60mm Alps K Series channel faders, 45mm FLEX cross fader, a color LCD display, extended 24-point LED channel and output metering, and LED ring metering around the control knobs. Matrix Input Assignment with digital input and MIDI/USB audio, independent and parametric three-band EQ with Kill on each channel, and dual independent EFX processors. The two EFX processors are located together, with the 3.5-inch TFT colour LCD positioned directly above, for ease of operation. One or other, or both EFX are selectable per channel, and combined EFX operation is available. Each mixer channel has a discrete MIDI layer, enabling external control of various PC and Mac Audio/Video DJ software applications, with the LED ring indicators switching colour to indicate MIDI operation. USB audio I/O extends to eight mono/four stereo in/out, making the mixer an extremely high-quality USB audio interface. Individual user settings - including for audio, system and MIDI settings - can be exported and imported in file format, saved to a USB memory device, HDD, laptop and so on. The 32-bit floating point DSP engine at the heart of the DN-X1700 delivers a level of processing power that provides performance in terms of signal processing quality and control. To match this processing power Denon has equipped the DN-X1700 with 32-bit digital analog conversion at the audio output stage. Vinyl quality is given special attention with a high grade phono FET equalizer circuit derived from the Pure Amp circuitry of the Denon PMA SA1 audiophile stereo amplifier; this features an 88 dB signal-to-noise ratio and performance specification to complement the output of the best cartridges. Digital audio inputs and USB ports enable direct digital connection of CD decks, laptops, MP3 players and the like. The attention to sound quality extends to a high-quality, low noise discrete microphone pre-amp and high power discrete headphone amplifier	1.116,00	1.339,00 EUR
	DN-X 1500S 	4 Channel matrix mixer with assignable inputs; 5 line / 3 phono/line inputs; 3 band EQ controls and LED display on Each Channel: 45mm Penny and Giles Crossfader; 9 On-board Effects plus effects loop; 8 Second Sampler; SP-DIF Digital Output; 8 way-matrix-in, FlexFader crossfader, sampler, digital effector int. , beatcounter, desktop design	399,00	479,00 EUR
	DN-X 1500SK 	Matrix-In: Eight input sources are freely assignable to any channel. This opens up a world of creativity utilizing the same source for multichannel effect remixing. Flex Fader Crossfader: 45mm Cross Fader with Tension Torque Adjustment - Linear Contour Control - Exceptional electrical and mechanical performance - Stainless steel slide rails - Tension torque adjustment 0 to 50g /cm - Endurance-tested contacts Sampler: CD Quality Sound. The sampler utilizes audio from any of six mixer sources (Ch 1/2/3/4, Mic, Master) and offers edit options including Loop, Reverse Loop, Stutter, Single Playback and A-B Trim with overall Pitch Control adjustment of up to ±100%. 9 Digital Effects: Delay, Echo1, Echo2, Filter 1, Filter 2, Flanger, Auto Pan, Trans, and Key % over Ch1/Ch2/Ch3/Ch4/Main Mic/Master – all with pre-cueing option and convenient Dry/Wet mix control knob. 3-Way BPM Counter: Auto, TAP and Manual Input. This 3 way system was developed to ensure that the on-board effects are precisely synced with the music. SHARC DSP® from Analog Devices™. This guarantees the outstanding sound and makes the mixer also ideal for high professional studio purposes. Digital Output 44.1 kHz, SPDIF. The DN-X1500S allows you to record directly to CDR or hard disc device via coaxial digital output terminal. 3-Band EQ - On/Off switchable with parametric frequency adjustment. 2 x Mic.: Main Mic and Aux Mic Inputs. (Neutrix combo and 1/4") with Main and Aux/Sub level control and EQ. Split Cue Headphone Output selector		
	RMK1500	19" - rackmountkit for DNX1500S	48,00	58,00 EUR
	DN-X 1100 	DN-X1100 4-channel matrix mixer - further cements Denon's position as the industry leader in manufacturing DJ gear for the working professional. - perfect companion to any table top or rackmount player system - Matrix input assignment - 8 Line / 3 Phono, switchable - 2 Mic inputs - 12" Tabletop Style Mixer	406,00	487,00 EUR
	DN-X 600 	DN-X600 2Ch. Digital DJ Mixer, w/MIDI Interface & Sound Card - Best in class the DN-X600's internal sound card is a 4 x stereo in / 4 x stereo out 24-bit / 96kHz USB 2.0 Audio Interface, while the mixer's audio output is via a whopping 32-bit DAC. The mixer's vinyl credentials include a proprietary phono amp design with a signal-to-noise performance equivalent to that of the company's top end hi-fi amplifiers; just as highly spec'd are the ultra-clean mic amp and high output headphone amp. 32-bit Floating Point DSP provides the mixer with powerful signal processing capabilities. 3-band channel EQ includes full kill on each band. On-board EFX include Delay, Echo, Flanger, Filter, Reverb, Loop, Beat Scratch and BeatBreaker, and the dedicated EFX section features ON/OFF, Dry-Wet mix and independent send assignment (Ch/Mic/Master). A powerful two-way EFX Parameter Filter, including Cross Over Frequency and Isolator (low pass filter/high pass filter) is included, as is a send/return control, for use with external effects. Extensive USB MIDI and audio interface and control capabilities enable use of the DN-X600 with the latest digital file library and DJ software solutions. The unit's control surface is fully MIDI-mappable, including knobs, keys and buttons, and the DN-X600 can work with all current operating systems, including Mac® OSX 10.6.4 and 32/64-bit Windows systems (XP, Vista, or Windows 7); a low-latency 32/64-bit ASIO driver is included for PC use. The unit can operate with DVS direct mode for DJ applications using platter control signal operation. USB send/return routing is included for use with DJ software DSP effects such as TRAKTOR®, and USB MIDI Clock In BPM Detection can be used with TRAKTOR, Torq, Ableton, Cubase and more. The mixer's firmware is upgradeable over USB. The I/O complement comprises two phono inputs, two line inputs and two AUX inputs, mic input, effects send/return, stereo output, USB send/return, booth out and balanced XLR master out.	480,00	576,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
	DN-X 120 DJ DN-X120 is the smallest professional-quality DJ mixer on the market. - Simple and Easy operation - Perfect companion to the DN-S1200 / DN-S1000 - (2) Line, (2) Phono / Line (switchable), 1 Mic input - 3 Band EQ (full kills) - 45mm Crossfader and Channel Faders, Cross fader revers, Cross fader contour - 10 segments level meter - Cue monitor (line), Gain Control, Headphone Split Cue - TRS Balanced and RCA Unbalanced Outputs, Fader start	152,00		182,00 EUR
	DN-X 900 4-channel matrix-digital I/O rackmount mixer, 4xdigital-In, 8xline-in, incl. 3xphono, FlexFader crossfader, Track-Mark, digital-out 1xS/P-DIF/1xTOS, 19"-4HU	499,00		599,00 EUR
	DN-X 500 4-channel matrix-in rackmount mixer, 8xline-in, incl. 2xPhono, 19"-4HU	306,00		367,00 EUR
	DN-X 050 DNX-050 is an affordable and very ease to use 19" mixer. With it's easy operation it is an ideal partner for DN-HC4500 and DND4500.	100,00		120,00 EUR
DJ Headphones				
	DN-HP1000 Headphone. Dynamic construction, closed type, 53 mm driver , folding design, incl. 3,5mm to 6,3mm screw-on adaptor, posh bag, replaceable earpads (optional)	128,00		154,00 EUR
	DN-HP 700 Headphone. Dynamic construction, closed type, 40 mm driver , folding design, incl. 3,5mm to 6,3mm screw-on adaptor, posh bag, replaceable earpads (optional)	104,00		125,00 EUR
	DN-HP 500 NEW Headphone. Dynamic construction, closed type, 1300mW input power, 40mm driver , 40 ohms impedance, 103dB output, 10-28kHz frequency response, 90 degree swivel mechanism, with comfortable ear pad and headband for prolonged periods of use	67,00		80,00 EUR
Professional Installation Products				
	DNC615E2 CD / MP3 Player - MP3 Playback - MP3 Folder Search; File, Title, Artist & Album - ID3 Tag & CD Text Support - CD-R/RW Playback • Instant start / Cue to music - XLR Sym Out.	299,00		359,00 EUR
	DNC635E2 Single CD/MP3 Player - MP3 Playback (Folder, Artist, Album & Title) - CD TEXT, ID3 Tag & .m3u support - CD-R/RW Playback - Selectable RS-232C/422A Serial Port - XLR Sym. Out.	446,00		535,00 EUR
	DNC 640 DNC 640 CD / MP 3 Player - CD-DA (.cda), WAVE (.wav), MPEG-1/2 Layer III(.mp3), MPEG-1 Layer II (.mpg), Windows Media Audio (.wma) - +/- 12% Pitch Control - End Monitor and User-selectable Finish Mode Features - ethernet, AES/EBU, RS 232, Ethernet - Balanced Audio Output	694,00		833,00 EUR
	DNC 620 DNC 620 CD / MP 3 Player - CD-DA (.cda), WAVE (.wav), MPEG-1/2 Layer III(.mp3), MPEG-1 Layer II (.mpg), Windows Media Audio (.wma) - +/- 12% Pitch Control - End Monitor and User-selectable Finish Mode Features - AES/EBU, RS 232 - Balanced Audio Output	422,00		506,00 EUR
Professional Single Digital Media Recorder				
	DN-F 650 NEW Stereo SD Card USB Recorder / player 1U - SD/SDHC compatible and USB. - MP3 and WAV formats accepted, - Balanced XLR & AES/EBU and unbalanced output. - Random and Repeat modes, ±16% pitch control - RS232 & optional RC400S 'hot start' wired remote	523,00		628,00 EUR
	DN-F 450 NEW Compact 1/2u, Stereo SD Card Recorder / player, - SD/SDHC compatible and USB. - MP3 and WAV formats accepted. - Balanced in & unbalanced output. - Power on play, - Random & repeat modes. - RS232 and GPIO control., Optional RC400S 'hot start' wired remote	352,00		422,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional Single Digital Media Player				
	DN-F 300 NEW Stereo SD Card player 1U - SD/SDHC compatible and USB. - MP3 and WAV formats accepted, - unbalanced output. - Mic input with independent volume and music ducking. - Random and Repeat modes, ±16% pitch control	267,00		320,00 EUR
	DN-F 400 NEW Compact 1/2U, Stereo SD Card player, - SD/SDHC compatible and USB. - MP3 and WAV formats accepted. - Balanced & unbalanced output. - Power on play, - Random & repeat modes. - RS232 and GPIO control., Optional RC400S 'hot start' wired remote	368,00		442,00 EUR
	RC.-F 400S NEW Wired remote controller for DN-F400 with 20 independent hot start playback capability	227,00		272,00 EUR
Professional MINIDISC Players/Recorders				
	DN-M 990R DEAL! MD Recorder - (Demo) - Instantaneous Record / Playback - Power failure protection - Up to 5 Cue point recording - Large FLD Display	1.300,00	499,00	599,00 EUR
	DN 961FAE1 DEAL! CD Player - (Demo) - Instantaneous Start - Dry contact Closure for EOM & Index 2,3 - End Monitor - RS422 Serial - XLR Sym. Out.	1.100,00	399,00	479,00 EUR
Professional Cassette Products				
	DN 780RE2 Dual well auto-reverse cassette deck - Serial D-sub 9 port control; RS-232C - Parallel D-sub 25 port; dry contact - Stereo microphone inputs - Mic mixing control	464,00		557,00 EUR
P-Series Installation Products				
	DN-C 100 Denon DN-C100 Installation CD Player incl. 19" Maounting Kit - CD/CDR playback , 3U - IR Control - Optical Digital Output - Program Playback / Random Playback / Repeat Playback (track & disc)	174,00		209,00 EUR
	DN-C 200 Denon DN-C200 5 Disc CD Changer incl. 19" Maounting Kit - CD/ CDR playback , 3U - Playback MP3 and WMA (Windows Media Audio) files from CD-ROM - IR Control (supplied remote) - Optical & Coaxial Digital Outputs - Program Playback / Random Playback / Repeat Playback (one track, one disc, all discs)	267,00		320,00 EUR
	DCD685 Black DEAL! CD Player - Real 20-bit 2-DAC LAMBDA super linear converter - CD-R/RW audio playback - Convenient Pitch Control - Opitcal digital output - Music calendar, Display Dimmer	238,00	149,00	179,00 EUR
	DN-A 7100 Denon DN-A7100 AV Surround Preamplifier - 7.1 Balanced Line Level XLR Outputs (+4dB/-10dB - switchable) - Balanced XLR Auxiliary Audio Input (+4dB/-10dB - switchable) - HDMI Video Switching (Iver. 1.1) (2 sources) - Video Convert Feature (Composite/S-video to Component)	699,00		839,00 EUR
	DN-A 100 Denon DN-A100 Installation Amplifier incl. 19" Maounting Kit - 70w per channel (4ohms), 3U - 2 speaker circuits with A/B switching - IR control (supplied RC1022 IR controller) - 5 line inputs – RCA/ Cinch (remote switching), 2 tape (in/out), Phono input	182,00		218,00 EUR
	DN-A 200 Denon DN-A200 Installation Amplifier incl. 19" Maounting Kit - 85w per channel (4ohms), 3U - 2 speaker circuits with A/B switching - IR control (supplied RC1022 IR controller) - 5 line inputs – RCA/ Cinch (remote switching), 2 tape (in/out), Phono input - Full record output selector	208,00		250,00 EUR
	DN-A 300M Denon DN-A300 Installation Amplifier incl. 19" Maounting Kit - 110W per channel (4ohms), 3U - 2 speaker circuits with A/B switching - IR control (supplied RC1022 IR controller) - 5 line inputs – RCA/ Cinch (remote switching), 2 tape (in/out), Phono input - Fully Adjustable MIC level or automate the MIC level with the DNA300M's internal AGC MIC circuit - 1 - unbalanced Pre-out for connection to external amplification	267,00		320,00 EUR
	DN-U 100 Denon DN-U100 FM-Tuner incl. 19" Maounting Kit - FM & AM band tuner , 2U, - IR Control (supplied remote), - 100 presets – store up to 100 stations in banks of 10 (1-10, A-J) - Auto & Manual tuning, RDS displays the station name etc - RT (radio text) displays information such as track title if broadcast - Last Function Memory: if power is lost and switched back on, it will always return to the last tuned station	190,00		228,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
DVD Player / Recorder				
	DN-V 110 Denon DN-V110 DVD Player incl. 19" Maounting Kit - Progressive Scan System, 2U - HDMI (High Definition Multimedia Interface) - Playback of Audio CD, MP3, JPEG (pictures) and WMA - Component Video Output - Playback of DivX files recorded on DVD-R/RW or CD-R/RW - Repeat playback	200,00		240,00 EUR
	DN-V 210 Pro DVD Player 2U Rackmountable - Hide OSD, Change Wallpaper - NTSC/Pal Conversion; Auto Play; High Precision 96kHz 24-bit D/A converter - Key Lock; IR Remote Lock - MP3 JPEG Playback, Progressive Scan Function	287,00		344,00 EUR
	DN-V 310 Pro DVD Player 2U Rackmountable - Hide OSD, Change Wallpaper - NTSC/Pal Conversion; Auto Play; High Precision 96kHz 24-bit D/A converter - Key Lock; IR Remote Lock - DVD, DVD+R/RW, CD, CD-R/RW, VCD Playback - MP3 JPEG, WMA, DivX Playback, Progressive Scan Function - Optical, Coaxial Digital Output	345,00		414,00 EUR
	DVD-D9RC NV310 9 switch interface (Enter,Up,Down,Left,Right-1-4)	101,00		121,00 EUR
	DVD-DSPRX DNV310 Standalone IR proximity detector	125,00		150,00 EUR
	DVD-DSYN6 DNV310 6 player synchronisation unit 1	360,00		432,00 EUR
	DVD-DWRC DNV310 Wired Controller (7 button)	77,00		92,00 EUR
	DVD-DWRC+ DNV310 Wired Controller with intergrated PIR	101,00		121,00 EUR
	DN-V 500 BD Pro DVD Blue Ray Player 2U Rackmountable - DVD/-R/+RW playback, - HDMI, - power on playback, - RS-232, OSD/icon hide	608,00		730,00 EUR
	DN-V 755 Pro Audio / Video data file replay device - 40 GB internal hard drive, Internally expandable to 137 GB - Up to 8 hours of DVD quality video- - Plays 720 x 480 MPEG-2 at 10 Mbps OR BELOW, Plays I-Pictures (720 x 480) - Plays Wav or MPEG-1 (layer II) audio at 44.1 kHz or 48 kHz - Parallel remote control (Switch closure on 15-pin D-sub) - Serial control (RS-232C on 9-pin D-sub), - Ethernet control (LAN/RJ-45) - Realtime clock for scripted/automated playback of A/V files - FTP Site Command Server for audio, video, picture and scripting/automation uploads - Simple Windows application for easy set-up and file transfer - S-Video and Composite (RCA) video outputs, Unbalanced (RCA) stereo audio outputs	950,00	665,00	798,00 EUR
DENON C.I. Reference Installation Home Series				
	CI POA-3012 12ch multi zone power amplifier • High quality digital amplifiers • 12 channels independent module design • 30 Watts per channel, 100 Watts x 6 channels bridged, 4 ohm speakers load guaranteed Functionality • Cascade outputs, Individual channel level control • Auto audio sense mode per channel • Input mode select • Front panel lock mode, Selectable turn-on model Ethernet IP control • WEB remote control and setup	1.800,00	1.500,00	1.800,00 EUR
	CI TU-604 Denon TU 604 Configurable Multi-tuner • Dual AM/FM tuners pre-installed, 6 independent audio outputs (simultaneous output) • Independent 56 stations memory for each tuner, Independent control for all six tuners Plug n' Play upgrade • 4 expandable slots for Optional tuner cards Ethernet IP control • WEB remote control and setup System control • AMX, Crestron third party IP control support with RS-232C port, Remote in / out IR control, Seven +12V, 250mA trigger outputs Optional Tuner Card • ACD-DAB DAB tuner card & ACD-AMFM Analog AM/FM tuner card	800,00	1.500,00	1.800,00 EUR
	CI ACD-AMFM Tuner Board for TU604	80,00	60,00	72,00 EUR
	CI DVP-602 Reference Video Processor with Denon's High Quality Circuitry and Build High Quality Video Processing • Denon's High Quality Circuitry, to enhance existing DVDs (Realta sxT2 HQV video processor) • HDMI (ver. 1.3a supporting Deep Color (30/36-bit), "x.v.Color") • Digital Noise Reduction for SD and HD source • Multi Cadence Film/Video Detection & Denon Pixel Image Correction • Separated Digital and Analog stage Connectivity • 6 HDMI inputs and parallel 2 outputs, 2 component inputs (1 BNC and 1 RCA), Analog to HDMI conversion, S-Video and Composite inputs, HDMI audio pass through Ethernet IP control , WEB remote control and setup, Firmware update via Ethernet System control • AMX, Crestron third party IP control support with RS-232C port • Remote in / out IR control • +12 V, 250 mA trigger output Output Resolutions: 480i/480p/576p/720p/1080i/1080p, VGA/SVGA/XGA/WXGA/WXGA2/SXGA, 1360 x 768 plasma native resolution Video Adjustments: Contrast (-6 to +6), Brightness (0 to 12), Chroma Level (-6 to +6), Hue (-6 to +6), DNR (Digital Noise Reduction) (Off / Low / Middle / High), Enhancer (0 to +12), Sharpness (-6 to +6) Audio Adjustment: Audio Delay (0 ms - 200 ms) Other Features • Graphical User Interface, Selectable GUI Language (English/ Deutsch/ Francais/ Italiano/ Español/ Nederlands/ Svenska)	2.000,00	1.500,00	1.800,00 EUR
				