

K-Tek

Euro Price List

2008

K-202CCR	116 cm - 513 cm	5	946 g	K-202 + CCR Factory wired with coil cord and female XLR (side exit)	€ 594	€ 634	\$865
K-202FT	129 cm - 513 cm	5	972 g	K-202 + FT (Flow Through)- straight cable and M&F XLR's	€ 566	€ 605	\$825
K-251	139 cm - 638 cm	5	969 g	Extra extra long pole	€ 532	€ 568	\$775
K-251FT	152 cm - 638 cm	5	1092 g	K-251 + FT (Flow Through)- straight cable and M&F XLR's	€ 635	€ 678	\$925
KA-113	66 cm - 287 cm	6	805 g	"The Articulated Pole" or "Bent Pole"	€ 474	€ 506	\$690
KA-113CCR	74 cm - 287 cm	6	1044 g	KA-113 + CCR Factory wired with coil cord and female XLR (side exit)	€ 590	€ 630	\$860

K-Tek® [Klassik / Quick Connect Stage Poles:](#)

* **Rigid 4 section poles featuring drop through wiring and Quick connect.**

* If collapsed length is not an issue, such as on large sound stages or on location with major productions that use two or three man crews, a four section pole offers certain advantages. A very long four section pole can be extremely stiff as the diameter of the smallest section is still considerable. The base section can be very long providing a long unobstructed handling area. There is less chance of movement in the couplings because there are fewer of them. Each Stage has a Quick Connect top section with a thread and cable slots.

Model	Length	Sect	Weight	Description	Euro List Price	Previous quarter	US\$ List Price
KS-124	99 cm - 315 cm	4	539 g	4 section 315 cm graphite quick connect stage pole	€ 326	€ 348	\$475
KS-124FTS	118 cm - 315 cm	4	757 g	KS-124 with "Stubby Flow Through" Base and straight cable and M&F XLR's	€ 429	€ 458	\$625
KS-162	124 cm - 412 cm	4	652 g	4 section 412 cm graphite quick connect stage pole	€ 395	€ 421	\$575
KS-162FTS	131 cm - 412 cm	4	866 g	KS-162 with "Stubby Flow Through Base" and straight cable and M&F XLR's	€ 498	€ 531	\$725
KS-200	147 cm - 508 cm	4	749 g	4 section 508 cm graphite quick connect stage pole	€ 463	€ 495	\$675
KS-200FT	165 cm - 508 cm	4	963 g	KS-200 with "Flow Through Base" and straight cable and M&F XLR's	€ 566	€ 605	\$825
KS-247	183 cm - 627 cm	4	936 g	4 section 627 cm graphite quick connect stage pole	€ 532	€ 568	\$775
KS-247FT	201 cm - 627 cm	4	1150 g	KS-247 with "Flow Through Base" and straight cable and M&F XLR's	€ 635	€ 678	\$925

K-Tek® [Klassik ACCESSORIES: Customize your pole to the way you work.](#)

Model	Description	Euro List Price	Previous quarter	US\$ List Price
K-CC	Base unit with Right Angle XLR for internal coil cord	€ 58	€ 62	\$85
K-CCR	Base unit with Right Angle XLR for internal coil cord	€ 79	€ 84	\$115
K-FT	Flow Through Base for internal straight cord	€ 45	€ 48	\$65
K-FTS	"Stubby" Flow Through Base	€ 45	€ 48	\$65
K-CK- ...	Klassik Cable Kits – Include: Coiled Cable cut for your poles' length, a TA3F connector soldered onto bottom of cable and a K-Tek 3 pin Female Switchcraft			

K-CK-56	Cable Kit for the K-56 Klassic Pole	€ 55	€ 59	\$80
K-CK-81	Cable Kit for the K-81 Klassic Pole	€ 55	€ 59	\$80
K-CK-102	Cable Kit for the K-102 Klassic Pole	€ 55	€ 59	\$80
K-CK-152	Cable Kit for the K-152 Klassic Pole	€ 55	€ 59	\$80
K-CK-202	Cable Kit for the K-202 Klassic Pole	€ 55	€ 59	\$80

K-EX60	Extension Section 152 cm	€ 223	€ 238	\$325
K-EX50	Extension Section 127 cm	€ 196	€ 209	\$285
K-EX40	Extension Section 102 cm	€ 172	€ 183	\$250
K-EX30	Extension Section 76 cm	€ 154	€ 165	\$225
K-EX20	Extension Section 51 cm	€ 127	€ 136	\$185

K-HE	750 gr. "HODGES effect" Brass weight	€ 45	€ 48	\$65
K-QC	Quick Connect Unit incl. one Spud	€ 45	€ 48	\$65
K-QS	Package of three Spuds for K-QC	€ 24	€ 26	\$35
K-QSL	Long Spud for K-QC	€ 17	€ 18	\$25

K-Tek® AVALON Boom Poles:

Available with the same quality of graphite fiber tubing as used on the Klassic line, or in cost-effective aluminum versions of 3, 4, 5 or 6 sections. All models benefit from the same high-reliability collars with captive collets. When factory wired, a high quality coiled cord is mounted inside the pole with a sturdy male XLR receptacle for a bottom or side exit.

"AVALON - GRAPHITE"

Model	Length	Sect	Weight	Description	Euro List Price	Previous quarter	US\$ List Price
KEG-60	49 cm - 152 cm	5	312 g	Carbon fiber boom pole.	€ 223	€ 238	\$325
KEG-60CC	49 cm - 152 cm	5	415 g	Carbon fiber boom pole. Internally wired with coiled cable. Neutrik female XLR on top pigtail and Switchcraft Male XLR, bottom exit.	€ 292	€ 311	\$425
KEG-88	59 cm - 203 cm	6	411 g	Carbon fiber "Traveler" boom pole	€ 240	€ 256	\$350
KEG-88CC	59 cm - 203 cm	6	550 g	"Traveler" boom pole. Internally wired with coiled cable. Neutrik female XLR on top pigtail and Switchcraft Male XLR, bottom exit	€ 309	€ 330	\$450
KEG-100	66 cm - 267 cm	5	433 g	Carbon fiber boom pole.	€ 282	€ 301	\$411
KEG-100CC	66 cm - 267 cm	5	572 g	Carbon fiber boom pole. Internally wired with coiled cable. Neutrik female XLR on top pigtail and Switchcraft Male XLR, bottom exit.	€ 351	€ 374	\$511
KEG-100CCR	74 cm - 267 cm	5	601 g	Carbon fiber boom pole. Internally wired with coiled cable. Neutrik female XLR on top pigtail and Switchcraft Male XLR, side exit	€ 364	€ 389	\$531
KEG-150	93 cm - 381 cm	5	602 g	Carbon fiber boom pole	€ 360	€ 385	\$525
KEG-150CC	93 cm - 381 cm	5	741 g	Carbon fiber boom pole. Internally wired with coiled cable. Neutrik female XLR on top pigtail and Switchcraft Male XLR, bottom exit	€ 429	€ 458	\$625
KEG-150CCR	101 cm - 381 cm	5	770 g	Carbon fiber boom pole. Internally wired with coiled cable. Neutrik female XLR on top pigtail and Switchcraft Male XLR side exit	€ 443	€ 473	\$645

"AVALON - ALUMINUM"

Model	Length	Sect	Weight	Description	Euro List Price	Previous quarter	US\$ List Price
KE-69	72 cm - 175 cm	3	356 g	Aluminum Pole.	€ 93	€ 99	\$135
KE-69CC	72 cm - 175 cm	3	476 g	Aluminum Pole Internally wired with coiled cord. Neutrik female XLR on top pigtail and Switchcraft Male XLR, with bottom exit.	€ 110	€ 117	\$160
KE-79	52 cm - 201 cm	6	561 g	"Traveler" Aluminum Pole. (available in red/blue if requested)	€ 144	€ 154	\$210
KE-79CC	52 cm - 201 cm	6	658 g	"Traveler" Aluminum Pole Internally wired with coiled cord. Neutrik female XLR on top pigtail and Switchcraft Male XLR, with bottom exit. (in red/blue if requested)	€ 172	€ 183	\$250
KE-89	74 cm - 229 cm	4	561 g	Aluminum Pole. (available in red/blue if requested)	€ 117	€ 125	\$170
KE-89CC	74 cm - 229 cm	4	623 g	Internally wired pole with Neutrik female XLR on top pigtail and Switchcraft Male XLR, with bottom exit. (available in red/blue)	€ 134	€ 143	\$195
KE-110	79 cm - 279 cm	5	661 g	Aluminum Pole	€ 148	€ 158	\$215
KE-110CC	79 cm - 279 cm	5	781 g	Aluminum Pole Internally wired with coiled cord. Neutrik female XLR on top pigtail and Switchcraft Male XLR, with bottom exit.	€ 175	€ 187	\$255
KE-110CCR	87 cm - 279 cm	5	822 g	Aluminum Pole Internally wired with coiled cord. Neutrik female XLR on top pigtail and switchcraft Male XLR, with side exit.	€ 189	€ 202	\$275

K-Tek® ACCESSORIES**K-Tek® Microphone Support Products:**

Model	Description	Euro List Price	Previous quarter	US\$ List Price
K-GPS	Microphone Suspension; very versatile high tech suspension, using K-SUS suspenders that are spaced 9 cm. Weight : 99 g	€ 113	€ 121	\$165
K-GPSS	Short version of the K-GPS high tech suspension; the suspenders are spaced 5 cm. Weight: 88 g	€ 113	€ 121	\$165
K-SUS	Pair Microphone Suspenders	€ 14	€ 15	\$20
K-SM	Microphone Shock Mount: The microphone is held firmly in two polymer mounts that are spaced 5 cm apart. The mounts stretch to accommodate most shotgun mics. May be used with K-WA Windshield Adapter.	€ 93	€ 99	\$135
K-SSM	Short version Schock Mount for short microphones : The microphone is held firmly in two polymer mounts that are spaced 3.5 cm apart. The mounts stretch to accommodate most shotgun mics.	€ 93	€ 99	\$135
K-S30	Pair of SOFT Rubber Mounts for SM/SSM	€ 14	€ 15	\$20
K-S40	Pair of Normal Rubber Mounts for SM/SSM	€ 14	€ 15	\$20
KE-US	Economical, universal suspension mount, using K-SUS suspenders	€ 41	€ 44	\$60
K-DA-SM	Dual Angle Shock mount. (NO Angle Adjustments)	€ 58	€ 62	\$85
K-DA-SSM	Short version dual Angle Shock mount. (NO Angle Adjustments)	€ 58	€ 62	\$85
K-CAM-SM	K-SM Shock mount for Camera Shoe	€ 58	€ 62	\$85
K-CAM-SSM	Short version K-SSM Shock Mount for Camera Shoe	€ 58	€ 62	\$85
K-HG	Hand Grip: The K-TEK K-HG Hand Grip offers an efficient and professional method to handhold the system or easily attached it to a pole or stand. Made of foam-covered graphite.	€ 45	€ 48	\$65
K-HGW	Hand Grip Wired: The K-HGW is wired with soft cloth covered cable for maximum noise isolation.	€ 69	€ 73	\$100
K-BC	The boom cradle supports a boom pole and attached to a grip stand knuckle with a stainless steel spud.	€ 127	€ 136	\$185

K-SA	Shoe Adapter for DV Cameras	€ 24	€ 26	\$35
K-OSE	Off-Set Shoe Extender	€ 45	€ 48	\$65
K-BWS	Sony Camera Adapter: The K-BWS adapter fits in the camera microphone clamp 25 mm of professional cameras and adapts to 3/8-16 thread. This makes mounting professional microphones to the camera very simple and versatile.	€ 17	€ 18	\$25
K-BWC	Canon Camera Adapter: The K-BWC adapter fits in the microphone clamp 27 mm of professional cameras and adapts to 3/8-16 thread. This makes mounting professional microphones to the camera very simple and versatile.	€ 17	€ 18	\$25
K-BWJ	JVC/Panasonic Camera Adapter: The K-BWJ fits in the microphone clamp 22 mm of professional cameras and adapts to 3/8-16 thread. This makes mounting professional microphones to the camera very simple and versatile.	€ 17	€ 18	\$25
K-MS	20 mm M/S Stereo Adapters for K-GPSS (For Schoeps Stereo Microphones)	€ 24	€ 26	\$35
K-WA	Windshield Adapter	€ 24	€ 26	\$35
K-SF	Slot Filler for Sennheiser MZW 60-1 Windscreen	€ 14	€ 15	\$20

High Quality Audio Coiled Cord

K-36NN	Approximately 3 ft of coiled cable which will stretch to approximately 18 ft. Neutrik Male and Female XLR connectors.	€ 44	€ 47	\$64
K-36NK	Approximately 3 ft of coiled cable which will stretch to approximately 18 ft. Neutrik Male and K-Tek Right Angle Female XLR connectors.	€ 48	€ 51	\$70
K-18NN	Approximately 1.5 ft of coiled cable which will stretch to approximately 9 ft. Neutrik Male and Female XLR connectors.	€ 34	€ 37	\$50
K-18NK	Approximately 1.5 ft of coiled cable which will stretch to approximately 9 ft. Neutrik Male and K-Tek Right Angle Female XLR connectors.	€ 38	€ 41	\$56

K-Tek® Windscreens

From the makers of the K-Tek® professional boom poles, this unique range of windscreens are offering effective solutions for wind & handling noise reduction and microphone protection at affordable prices. The Fuzzy one-piece windscreen/shock-mount combinations are revolutionary; the Slip-On versions feature the same layer of high-density open cell foam bonded to a body of reticulated foam. The full size Zeppelin® cage based windscreens are designed to offer a complete and modular solution, for easy assembly and adaptation to the most demanding applications.

[K-Tek® Slip-On Fuzzy:](#)

- An excellent wind protection system for exterior recording with shotgun microphones.
- K-Tek's unique design combines a traditional faux fur exterior that breaks up the wind with a tightly woven fabric backing – making the Fuzzy the only slip-on windscreen with a layer of extra protection.
- The system's body of open cell foam slides smoothly over the mic head and fits snugly around the microphone capsule to provide additional support and insulation.
- It is available in 6 lengths to fit most shotgun mics and accommodates microphones from 17 to 25mm in diameter.

Model	Description	Euro List Price	Previous quarter	US\$ List Price
Z-FSO-T	Fuzzy Slip-On Windscreen - Tiny (Bore length 8 cm)	€ 76	€ 81	\$110
Z-FSO-XS	Fuzzy Slip-On Windscreen - XS (Bore length 9 cm)	€ 76	€ 81	\$110
Z-FSO-S	Fuzzy Slip-On Windscreen - S (bore length 13 cm)	€ 76	€ 81	\$110
Z-FSO-M	Fuzzy Slip-On Windscreen - M (bore length 15 cm)	€ 76	€ 81	\$110
Z-FSO-L	Fuzzy Slip-On Windscreen - L (bore length 18 cm)	€ 76	€ 81	\$110
Z-FSO-XL	Fuzzy Slip-On Windscreen XL (bore length 27 cm)	€ 76	€ 81	\$110

[K-Tek® Slip-On Fleecy: New!!!](#)

- A simple and unobtrusive solution for microphone wind protection.
- The windscreen features an exterior of charcoal grey fleece backed with tough tight-weave fabric fitted over a body of open cell foam designed to slip easily and snugly over most popular shotgun microphones.
- Available in 6 sizes and accommodates microphones from 17 to 25mm in diameter.

Model	Description	Euro List Price	Previous quarter	US\$ List Price
K-FLCY-T	Charcoal Grey Fleece/Micro Fiber Slip-On - Tiny (bore length 8 cm)	€ 58	€ 62	\$85
K-FLCY-XS	Charcoal Grey Fleece/Micro Fiber Slip-On - XS (bore length 8,89 cm)	€ 58	€ 62	\$85
K-FLCY-S	Charcoal Grey Fleece/Micro Fiber Slip-On - S (bore length 13 cm)	€ 58	€ 62	\$85
K-FLCY-M	Charcoal Grey Fleece/Micro Fiber Slip-On - M (bore length 15,2 cm)	€ 58	€ 62	\$85

[K-Tek® Topper Windscreen for Handheld Microphones: New!!!](#)

- A unique wind protection system designed specifically for handheld microphones.
- The Topper features an exterior of black fleece lined with tightly woven fabric, or with the traditional faux fur (in black short hair), tailored to fit snugly over standard foam covers.
- The ideal solution for handheld recording in the field, great for popular microphones like the EV-RE-50 and Sennheiser-MD 46.

Model	Description	Euro List Price	Previous quarter	US\$ List Price
K-TPR-FF	Topper- Black, short faux fur cover for handheld microphones	€ 37	€ 40	\$54
K-TPR-FL	Toppper-Fleecy - Black, Fleece cover hor handheld microphones	€ 37	€ 40	\$54

K-Tek® Windscreens

[K-Tek® Combination Fuzzy Windscreen/Shock Mount for Mounting on Poles:](#)

- The first one-piece windscreen/shock mount system, it offers a simple and convenient solution for wind noise reduction and microphone protection during exterior recording.
- The windscreen features an outer layer of synthetic fur backed with a lining of tightly woven microfiber fabric and a body of open cell foam that fits snugly around the microphone capsule.
- The Shock Mount is based on the popular K-Tek K-SM.
- It is ideal for ENG and documentary recording.
- The system is available in 3 different lengths. Accommodates microphones from 17 to 25mm in diameter.

Model	Description	Euro List Price	Previous quarter	US\$ List Price
Z-FZ-S	Combination Windscreen - Shock Mount - boom adapter, Short (inside 19 cm)	€ 172	€ 183	\$250
Z-FZ-M	Combination Windscreen - Shock Mount - boom adapter, Medium (inside 25 cm)	€ 172	€ 183	\$250
Z-FZ-L	Combination Windscreen - Shock Mount - boom adapter, Large (inside 30 cm)	€ 172	€ 183	\$250

[K-Tek® Combination Fuzzy/Shock Mount Windscreen for Mounting on Cameras \(Shoe Mount\):](#)

- The first one-piece windscreen/shock mount system with a built-in shoe mount for easy installation on cameras. It offers a convenient solution for wind noise reduction and microphone protection during exterior recording.
- It comes in 3 different lengths and accommodates microphones from 17 to 25mm in diameter.

Model	Description	Euro List Price	Previous quarter	US\$ List Price
Z-CAM-FZ-S	Combination Windscreen/Shock mount with a hot shoe - Short (19 cm)	€ 137	€ 147	\$200
Z-CAM-FZ-M	Combination Windscreen/Shock mount with a hot shoe - Medium (25 cm)	€ 137	€ 147	\$200
Z-CAM-FZ-L	Combination Windscreen/Shock mount with a hot shoe - Long (30 cm)	€ 137	€ 147	\$200

[K-Tek® Zeppelin® Microphone Protection System NEW design for Medium and Long!!!!](#)

- The Zeppelin system consists of a injection-molded polypropylene microphone cage, 2 rubber retaining rings with removable sonic foam mushroom caps, XLR attached pig tail, and a snug-fitting lined faux fur High-Wind cover.
- The microphone is supported by K-Tek's popular General Purpose Suspension (K-GPS) or Short Shock Mount (K-SSM), which can accommodate microphones from 19-25 mm in diameter.
- The modular K-Tek Zeppelin assembles and dismantles quickly and effortlessly, for compact storage and travel, and easy replacement of parts. Once the system is installed, the microphone can be slid out of the basket at any time for use while still mounted on the K-GPS/K-SSM suspension.
- Options include a fleece cover for use in lighter weather, and a hefty hand grip for a handheld system away from a boom pole.

			Previous	

K-ZEPP-S	Cage/Casing - length 28.5 cm (for microphones like the Sanken CS-1)	€ 257	€ 275	\$375
K-ZEPP-M	Cage/Casing - length 33 cm (for microphones like the AT4073A)	€ 271	€ 289	\$395
K-ZEPP-L	Cage/Casing - length 40.5 cm (for microphones like the Sennheiser ME66)	€ 292	€ 311	\$425
K-ZEPP-XL	Cage/Casing - length 48.3 cm (for microphones like the AT4071A)	€ 309	€ 330	\$450

[The K-Tek® Zeppelin also has the added accessory of a Fleece/Microfiber cover for as a light weather option cover; it will actually work great in heavier weather as well.](#)

Model	Description	Euro List Price	Previous quarter	US\$ List Price
K-ZFC-S	Charcoal Grey Fleece/Microfiber cover for Short Zeppelin	€ 58	€ 62	\$85
K-ZFC-M	Charcoal Grey Fleece/Microfiber cover for Medium Zeppelin	€ 58	€ 62	\$85
K-ZFC-L	Charcoal Grey Fleece/Microfiber cover for Long Zeppelin	€ 58	€ 62	\$85
K-ZHG	Hand Grip for Zeppelin, Light Weight Graphite construction	€ 51	€ 55	\$75