


























EUR

Articles marked * will be discontinued soon!

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
SYSTEM PLATFORM ULTRA: Standard with multiplex plywood panel				
	nivtec-system platform TÜV approved (GS sign), capacity 750 kg/sqm colour: dark brown, depth: 9 cm special features: - "Hook On – Design" and integral "Click-Clack" locking mechanism (no additional links) - corner leg support with double eccentric clamping device (no tools needed for assembly) - standard special weatherproof multiplex plywood platform for in- and outdoor use with multifunctional supports for rails and other constructions.			
	111 01 0	nivtec-system platform TÜV approved (GS sign), capacity 750 kg/sqm, colour: dark brown, weight: 32 kg, stacking height: 9 cm, size: 200 cm x 100 cm	315,00	378,00 EUR
	111 02 0	nivtec-system platform TÜV approved (GS sign), weight 19 kg size: 200 cm x 50 cm	225,00	270,00 EUR
	111 03 0	nivtec-system platform TÜV approved (GS-sign), weight 26 kg size: 150 cm x 100 cm	285,00	342,00 EUR
	111 04 0	nivtec-system platform TÜV approved (GS-sign), weight 16 kg size: 150 cm x 50 cm	205,00	246,00 EUR
	111 06 0	nivtec-system platform TÜV approved (GS sign), weight 12 kg size: 100 cm x 50 cm	165,00	198,00 EUR
	111 05 0	nivtec-system platform TÜV approved (GS sign), weight 19 kg size: 100 cm x 100 cm	245,00	294,00 EUR
	111 07 0	nivtec-system platform TÜV approved (GS-sign), weight 8 kg size: 50 cm x 50 cm	155,00	186,00 EUR
	111 12 0	nivtec-system platform TÜV approved (GS sign), top step push-on stairway size: 200 x 39 cm	240,00	288,00 EUR
	111 14 0	nivtec-system platform TÜV approved (GS sign), top step push-on stairway size: 150 x 39 cm	220,00	264,00 EUR
	111 16 0	nivtec-system platform TÜV approved (GS sign), top step push-on stairway size: 100 x 39 cm	180,00	216,00 EUR
	112 01 0	nivtec-system platform, triangle size: 200 cm x 100 cm x 26,5 ° left	400,00	480,00 EUR
	112 03 0	nivtec-system platform, triangle size: 150 cm x 100 cm x 26,5 ° left	370,00	444,00 EUR
	112 06 0	nivtec-system platform, triangle size: 100 cm x 50 cm x 26,5 ° left	240,00	288,00 EUR
	112 02 0	nivtec-system platform, triangle size: 200 cm x 100 cm x 26,5 ° right	400,00	480,00 EUR
	112 04 0	nivtec-system platform, triangle size: 150 cm x 100 cm x 26,5 ° right	370,00	444,00 EUR
	112 07 0	nivtec-system platform, triangle size: 100 cm x 50 cm x 26,5 ° right	240,00	288,00 EUR
	112 05 0	nivtec-system platform, triangle size: 100 cm x 100 cm x 45°	315,00	378,00 EUR
	112 08 0	nivtec-system platform, triangle size: 50 cm x 50 cm x 45 °	225,00	270,00 EUR
	112 01 1	nivtec-system platform, triangle size: 100 cm x 45° x 100 cm	320,00	384,00 EUR
	112 02 1	nivtec-system platform, triangle size: 50 cm x 45° x 50 cm	230,00	276,00 EUR
	112 01 2	nivtec-system platform, quadrant size: 100 cm x 100 cm x radius 100 cm	375,00	450,00 EUR
	113 01 0	nivtec-system platform trapezoid size: 200,0 cm x 173,9 cm x 7,5 ° x 100 cm	450,00	540,00 EUR
	113 02 0	nivtec-system platform trapezoid size: 173,9 cm x 147,8 cm x 7,5 ° x 100 cm	435,00	522,00 EUR
	113 03 0	nivtec-system platform trapezoid size: 147,8 cm x 121,7 cm x 7,5 ° x 100 cm	420,00	504,00 EUR
	113 04 0	nivtec-system platform trapezoid size: 121,7 cm x 95,6 cm x 7,5 ° x 100 cm	405,00	486,00 EUR
	113 05 0	nivtec-system platform trapezoid size: 95,6 cm x 69,5 cm x 7,5 ° x 100 cm	390,00	468,00 EUR
	113 06 0	nivtec-system platform trapezoid size: 69,5 cm x 43,4 cm x 7,5 ° x 100 cm	375,00	450,00 EUR
	113 07 0	nivtec-system platform trapezoid size: 43,4 cm x 17,3 cm x 7,5 ° x 100 cm	360,00	432,00 EUR
	113 01 1	nivtec-system platform, gallery trapezoid size: 36,7 cm x 75,0 cm x 22,5° x 100 cm, left	385,00	462,00 EUR
	113 03 1	nivtec-system platform, gallery trapezoid size: 73,4 cm x 111,7 cm x 22,5° x 100 cm, left	400,00	480,00 EUR
	113 05 1	nivtec-system platform, gallery trapezoid size: 110,2 cm x 148,4 cm x 22,5° x 100 cm, left	415,00	498,00 EUR
	113 07 1	nivtec-system platform, gallery trapezoid size: 146,9 cm x 185,2 cm x 22,5° x 100 cm, left	430,00	516,00 EUR
	113 02 1	nivtec-system platform, gallery trapezoid size: 36,7 cm x 75,0 cm x 22,5° x 100 cm, right	385,00	462,00 EUR
	113 04 1	nivtec-system platform, gallery trapezoid size: 73,4 cm x 111,7 cm x 22,5° x 100 cm, right	400,00	480,00 EUR
	113 06 1	nivtec-system platform, gallery trapezoid size: 110,2 cm x 148,4 cm x 22,5° x 100 cm, right	415,00	498,00 EUR
	113 08 1	nivtec-system platform, gallery trapezoid size: 146,9 cm x 185,2 cm x 22,5° x 100 cm, right	430,00	516,00 EUR
with synthetic glass , transparent adhesive, one side glazed, lucid				
	121 01 0	nivtec-system platform with synthetic glass size: 200 cm x 100 cm	555,00	666,00 EUR
	121 02 0	nivtec-system platform with synthetic glass size: 200 cm x 50 cm	375,00	450,00 EUR
	121 03 0	nivtec-system platform with synthetic glass size: 150 cm x 100 cm	515,00	618,00 EUR
	121 04 0	nivtec-system platform with synthetic glass size: 150 cm x 50 cm	325,00	390,00 EUR
	121 06 0	nivtec-system platform with synthetic glass size: 100 cm x 50 cm	265,00	318,00 EUR
	121 05 0	nivtec-system platform with synthetic glass size: 100 cm x 100 cm	395,00	474,00 EUR
	121 07 0	nivtec-system platform with synthetic glass size: 50 cm x 50 cm	245,00	294,00 EUR
	122 01 1	nivtec-system platform with synthetic glass, triangle size: 200 cm x 100 cm x 45 °, left		upon request
	122 02 1	nivtec-system platform with synthetic glass, triangle size: 200 cm x 100 cm x 45 °, right		upon request
	122 03 1	nivtec-system platform with synthetic glass, triangle size: 150 cm x 100 cm x 45 °, left		upon request

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
122 04 1	nivtec-system platform with synthetic glass, triangle	size: 150 cm x 100 cm x 45 °, right			upon request
122 06 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 50 cm x 45 °, left			upon request
122 07 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 50 cm x 45 °, right			upon request
122 05 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 100 cm x 45 °	395,00	474,00	EUR
122 08 1	nivtec-system platform with synthetic glass, triangle	size: 50 cm x 50 cm x 45 °			upon request
122 09 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 45 ° x 100 cm			upon request
122 10 1	nivtec-system platform with synthetic glass, triangle	size: 50 cm x 45 ° x 50 cm			upon request
122 01 2	nivtec-system platform with synthetic glass, quadrant	size: 100 x 100 cm x radius 100 cm	495,00	594,00	EUR
with polyester panel, acc. DIN 4102 building material: Fire Resistance + Safety on Site Class B1, transparent adhesive					
	131 01 0	nivtec-system platform with polyester panel, one side glazed, lucid	size: 200 cm x 100 cm	655,00	786,00 EUR
	131 05 0	nivtec-system platform with polyester panel, one side glazed, lucid	size: 100 cm x 100 cm	495,00	594,00 EUR
	131 xx x	other standard sizes			upon request
with lattice panel made of steel, galvanized, width of mesh: 30 x 10 mm					
	141 05 0	nivtec-system platform with lattice panel made of steel	size: 100 cm x 100 cm		upon request
	141 06 0	nivtec-system platform with lattice panel made of steel	size: 100 cm x 50 cm		upon request
	142 05 0	nivtec-system platform with lattice panel made of steel, aluminium frame, thickness 11 mm, capacity 500 kg/sqm	size: 100 cm x 100 cm	455,00	546,00 EUR
	100 00 1	surcharge for platforms with recessed corner	each corner	20,00	24,00 EUR
	100 00 2	surcharge for platforms with recessed corners for truss system (girders)	size: upon request	93,00	111,60 EUR
	100 00 3	Surcharge for platform with cable conveyance insert		120,00	144,00 EUR
	151 xx x	nivtec-system various surface or panel executions			upon request
	161 xx x	nivtec-system special sizes or shapes			upon request
	171 xx x	nivtec-system with recessed corners for truss systems			upon request
nivtec -dance floor border, made of aluminium and multiplex plywood panel, dark brown, for straight (direct) attachment to nivtec-platforms, width: 55 cm					
	114 01 0		groove face, length: 100 cm	135,00	162,00 EUR
	114 02 0		groove face, length: 200 cm	175,00	210,00 EUR
	114 03 0		tongue face, length: 100 cm	135,00	162,00 EUR
	114 04 0		tongue face, length: 200 cm	175,00	210,00 EUR
	114 05 0		corner	225,00	270,00 EUR





INTERCHANGEABLE LEGS















Ø48,3; mat. depth 4 mm, up to 80 cm made of aluminium, exc. 80 cm steel tube, galvanized.
to be considered: due to the "Hook On – Design" the quantity of legs needed for for a stage is reduced depending on size and shape of the stage.






















Quantity of legs recommended for purchase of a stage -> 2 legs per each platform only





All standard legs are equipped with thread adapter (function: supporting fastening devices of safety rails and stairways) and a load ring (function: increasing the stability of the platforms for long term use). Additionally nivtec legs with adjusting spindle for heights exceeding 80 cm are equipped with a locknut (function: stabilizing the base construction)

Floor protectors made of skid-proof hard rubber are available for all base constructions, either built with tube legs or with scaffolding system.


nivtec-leg with weight distributor made of floor protecting and skid-proof hard rubber					
	201 01 1	nivtec-leg with load distributor	height: 20 cm	13,50	16,20 EUR
	201 02 1	nivtec-leg with load distributor	height: 40 cm	16,00	19,20 EUR
	201 03 1	nivtec-leg with load distributor	height: 60 cm	18,50	22,20 EUR
	201 04 1	nivtec-leg with load distributor	height: 80 cm	21,00	25,20 EUR
	201 05 1	nivtec-leg with load distributor	height: 100 cm	22,50	27,00 EUR
	201 06 1	nivtec-leg with load distributor	height: 120 cm	25,00	30,00 EUR
	201 07 1	nivtec-leg with load distributor	height: 140 cm	27,50	33,00 EUR
nivtec levelling leg with adjustable spindle and base plate					
	202 01 1	nivtec- leg with adjustable spindle adjusting capacity: 6 cm, high	height: 20 cm	20,50	24,60 EUR
	202 02 1	nivtec- leg with adjustable spindle adjusting capacity: 8 cm, high	height: 40 cm	23,00	27,60 EUR
	202 03 1	nivtec- leg with adjustable spindle	height: 60 cm	25,50	30,60 EUR
	202 04 1	nivtec- leg with adjustable spindle	height: 80 cm	28,00	33,60 EUR
	202 05 1	nivtec- leg with adjustable spindle	height: 100 cm	29,50	35,40 EUR
	202 06 1	nivtec- leg with adjustable spindle	height: 120 cm	32,00	38,40 EUR
	202 07 1	nivtec- leg with adjustable spindle	height: 140 cm	34,50	41,40 EUR
nivtec extension leg, raster pitch 5 cm with safety bolt clip, with adjusting spindle					
	203 01 1	nivtec- extension leg	adjusting capacity: 40 to 60 cm	48,00	57,60 EUR
	203 02 1	height exceeding 80cm is only to be built with corner supports	adjusting capacity: 60 to 100 cm	62,00	74,40 EUR
	203 03 1	height exceeding 120cm is only to be built with corner supports	adjusting capacity: 80 to 140 cm	68,00	81,60 EUR
nivtec levelling leg with Layher scaffold spindle					
	204 02 1	with scaffold spindle height: 60 cm	adjusting capacity: 63 to 83 cm	44,00	52,80 EUR
	204 03 1	with scaffold spindle height: 60 cm	adjusting capacity: 90 to 110 cm	46,00	55,20 EUR
	204 04 1	with scaffold spindle height: 80 cm	adjusting capacity: 90 to 125 cm	52,00	62,40 EUR
	204 05 1	with scaffold spindle height: 80 cm	adjusting capacity: 105 to 140 cm	54,00	64,80 EUR


code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
nivtec step leg for stairways and gallery systems					
	205 01 0	nivtec- step leg 20 cm for stairways and gallery systems	12,00	14,40	EUR
	205 02 0	nivtec- step leg 40 cm for stairways and gallery systems	14,00	16,80	EUR
nivtec leg with adjusting spindle and swivel base plate (ball bearing), adj. capacity 8 cm					
	208 01 1	nivtec levelling leg with swivel base plate (ball joint)	height: 20 cm	30,00	36,00 EUR
	208 02 1	nivtec levelling leg with swivel base plate (ball joint)	height: 40 cm	30,60	36,72 EUR
	208 03 1	nivtec levelling leg with swivel base plate (ball joint)	height: 60 cm	33,10	39,72 EUR
	208 04 1	nivtec levelling leg with swivel base plate (ball joint)	height: 80 cm	35,60	42,72 EUR
	208 05 1	nivtec levelling leg with swivel base plate (ball joint)	height: 100 cm	37,00	44,40 EUR
	208 06 1	nivtec levelling leg with swivel base plate (ball joint)	height: 120 cm	39,50	47,40 EUR
	208 07 1	nivtec levelling leg with swivel base plate (ball joint)	height: 140 cm	42,00	50,40 EUR
	10 03 31	Surcharge for swivel base plate incl. floor protector and ball joint (for ascents etc.)		6,80	8,16 EUR
	10 04 06	Surcharge for load absorbing disc for legs, if dynamic loads are expected (dance events etc.)		6,80	8,16 EUR
various base constructions:					
	10 03 40	nivtec- legs for scaffold system EXPO steel, galvanized, . 48,3 mm		29,50	35,40 EUR
nivtec extension adapter for transport wheels Φ10 cm, steel, galvanized					
	206 01 1		for stage height: 40 cm	40,00	48,00 EUR
	206 02 1		for stage height: 60 cm	45,00	54,00 EUR
	206 03 1		for stage height: 80 cm	50,00	60,00 EUR
nivtec extension adapter for transport wheels Φ16 cm, steel, galvanized					
	206 11 1		for stage height: 40 cm	35,00	42,00 EUR
	206 12 1		for stage height: 60 cm	40,00	48,00 EUR
	206 13 1		for stage height: 80 cm	45,00	54,00 EUR
	206 00 0	Scaffold Castor, PU wheel Φ 200, with thread spindle, adjusting capacity 30 to 60 cm, with double brake lever, centres weight when brakes are put on			upon request
Weight girdes					
	207 02 0	Weight girder made of Aluminium with wedge head made of galvanized steel, length: 200 cm		120,00	144,00 EUR
	207 01 0	Weight girder made of Aluminium with wedge head made of galvanized steel, length: 100 cm		100,00	120,00 EUR
	207 05 0	Safety flap for weight girder		12,00	14,40 EUR
	207 08 0	corner strutting for stage built with extension legs, set consisting of:	each corner		
		2 pcs. horizontal brace Φ48,3 x 4 mm, length: 210 cm			upon request
		2 pcs. diagonal brace Φ48,3 x 4 mm, length: 240 cm			upon request
		4 pcs. swivel coupling Φ48,3 mm			upon request
		5 pcs. standard reduction coupling Φ48,3 / 38 mm			upon request
	207 09 0	corner strutting for stage with dynamic loading built with standard resp. levelling legs (rhythmical loading such as dancing or similar activities), set consisting of:	each corner		
		2 pcs. horizontal brace Φ48,3 x 4 mm, length: 210 cm			upon request
		2 pcs. diagonal brace Φ48,3 x 4 mm, length: 240 cm			upon request
		4 pcs. swivel coupling Φ48,3 mm			upon request
		5 pcs. standard reduction coupling Φ48,3 / 38 mm			upon request
	207 10 1	nivtec pedestal for scaffold system, Φ48,3 mm, steel, galvanized, with adapter		32,40	38,88 EUR
SAFETY RAIL					
<i>nivtec- safety rail, TÜV approved, cross weight capacity 100 kg/m acc. DIN 4112, steel tube Φ33,7 galvanized (double corrosion protection - galvanized and powder coated, black – upon request), supplementary assembly as childproof rail possible, height: 100 cm NEW: The rail consists of 3 diagonal bars. Upon purchase of safety rails the purchase of accessories has to be considered. For each rail the following parts are needed: 1 pce. adapter for rail fastening by way of leg support , 2 pcs. support bolts Φ26 mm + 1 pce. safety rail link 150 mm</i>					
	301 01 0	nivtec- safety rail	size: 35 cm x 100 cm	80,00	96,00 EUR
	301 02 0	nivtec- safety rail	size: 85 cm x 100 cm	100,00	120,00 EUR
	301 03 0	nivtec- safety rail	size: 185 cm x 100 cm	140,00	168,00 EUR
	301 04 0	nivtec- safety rail, height 100 cm, stage	size: 135 cm raster size	120,00	144,00 EUR
	301 06 0	nivtec- safety rail, height 100 cm, stage	size: 50 cm	90,00	108,00 EUR
	301 07 0	nivtec- safety rail, height 100 cm, stage	size: 100 cm	110,00	132,00 EUR
	301 10 0	nivtec- safety rail for galleries, step height: 40 cm	width: 85 cm	145,00	174,00 EUR
	301 11 0	nivtec- safety rail for galleries, step height: 40 cm depth of step 20 cm	width: 85 cm	135,00	162,00 EUR
	302 01 0	nivtec- adjustable safety rail	adjusting capacity: 50 cm to 70 cm	115,00	138,00 EUR
	302 02 0	nivtec- adjustable safety rail	adjusting capacity: 75 cm to 110 cm	135,00	162,00 EUR
	302 03 0	nivtec- adjustable safety rail	adjusting capacity: 100 cm to 160 cm	155,00	186,00 EUR


	code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	EUR
	303 01 0	nivtec- child-proof safety rail with vertical bars	size: 35 cm x 110 cm	140,00	168,00	EUR
	303 02 0	nivtec- child-proof safety rail with vertical bars	size: 85 cm x 110 cm	160,00	192,00	EUR
	303 03 0	nivtec- child-proof safety rail with vertical bars	size: 185 cm x 110 cm	200,00	240,00	EUR
	303 04 0	nivtec- safety rail with vertical bars, height 110 cm, stage	size: 135 cm raster size	180,00	216,00	EUR
	303 06 0	nivtec- safety rail with vertical bars, height 110 cm, stage	size: 50 cm	150,00	180,00	EUR
	303 07 0	nivtec- safety rail with vertical bars, height 110 cm, stage	size: 100 cm	170,00	204,00	EUR
	303 10 0	nivtec- vertical bar safety rail for gallery, step height : 40 cm	width: 85 cm	195,00	234,00	EUR
	303 11 0	nivtec- vert.bar safety rail for gallery, 40 cm, with stairway, depth of step 20 cm	width: 85 cm	185,00	222,00	EUR
safety stairway rail:						
TÜV approved, cross weight capacity 100 kg/m acc. DIN 4112, steel tube Φ 33,7, galvanized						
	304 01 0	nivtec- safety stairway rail	first part	55,00	66,00	EUR
	304 02 0	nivtec- safety stairway rail	middle part	60,00	72,00	EUR
	304 03 0	nivtec- safety stairway rail	double middle part	95,00	114,00	EUR
	304 04 0	nivtec- safety stairway rail	triple middle part	115,00	138,00	EUR
	304 05 0	nivtec- safety stairway rail	final part	80,00	96,00	EUR
	304 06 0			85,00	102,00	EUR
	305 01 0	nivtec- safety rail with vertical bars, height 110 cm, stairway	width: 70 cm for 2-step hook-on stairway	210,00	252,00	EUR
	305 02 1	nivtec- safety rail with vertical bars, height 110 cm, stairway	width: 105 cm for 3-step hook-on stairway	230,00	276,00	EUR
	305 03 1	nivtec- safety rail with vertical bars, height 110 cm, stairway	width: 140 cm for 4-step hook-on stairway	250,00	300,00	EUR
	305 04 1	nivtec- safety rail with vertical bars, height 110 cm, stairway	width: 175 cm for 5-step hook-on stairway	270,00	324,00	EUR
	305 05 1	nivtec- safety rail with vertical bars, height 110 cm, stairway	width: 210 cm for 6-step hook-on stairway	290,00	348,00	EUR
	305 06 1	nivtec- safety rail with vertical bars, height 110 cm, stairway	width: 245 cm for 7-step hook-on stairway	310,00	372,00	EUR
	310 30 0	nivtec-load guard, for reinforcement of safety rail for for cross weight capacity 200 kg/m necessary to meet higher safety requirements		68,00	81,60	EUR
	310 01 0	nivtec- support bolts, Φ 26 for safety rail, steel, galvanized		17,00	20,40	EUR
	310 20 0	nivtec- adapter for rail fastening by way of leg support, steel, galvanized, Φ 48,3 mm		7,50	9,00	EUR
	310 02 0	Special support bolt Φ 26 mm for direct attachment off rail onto the platform, steel, galvanized		50,00	60,00	EUR
	310 10 0	nivtec- link for safety rail, steel, galvanized 150 mm		12,00	14,40	EUR
	310 11 0	Safety rail link for gallery constructions, steel, galvanized 110 mm		12,50	15,00	EUR
	310 21 0	nivtec- corner link for safety rail, steel, galvanized		9,50	11,40	EUR
	310 22 0	nivtec- ratchet ring spanner, assembly tool , for rail fastening	SW 19	25,00	30,00	EUR
	310 30 0				upon request	
Adapters & Accessories						
	10 01 30	nivtec- load absorbing disc for bolt, steel, galvanized		2,25	2,70	EUR
Diverse Verbindungsteile:						
	401 01 0	nivtec- support bolts, Φ 39 for step legs Φ 48,3, steel, galvanized		18,00	21,60	EUR
	401 10 0	link for gallery constructions, steel, galvanized	length: 110 mm	15,00	18,00	EUR
	401 11 0	link for spectator platf. constr. with Layher scaffold spindles, steel, galvanized	length: 150 mm	16,00	19,20	EUR
	401 20 0	link for platforms, made of aluminium		12,00	14,40	EUR
	402 01 0	link for special constructions, made of steel, galvanized	g-t to attach accessory stairways to the stage	15,50	18,60	EUR
	402 02 0	link for special constructions, made of steel, galvanized	g-g	15,50	18,60	EUR
	402 03 0	link for special constructions, made of steel, galvanized	g-g 90°	15,60	18,72	EUR
	402 04 0	link for special constructions, made of steel, galvanized	g-t 90°	15,70	18,84	EUR
	404 01 0	nivtec- dismantling hook, steel, galvanized, simplifies dismantling of platforms of low stages		10,00	12,00	EUR
nivtec wedge for ramp, warded sheet aluminium						
	405 01 0	to be hooked on nivtec platforms without using add. equipment	width: 50 cm	145,00	174,00	EUR
	405 02 0		width: 100 cm	185,00	222,00	EUR

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
laths for textile linings					
	406 01 0	nivtec-adapter lath, made of aluminium	with 2 VA-plugs, length: 100 cm	25,00	30,00 EUR
	406 02 0	(surcharge for end hood 3,00 EUR / pce.)	with 3 VA-plugs, length: 200 cm	35,00	42,00 EUR
	406 10 0	end cap for adapter lath		3,00	3,60 EUR
	407 20 0	nivtec-lining lath, made of aluminium, for direct attachment	length: 100 cm	20,00	24,00 EUR
	407 21 0	nivtec-lining lath, made of aluminium, for direct attachment	length: 200 cm	25,00	30,00 EUR
stairway lighting installation					
	408 10 0	Built-in stairway lighting installation			upon request
		for indoor and outdoor use, for illumination, guidance or identification of danger zones.			
		Line voltage 230 V 50 Hz acc. DIN –IEC			
		incl. cable, main plug and fastening devices for nivtec platform.			
	408 01 0	Ground unit incl. cable 10 m (earthing unit, clip incl. cable 10 m)		55,00	66,00 EUR

LINING


	nivtec -textile lining – material: Trevira CS Dimout Satin, weight approx.: 260-280 g/sqm permanent fire resistance acc. DIN 4102 B1, tailored ready for use, smooth finish without folds, incl. coarse coated ribbon at the top, colour: black, diff. colours upon request			
		price per running metre		
	501 01 0	for stage height: 20 cm	21,00	25,20 EUR
	501 02 0	for stage height: 40 cm	23,50	28,20 EUR
	501 03 0	for stage height: 60 cm	26,00	31,20 EUR
	501 04 0	for stage height: 80 cm	28,50	34,20 EUR
	501 05 0	for stage height: 100 cm	31,00	37,20 EUR
	501 06 0	for stage height: 120 cm	33,50	40,20 EUR
	501 07 0	for stage height: 140 cm	36,00	43,20 EUR


	nivtec -textile lining – heavy execution, material: Trevira CS, weight: approx. 350 g / sqm, permanent fire resistance acc. DIN 4102 B (fire obstructive), tailored ready for use, smooth finish without folds, incl. coarse coated ribbon at the top, colour: black, other colours available upon request /			
		price per running metre		
	502 01 0	for stage height: 20 cm	22,00	26,40 EUR
	502 02 0	for stage height: 40 cm	24,50	29,40 EUR
	502 03 0	for stage height: 60 cm	27,00	32,40 EUR
	502 04 0	for stage height: 80 cm	29,50	35,40 EUR
	502 05 0	for stage height: 100 cm	32,00	38,40 EUR
	502 06 0	for stage height: 120 cm	34,50	41,40 EUR
	502 07 0	for stage height: 140 cm	37,00	44,40 EUR


	nivtec "childproof" rail lining, made of high tensile lattice fabric, colour: black, fire resistance acc. DIN 4102 B1, highly appropriate as in- resp. outdoor advertising space			
	508 01 0	for safety rail Art.-No.: 301 02 0	85 x 100 cm	upon request
	508 02 0	for safety rail Art.-No.: 301 03 0	185 x 100 cm	upon request


505 01 0	Self-adhesive fixing ribbon Pressogripp-Haft, colour: black, width 20 mm / per m	1,80	2,16 EUR
----------	--	------	-----------------




STARWAYS

various aluminium stairway modules					
	601 01 0	AM- stairway module 20 cm, tread 25 cm, width:55 cm,	for stage height: 40 cm	164,00	196,80 EUR
	601 02 0	AM- stairway module 40 cm, tread 25 cm, width:55 cm,	for stage height: 60 cm	281,00	337,20 EUR
	601 03 0	AM- extension module 60 cm, tread 25 cm, width:55 cm,	for stage height: 80 cm	143,00	171,60 EUR
	601 04 0	AM- extension module 80 cm, tread 25 cm, width:55 cm,	for stage height: 100 cm	150,00	180,00 EUR
	601 05 0	AM- extension module 100 cm, tread 25 cm, width:55 cm,	for stage height: 120 cm	157,00	188,40 EUR
	601 10 0	rail for AM-stairways		71,00	85,20 EUR
	601 20 0	set of 2 transport wheels for AM- stairway		32,00	38,40 EUR
	601 30 0	set of 2 links for AM-stairway		15,00	18,00 EUR

	adjustable ore fix steel stairway, for various heights			
ET 00 19	steel stairway, studded wooden steps,			upon request
	for various heights: 60 to 80cm, 80 to 100 cm, 100 to 120 cm, 120 to 160 cm, 160 to 200 cm			


	ET 00 20	nivtec- stairway base construction with system platforms 100 cm x 50 cm		upon request
		according to the stage height they are different number of parts needed. There is an example for 100 cm high stage with 4 steps - 20 cm high each		

	gallery parts:			
		steel seat girder for galleries with step height: 20 cm, plastic seat with high back acc. to FIFA-regulations, plus connection devices for direct mounting on nivtec platform, necessary accessories for standard assembly: 2 support bolts Ø 39 mm, 1 adapter		

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
701 01 0	seat girder with 1 seat for step height: 20 cm				upon request
701 02 0	seat girder with 2 seats				upon request
701 03 0	seat girder with 3 seats				upon request
701 04 0	seat girder with 4 seats				upon request
 701 10 0	Special support bolt $\Phi 39$ mm, for seat girder (support) $\Phi 48,3$ mm, galvanized steel		55,00	66,00	EUR
nivtec-chair blocking device (FLENSBURG), made of rectangular sectional aluminium with astening devices (links)					
 704 01 0	anodized dark-brown (for easy assembly on nivtec platforms)	length: 100 cm	25,00	30,00	EUR
704 02 0		length: 200 cm	30,00	36,00	EUR
 704 03 0	joint for chair blocking device, aluminium		5,20	6,24	EUR
704 04 0	elbow joint for chair blocking device, aluminium		16,20	19,44	EUR
704 10 0	rail support bolt $\Phi 26$ mm, for combination of rail and chair blocking device, steel, galvanized		16,50	19,80	EUR



nivtec seat equipment for gallery system BREGENZ,




additional accessories needed for easy assembly on nivtec -platforms

 703 01 0	Seat frame with 1 seat for step height: 40 cm				upon request
703 02 0	Seat frame with 2 seats				upon request
703 03 0	Seat frame with 3 seats				upon request
703 04 0	Seat frame with 4 seats				upon request


TRANSPORT, TRANSPORT SAFETY AND STORAGE


of staging system parts and accessories :


 803 01 0	Set of nivtec transport wheels for system platforms	D = 10cm	190,00	228,00	EUR
consisting of 4 swivel wheels with brakes, capacity 200 kg/wheel, $\Phi 10$ cm PU-wheel with ball bearing; appropriate for parquet and standard floors as well as for outdoor use. Designed to change the system platforms into transport trolleys.					
 803 02 0	Set of nivtec transport wheels for system platforms	D = 16cm	250,00	300,00	EUR
consisting of 4 swivel wheels with brakes, capacity 350 kg/wheel, $\Phi 16$ cm PU-wheel with ball bearing; appropriate for parquet and standard floors as well as for outdoor use. Designed to change the system platforms into transport trolleys.					


 801 01 0	nivtec- pushing handle for wheel set , steel, galvanized		35,00	42,00	EUR
 802 01 0	nivtec- belt with ratchet lock		20,00	24,00	EUR
width: 5 cm, length: 6 m, tension 4 t, with wire hooks , colour: blue, for safe transport of platforms					
 802 02 0	nivtec- ring belt with ratchet lock		15,00	18,00	EUR
width: 2,5 cm, length: 4 m, tension 1,6 t, colour: blue, for safe transport of smaller stage parts					




nivtec-transport trolley for storage and transport of legs and accessories,

 804 01 0	incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1.6 t; 4 swivel wheels $\Phi 12,5$ cm equipped with brakes, steel, galvanized	size: length: 64 cm, width: 40 cm, height: 77 cm	190,00	228,00	EUR
804 02 0		size: length: 108 cm, width: 40 cm, height: 77 cm	200,00	240,00	EUR

 805 01 0	nivtec- transport trolley for storage and transport of 6 platforms		370,00	444,00	EUR
upright and on edge frame made of galvanized steel, base: multiplex plywood platform					
incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1.6 t					
4 swivel wheels $\Phi 12,5$ cm equipped with brakes					
size: length: 216 cm, width: 58 cm, height: 120 cm					

 805 02 0	nivtec- transport trolley for storage and transport of 6 platforms		340,00	408,00	EUR
on edge frame made of galvanized steel, base: multiplex plywood platform,					
incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1,6 t					
4 swivel wheels $\Phi 12,5$ cm equipped with brakes					
size: length: 108 cm, width: 58 cm, height: 120 cm					

 806 01 0	nivtec-rail trolley (GÖTTINGEN)	size: 194 x 61 cm	380,00	456,00	EUR
made of galvanized steel, equipped with support bolts for 10 big (185 x 100 cm) and 4 small (85 x 100 cm) rails resp. 12 big rails as well as 2 stairway rails for stage heights up to 100 cm.					
Assorted accessories can also be stored.					
4 swivel wheels $\Phi 12,5$ cm equipped with brakes					

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	EUR
	806 02 0 nivtec-transport trolley frame made of galvanized steel. Support bolts of trolley can take 14 small (85 x 110 cm) rails, also accessories can be stored 4 swivel wheels Φ 12,5 cm equipped with breaks.	size: 94 x 61 cm	320,00	384,00	EUR
	807 01 0 nivtec-transport trolley for seat girders (supports) frame made of galvanized steel. Support bolts of trolley can take 10 big seat supports with 1, 2, 3 or 4 seats each. incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1,6 t. 4 swivel wheels . Φ 12,5 cm equipped with breaks.	size: 195 x 90 cm	470,00	564,00	EUR
	nivtec-nivtec cases, made of aluminium and multiplex panels , equipped with 4 swivel wheels with brakes, 2 handles, 2 lock cylinders, lid equipped with resting hinges, standard				
808 01 0	colour: dark brown	inner size: width 41 cm, length 83 cm height 47 cm	300,00	360,00	EUR
808 02 0	colour: dark brown	inner size: width 41 cm, length 103 cm height 47 cm	330,00	396,00	EUR

Technical modifications provided









nivtec staging system makes use of the advantages of the highly approved Layher scaffold spindles without using any additional equipment. This guarantees a permanently variable height adjustment as well as maximum safety.







Highly appropriate for in- and outdoor use.

Special arrangements for quantity sales provided !

**SPARE PARTS**

floor protectors, made of floor-protecting and skid-proof hard rubber

	200 06 6	Floor protector for base plate	2,00	2,40	EUR
	200 06 7	Floor protector for swivel base plate for levelling legs with ball joint	1,50	1,80	EUR
	200 06 8	Floor protection plate for Layher scaffold spindle	4,50	5,40	EUR
	100 15 4	protection cap for platform, blue	0,20	0,24	EUR
	100 15 5	protection cap for platform, clear	0,30	0,36	EUR
	100 15 7	Corner cap (hood) for recessed corners , blue	2,45	2,94	EUR
	200 60 3	Leg cork / load distributor for round feet 48,3 mm, blue	1,25	1,50	EUR
	200 60 4	Base plate for levelling legs, blue	2,25	2,70	EUR
	200 60 5	Swivel base plate for levelling legs with ball bearing, blue	2,35	2,82	EUR
	300 10 1	connection part / stage rail, black with pin	3,00	3,60	EUR
	300 10 2	connection part / stairway rail, black with pin	4,00	4,80	EUR
	300 12 3	Plastic washer for support bolt D26	1,10	1,32	EUR
	400 10 3	Plastic washer for support bolt D39	1,00	1,20	EUR
	300 13 6	Plastic compressor for corner link, blue	1,15	1,38	EUR
	200 50 6	safety bolt clip for extension legs	2,50	3,00	EUR
	200 01 0	load ring	5,90	7,08	EUR
	900 10 4	Hex. Screw M12x 25 for safety rail	1,05	1,26	EUR
	ET 00 10	Press-in device for corner link, blue	1,15	1,38	EUR
	901 00 0	Repair set for multiplex plywood panel, colour: RH 8019	6,50	7,80	EUR
	200 03 0	Adapter M12 for tube Φ 48,3 mm with splint	5,00	6,00	EUR
	200 30 0	Aluminium tube Φ 48,3 mm x 4 mm price p. regular m	11,30	13,56	EUR
	200 11 0	Steel tube Φ 48,3 mm x 4 mm price p. regular m	11,00	13,20	EUR
				0,00	EUR
	100 11 1	Nutprofile, L: 2 m, Alu	50,00	60,00	EUR
	100 11 3	Nutprofile, L: 1 m, Alu	35,00	42,00	EUR
	101 10 1	Federprofile, L: 2 m, with locking mechanism	80,00	96,00	EUR
	101 10 3	Federprofile, L: 1 m, with locking mechanism	55,00	66,00	EUR
	900 90 1	Two-sided adhesive tape, B: 25 mm	4,00	4,80	EUR
		Locking clamp for leg	5,20	6,24	EUR
		Locking eccentric for leg	10,30	12,36	EUR

code	description	size:	EUR	EUR
			Netto (ex. VAT)	+ 20% DDS (incl. VAT)
	Plastic corner		5,20	6,24 EUR
	Plastic cap for platform		0,60	0,72 EUR
	200 04 0 Bolt M22 for spindel (inside of leg)		2,85	3,42 EUR
	200 40 2 Spindle Ø22 for adjusting leg		1,10	1,32 EUR
	Bolt with nut for Nutprofile or Federprofile		1,00	1,20 EUR
	200 02 0 Drilling gauge for load absorbing ring		20,00	24,00 EUR