



Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions
www.pro-technica.com

EUR

Price List 9/2010

Effective September 23, 2010

Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.


Articles marked * will be discontinued soon!

E C P B R	Model	Description	EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	------------------	---------------------------------

FOLLOWSPOTS



"CRICKET" 1000/1200W TUNGSTEN FOLLOWSPOTS - 10,5/22,5°

With 100 % closing iris, "A" size gobo-holder, "push/pull" 6 way colour changer unit.
Supplied with 3m power cable mounted with 10/16A + E NF/SCHUKO plug.

N H Y N B		1116	"CRICKET" followspot - 230/240V 1000W/1200W G22 with fan	1.419,00	1.703,00 EUR
N H Y N B		1116 A	"CRICKET" followspot - 230/240V 1000W GX 9,5 (without fan)	1.319,00	1.583,00 EUR
• Lamps					
N H Y N B		CP71 /OS/	OSRAM 64747 CP71 1000W 230V G22 20X1 ffor 1116/	11,60	14,00 EUR
N H Y N B		CP93 /OS/	OSRAM 64756 CP/93 1200W 230V G22 20X1 ffor 1116/	29,50	35,00 EUR
N H Y N B		CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1 ffor 1116 A/	10,40	12,00 EUR
N H Y N B		T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9,5 20X1 ffor 1116 A/	10,60	13,00 EUR
N H Y N B		CP90 /OS/	OSRAM 64754 CP/90 1200W 230V GX9,5 20X1 ffor 1116 A - changing the position of the socket!!!!	27,40	33,00 EUR
N H Y N B		T29 /OS/	OSRAM 64752 T/29 1200W 230V GX9,5 20X1 ffor 1116 A - changing the position of the socket!!!!	18,80	23,00 EUR
• Accessories					
N H Y N B		GT 700	Complete luminaire stand (BUXIE, CRICKET, MARGOT, GINGER, LUCY & FLO)	260,00	312,00 EUR
N H Y N B		070CSU	MANFROTTO FOLLOW SPOT STAND	158,40	190,00 EUR

2000/2500W TUNGSTEN FOLLOWSPOTS ALEX" & "GINGER"


With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang for "ALEX", push/pull system for "GINGER", soft effect on a flip lever, mechanical dimmer, G22 external fast-locking socket, insulated ergonomic handle with lateral shutter control, built-in ON/OFF switch - fan-cooled. (No model without mechanical dimmer).

N H Y N B		1417	"GINGER" followspot 230/240V 13/24°, 3-meter power cable mounted with a 10/16A + E. NF/SCHUKO.	3.264,00	3.917,00 EUR
N H Y N B		1117	"ALEX" followspot 230/240V 7/14,5°, 3-meter power cable mounted with a 10/16A + E. NF/SCHUKO.	3.164,00	3.797,00 EUR
• Lamps					
N H Y N B		CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 20X1	22,40	27,00 EUR
N H Y N B		CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 20X1	32,70	39,00 EUR
• Accessories					
N H Y N B		070CSU	MANFROTTO FOLLOW SPOT STAND	158,40	190,00 EUR
N H Y N B		GT 700	Complete luminaire stand (BUXIE, CRICKET, MARGOT, GINGER, LUCY & FLO) - for GINGER only!!!!	260,00	312,00 EUR
N H Y N B		GT 4000	Complete heavy duty stand with security chain for all models - for "ALEX" & "GINGER"	913,00	1.096,00 EUR
N H Y N B		GT 4000 S	Complete heavy duty stand without security chain - for "ALEX" & "GINGER"	858,00	1.030,00 EUR
N H Y N B		JPP	RJ leg for overhead followspots - for "GINGER" with heavy duty adjustable yoke	415,00	498,00 EUR
• Options for "ALEX" and "GINGER" - delivered mounted.					
N H Y N B		FR0/1117PV	Option heavy duty adjustable yoke (tube).	200,00	240,00 EUR
N H Y N B		FPV1417002	Option "boomerang" colour changer unit for "GINGER".	0,00	0,00 EUR
N H Y N B		FPV1117002	Option "Push/Pull" colour changer unit for "ALEX".	0,00	0,00 EUR
N H Y N B		PG 80	Chopper Ø80.	110,00	132,00 EUR

"BUXIE" MSD 575W HR FOLLOWSPOTS - 10,5/22,5°

Hot restrike.

With 100 % closing iris, "A" size gobo-holder, "push/pull" 6 way colour changer unit, G22 socket.
Electronic power supply 90 - > 260V 50/60Hz with PFC in a separate power supply mounted on the yoke.



N H Y N B		1124 D	"BUXIE" followspot with mechanical dimmer, 2.50-meter power cable mounted with 10/16A + E NF/SCHUKO plug.	2.709,00	3.251,00 EUR
• Lamps					
N H Y N B		MSD 575 HR	PHILIPS MSD 575 HR G22, 6000K, 2000h		EUR
• Accessories					
N H Y N B		070CSU	MANFROTTO FOLLOW SPOT STAND	158,40	190,00 EUR
N H Y N B		GT 700	Complete luminaire stand (BUXIE, CRICKET, MARGOT, GINGER, LUCY & FLO)	260,00	312,00 EUR

"PROVENCE" RANGE MSD 1200W FOLLOWSPOTS

Cold strike.

With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang for TOPAZE, push/pull system for MANON, mechanical dimmer, G22 external auto-locking socket, soft effect on a flip lever, insulated ergonomic handle with lateral shutter control - 3-meter followspot cable.

240V Model : Separate P.S.U. 230/245V 50Hz & 208V 60Hz inputs

N H Y N B		1419	"MANON" followspot 13/24° - 230 volts, 3-meter power cable mounted with 10/16A + E NF SCHUKO plug.	3.898,00	4.678,00 EUR
N H Y N B		1119	"TOPAZE" followspot 7/14,5° - 230 volts, 3-meter power cable mounted with 10/16A + E NF SCHUKO plug.	3.798,00	4.558,00 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
		• Lamps			
N H Y N B	MSD 1200 /MA/	MSD 1200 1CT/4, 6000K, 3000h	270,00	324,00	EUR
N H Y N B	MSD 1200 /PH/	MSD 1200 1CT/4, 6000K, 3000h	312,00	374,40	EUR
N H Y N B	MSR 1200 /PH/	MSR 1200 1CT/4, 6000K, 800h	160,00	192,00	EUR
N H Y N B	MSR 1200/2 /PH/	MSR 1200/2 1CT/4, 7200K, 800h	171,00	205,00	EUR
		• Accessories			
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	158,40	190,00	EUR
N H Y N B	GT 700	Complete luminaire stand (BUXIE, CRICKET, MARGOT, GINGER, LUCY & FLO) - for "MANON" only!!!!	260,00	312,00	EUR
N H Y N B	GT 4000	Complete heavy duty stand with security chain for all models - for "MANON" & "TOPAZE"	913,00	1.096,00	EUR
N H Y N B	GT 4000 S	Complete heavy duty stand without security chain - for "MANON" & "TOPAZE"	858,00	1.030,00	EUR
N H Y N B	JPP	RJ leg for overhead followspots - for "MANON" & "TOPAZE" with heavy duty adjustable yoke	415,00	498,00	EUR
		• Options for "MANON" and "TOPAZE" - delivered mounted.			
N H Y N B	FRO/1117PV	Option heavy duty adjustable yoke (tube).	200,00	240,00	EUR
N H Y N B	FPV1417002	Option "boomerang" colour changer unit for "MANON" .	0,00	0,00	EUR
N H Y N B	FPV1117002	Option "Push/Pull" colour changer unit for "TOPAZE" .	0,00	0,00	EUR
N H Y N B	PG 80	Chopper Ø80.	110,00	132,00	EUR

HMI 1200W FOLLOWSPOTS - "SUPER KORRIGAN" 7/14,5° & "LUCY" 13/24°

Hot restrike. For HMI 1200GS lamp. "SX" OPTICAL SYSTEM.

With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang (SUPER KORRIGAN) or push/pull (LUCY), frosted glass on flip lever (soft light effect), insulated ergonomic handle with lateral shutter control - followspot cable with standard 16 x 16A + E Harting (separated on the DMX model, attached to the head on the manual model).



240V Models: Separate magnetic P.S.U. 230/245V 50Hz, 3-meter power cable mounted with 10/16A + E NF SCHUKO plug.

With mechanical dimmer.

N H Y N B	1449	"LUCY" followspot 13/24° - 230 volts.	5.648,00	6.778,00	EUR
N H Y N B	1149	"SUPER KORRIGAN" followspot 7/14,5° - 230 volts.	5.548,00	6.658,00	EUR
		With motorized dimmer, DMX control and local control unit P1 F2 XLR 4D			
N H Y N B	1449 B	"LUCY" followspot 13/24° - 230 volts - DMX.	7.097,00	8.516,00	EUR
N H Y N B	1149 B	"SUPER KORRIGAN" followspot 7/14,5° - 230 volts - DMX.	6.997,00	8.396,00	EUR
		• Lamps			
N H Y N B	HMI 1200W/DXS /OS/	HMI 1200W/DXS Sfc15,5 1x1 (220.0mm)	96,00	115,20	EUR
		• Accessories			
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND - for "LUCY"	158,40	190,00	EUR
N H Y N B	GT 4000	Complete heavy duty stand with security chain for all models	913,00	1.096,00	EUR
N H Y N B	GT 4000 S	Complete heavy duty stand without security chain	858,00	1.030,00	EUR
N H Y N B	JPP	RJ leg for overhead followspots - for "LUCY" with heavy duty adjustable yoke	415,00	498,00	EUR
		• Options for "SUPER KORRIGAN" & "LUCY" - delivered mounted.			
N H Y N B	FRO/1117PV	Option heavy duty adjustable yoke (tube).	200,00	240,00	EUR
N H Y N B	FPV1417002	Option "Boomerang" colour changer unit for "LUCY" .	0,00	0,00	EUR
N H Y N B	FPV1117002	Option "Push/Pull" colour changer unit for "SUPER KORRIGAN" .	0,00	0,00	EUR
N H Y N B	PG 80	Chopper Ø80.	110,00	132,00	EUR

x

MSR 1800W/DE FOLLOWSPOTS - "VICTOR" 7/14,5° & "FLO" 13/24°

Hot restrike. Electronic power supply 200 → 250V 50/60Hz; MSR 1800DE Philips lamp included.

With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang (VICTOR) or push/pull (FLO), frosted glass (soft light effect) and IR filter on flip lever, insulated ergonomic handle with lateral shutter control - followspot cable with standard 16 x 16A + E Harting (separated on the DMX model, attached to the head on the manual model).







Standard models with 3-meter power cable mounted with 10/16A + E NF SCHUKO plug.





With mechanical dimmer (fixed mounted cable).

N H Y N B	1459	"FLO" followspot 13/24° - 230/245 volts.	8.297,00	9.956,00	EUR
N H Y N B	1159	"VICTOR" followspot 7/14,5° - 230/245 volts.	8.147,00	9.776,00	EUR
		With motorized dimmer (separate cable).			
N H Y N B	1459 B	"FLO" followspot 13/24° - 230/245 volts.	9.746,00	11.695,00	EUR
N H Y N B	1159 B	"VICTOR" followspot 7/14,5° - 230/245 volts.	9.696,00	11.635,00	EUR
		• Lamps			
N H Y N B	MSR 1800/DE /PH/	PHILIPS MSR 1800/DE Sfc 15,5-6, 6000K, 750h			EUR
		• Accessories			
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND - for "FLO"	158,40	190,00	EUR
N H Y N B	GT 4000	Complete heavy duty stand with security chain for all models	913,00	1.096,00	EUR
N H Y N B	GT 4000 S	Complete heavy duty stand without security chain	858,00	1.030,00	EUR
N H Y N B	GT 4000 R	Complete ball bearing heavy duty stand with security chain	983,00	1.180,00	EUR
N H Y N B	JPP	RJ leg for overhead followspots - for "FLO" with heavy duty adjustable yoke	415,00	498,00	EUR
		• Options for "VICTOR" & "FLO" - delivered mounted.			
N H Y N B	FRO/1117PV	Option heavy duty adjustable yoke (tube).	200,00	240,00	EUR
N H Y N B	FPV1117002	Option "Push/Pull" colour changer unit for "VICTOR" .	0,00	0,00	EUR
N H Y N B	PG 80	Chopper Ø80.	110,00	132,00	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
"ARAMIS + " 4,5/8° HMI 2500W FOLLOWSPOTS				
<i>Hot restrike.</i>				
<i>For HMI 2500W/S short lamp, quartz condenser, with protected iris cassette, "B" size gobo-holder, frosted glass (soft light effect), 5500° → 3400°K filter on flip lever, automatic self-cancelling 6 way colour changer unit (boomerang), new heavy duty adjustable yoke, 3-meter luminaire/P.S.U. cable with standard Harting, P.S.U. with 2,50m power cable and a P17 32A plug. Delivered in a sturdy cardboard case. Two P.S.U. models: standard magnetic or electronic with P.F.C. Warning ! "ARAMIS+" & "CYRANO" are 2 different luminaires.</i>				
"Magnetic" P.S.U. 230/245V 50Hz & 208V 60Hz inputs.				
N H Y N B	1013 +	"ARAMIS + " followspot - 4,5/8° 230V - With mechanical dimmer.	10.996,00	13.195,00 EUR
N H Y N B	1013 + B	"ARAMIS + " followspot - 4,5/8° 230V - With CAD 2000 motorized dimmer. • Dimmer DMX address on the lighting unit, "ON/OFF" lamp DMX address on the power supply unit.	12.595,00	15.114,00 EUR
N H Y N B	1013 + BS	"ARAMIS + " followspot - 4,5/8° 230V - With CAD 2000 motorized dimmer • Dimmer DMX address on the lighting unit, NO lamp DMX control.	12.295,00	14.754,00 EUR
"Electronic" P.S.U. 190 to 265V 50/60Hz with PFC, standard 6 x 35A + E Harting, 3m lantern cable.				
N H Y N B	1013 + M	"ARAMIS + " followspot - 4,5/8° 230V - With mechanical dimmer.	13.195,00	15.834,00 EUR
N H Y N B	1013 + BSM	"ARAMIS + " followspot - 4,5/8° 230V - With CAD 2000 motorized dimmer. • Dimmer DMX address on the lighting unit, NO lamp DMX control.	14.494,00	17.393,00 EUR
• Lamps				
N H Y N B	HMI 2500W/S	HMI 2500W short lamp, checked by "RJ".	450,00	540,00 EUR
N H Y N B	HMI 2500W/S /OS/	HMI 2500W/S XS VP 1X1 (210.0mm)	538,00	646,00 EUR
• Accessories				
N H Y N B	GT 4000	Complete heavy duty stand with security chain for all models	913,00	1.096,00 EUR
N H Y N B	GT 4000 S	Complete heavy duty stand without security chain	858,00	1.030,00 EUR
N H Y N B	GT 4000 R	Complete ball bearing heavy duty stand with security chain	983,00	1.180,00 EUR
• Options, accessories & spare parts for "ARAMIS" & "ARAMIS+ ".				
N H Y N B	G 56	Chopper Ø56 adaptable.	72,00	86,00 EUR
N H Y N B	FPV1013001	Option "Push/Pull" 6 colour changer unit for 1013.	0,00	0,00 EUR
CYRANO 3 / 8° HMI 2500W FOLLOWSPOTS				
<i>Hot restrike.</i>				
<i>For HMI 2500W/S short lamp, quartz condenser, with protected iris cassette, "B" size gobo-holder, frosted glass (soft light effect), 5500° → 3400°K filter on flip lever, automatic self-cancelling 6 way colour changer unit (boomerang), new heavy duty adjustable yoke, 3-meter luminaire/P.S.U. cable with standard Harting, P.S.U. with 2,50m power cable and a P17 32A plug. Delivered in a sturdy cardboard case. Two P.S.U. models: standard magnetic or electronic with P.F.C. Same features as the ARAMIS+ with on extra : Longer throw, improved optics, progressive frosted glass and blue dichroic filter.</i>				
"Magnetic" P.S.U. 230/245V 50Hz & 208V 60Hz inputs.				
N H Y N B	1015	"CYRANO" followspot - 3 / 8° 230V - With mechanical dimmer.	12.595,00	15.114,00 EUR
N H Y N B	1015 B	"CYRANO" followspot - 3 / 8° 230V - With CAD 2000 motorized dimmer. • Dimmer and progressive soft filter DMX address on the lighting unit, "ON/OFF" lamp address on the power supply unit.	14.994,00	17.993,00 EUR
N H Y N B	1015 BS	"CYRANO" followspot - 3 / 8° 230V - With CAD 2000 motorized dimmer. • Dimmer and progressive soft filter DMX address on the lighting unit, NO lamp DMX control.	14.694,00	17.633,00 EUR
"Electronic" P.S.U. 190 to 265 volts. 50/60Hz with PFC, standard 6 x 35A + E Harting, 3m lantern cable.				
N H Y N B	1015 M	"CYRANO" followspot - 3 / 8° 230V - With mechanical dimmer.	14.694,00	17.633,00 EUR
N H Y N B	1015 BSM	"CYRANO" followspot - 3 / 8° 230V - With CAD 2000 motorized dimmer. • Dimmer and progressive soft filter DMX address on the lighting unit, NO lamp DMX control.	16.993,00	20.392,00 EUR
• Lamps				
N H Y N B	HMI 2500W/S	HMI 2500W short lamp, checked by "RJ".	450,00	540,00 EUR
N H Y N B	HMI 2500W/S /OS/	HMI 2500W/S XS VP 1X1 (210.0mm)	538,00	646,00 EUR
• Accessories				
N H Y N B	GT 4000	Complete heavy duty stand with security chain for all models	913,00	1.096,00 EUR
N H Y N B	GT 4000 S	Complete heavy duty stand without security chain	858,00	1.030,00 EUR
N H Y N B	GT 4000 R	Complete ball bearing heavy duty stand with security chain	983,00	1.180,00 EUR
• Options, accessories & spare parts for "ARAMIS" & "ARAMIS+ ".				
N H Y N B	H/1015	Dust cover for "CYRANO".	130,00	156,00 EUR
N H Y N B	G 56	Chopper Ø56 adaptable for "ARAMIS" & "CYRANO".	72,00	86,00 EUR
LANCELOT HTI 4000W PROJECTORS 2 / 5°				
<i>Hot restrike.</i>				
<i>With double Quartz condenser optical system, automatic self-cancelling 6 way colour changer unit (boomerang), heavy duty adjustable yoke, large ergonomic wrapped around handle, easy-to-balance counterweight for long distance movement. LANCELOT is the first truly modular long throw projector. Select the "Theatre" standard followspot model or mix and match various accessories to customise your own effect projector :</i>				
LANCELOT "THEATRE" STANDARD FOLLOWSPOT MODEL				
N H Y N B	1021T	LANCELOT 2°/5° "Theatre" without power supply unit (P.S.U.) With: • 1 fully closing iris cassette module • 1 dimming shutter module • 1 "Chromix" module • 1 universal gobo-holder.	12.595,00	15.114,00 EUR
Do not forget the lamp A , the power supply unit B , the options D and the accessories F				
LANCELOT "A LA CARTE" EFFECT PROJECTOR				
N H Y N B	1021	LANCELOT 2°/5° Without module nor P.S.U.	14.694,00	17.633,00 EUR
COMPLETE PROJECTOR = LANCELOT + lamp A + P.S.U. B + modules C + options D + remote control E + accessories F				
• A Lamp :				
N H Y N B	HTI 4000	Lamp HTI 4000/W/DE - S25,5 - 6300K - 500H.	790,00	948,00 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
.		• B Power supply unit in a flight-case with cable:			
		<i>On/off lamp control, lamp meter, mains automatic breaker. 3m followspot cable (Harting), 4m power cable with P17 32A plug.</i>			
N H Y N B	PG 4000 F	Flicker free electronic P.S.U., 39A – 190/265V 50/60Hz with P.F.C. in a flight-case.	6.597,00	7.916,00	EUR
N H Y N B	A1 4000 F	Magnetic P.S.U., 39A – 230V 50Hz, 245V 50Hz et 208V 60Hz in a flight-case.	2.949,00	3.539,00	EUR
		• C Modules:			
N H Y N B	CCUL	Iris cassette, MANUAL	645,00	774,00	EUR
N H Y N B	CGL	7 "A" size gobo wheel, MANUAL	235,00	282,00	EUR
N H Y N B	DAL	Animation disc, MANUAL	113,00	136,00	EUR
N H Y N B	MOL	Dimming shutter, MANUAL	420,00	504,00	EUR
N H Y N B	MFL	CHROMIX progressive effect module (gel use only. Max. 5 modules), MANUAL	545,00	654,00	EUR
N H Y N B	NORIA	7 "A" size gobo wheel, MOTORIZED (RJNET option is required.)	645,00	774,00	EUR
N H Y N B	MOLM	Dimming shutter, MOTORIZED (RJNET option is required.)	235,00	282,00	EUR
N H Y N B	MFLM	CHROMIX progressive effect module (gel use only. Max. 5 modules), MOTORIZED (RJNET option is required.)	113,00	136,00	EUR
		• D Factory-mounted options:			
N H Y N B	RJNET1021	RJNET bi-directional network for motorised modules (power and data). Control from a DMX desk or POP remote controller	1.599,00	1.919,00	EUR
N H Y N B	FC 1021	Road case with castors for projector head + stand + P.S.U. instead of the standard strong cardboard case.	1.200,00	1.440,00	EUR
N H Y N B	FPADIV0069	IR fi lter with holder.	145,00	174,00	EUR
		• E Remote control:			
N H Y N B	P1FCAN	Remote controller (maximum of 2 remote controllers per projector).	300,00	360,00	EUR
		• F Accessories and spares:			
N H Y N B	GT4000 R	Tripod stand with ball bearing head rotation.	983,00	1.180,00	EUR
N H Y N B	FC 1021/S	Road case with castors for projector head + stand + P.S.U.	1.549,00	1.859,00	EUR
N H Y N B	FC 4000PG	Road case for PG4000 or A4000 only.	340,00	408,00	EUR
N H Y N B	SGUL	Universal gobo-holder (to be inserted into the iris cassette).	27,00	32,00	EUR
N H Y N B	FAC 150	Ø150mm IR filter to be used with CHROMIX.	45,00	54,00	EUR
		ACCESSORIES AND SPARES FOR FOLLOWSPOTS			
		• Gobo-holders.			
N H Y N B	SGUP	Universal adjustable "A" size gobo-holder for 1417, 1117, 1419, 1119, 1439, 1039, 1149, 1449, 1159, 1459.	26,70	32,00	EUR
N H Y N B	SGUX	Universal "A" size gobo-holder for 1116, 1114, 1124.	16,70	20,00	EUR
N H Y N B	SGS	B size Gobo-holder for 1013+, 1015.	21,70	26,00	EUR
N H Y N B	TMG1	TOURNESOL complete system with 1 gobo-holder.	1.069,60	1.283,50	EUR
N H Y N B	TSG1	Extra gobo-holder for "TOURNESOL".	149,90	179,90	EUR
		• Iris.			
N H Y N B	IS 750	100 % closing iris with holder for 1114, 1116 & 1124.	224,90	269,90	EUR
N H Y N B	CCU 1	Iris cassette for 1417, 1117, 1419, 1019, 1119, 1439, 1039, 1149, 1449, 1159, 1459.	529,80	635,80	EUR
N H Y N B	CCU 2	Iris cassette for 1011 from n° 1166, 1013 from n° 705, 1015 from n° 174.	529,80	635,80	EUR
N H Y N B	KCU/1011	Adaptation kit for 1011 before n° 1166.	15,00	18,00	EUR
N H Y N B	KCU/1013	Adaptation kit for 1013 & 1013B before n° 705 and 1015 before n° 174.	5,00	6,00	EUR
N H Y N B	INS 750	Iris only, spare part for 1116, 1114, 1124. And for models before 2003 for 1017, 1439, 1039, 1019 & 1119.	209,90	251,90	EUR
N H Y N B	INU 750/72	Iris only, spare part with set screw.	234,90	281,90	EUR
N H Y N B	VI02010005	Screw M2 x 6mm.			EUR
		• Choppers.			
N H Y N B	G 80	Chopper Ø80 only (spare part).	91,60	109,90	EUR
N H Y N B	Kit G 80	Chopper Ø80 + adaption kit for followspots 1417, 1117, 1419, 1119, 1439, 1039, 1449, 1149, 1159, 1459.			<i>Please consult RJ</i> EUR
N H Y N B	GR 120	Slot reducer for Gobo-holder "SGUP" (spare part).	30,00	36,00	EUR
N H Y N B	G 56 H	Horizontal chopper Ø56 for 1013+ & 1015.	71,60	85,90	EUR
		• Filters/Glass			
N H Y N B	PD10150003	Frosted glass + holder for 1015, 1015 B - lower part.	33,30	40,00	EUR
N H Y N B	PD10150004	Frosted glass + holder for 1015, 1015 B - upper part.	33,30	40,00	EUR
N H Y N B	FCM 1011	5500K → 3400K Ø85mm correction filter for 1011, 1013 & 1013 +.	40,00	48,00	EUR
N H Y N B	FCM 1015	5500K → 3400K Ø120mm correction filter for 1015.	53,30	64,00	EUR
N H Y N B	PD10150008	Blue dichroic filter Ø120mm for 1015.	81,60	97,90	EUR
N H Y N B	PD11490001	Frosted glass + holder Ø 97mm.	31,70	38,00	EUR
		• Filter holders for colour changer unit.			
N H Y N B	PF 1114	Filter holder Ø165mm for 1116, 1114 & 1124.	16,70	20,00	EUR
N H Y N B	PF 1011	Filter holder Ø210mm for 1011+, 1417, 1117, 1419, 1119, 1439, 1039, 1015, 1149, 1449, 1159, 1459.	25,00	30,00	EUR
N H Y N B	PF 1013	Filter holder Ø270mm for 1013+, 1021.	33,30	40,00	EUR
		• 6 way colour changer units without angle stickers, without gels, with colour indicator magnet.			
N H Y N B	M 210 B	"Boomerang" model: For 1117, 1119, 1149, 1159 (with handle).	419,80	503,80	EUR
N H Y N B	M 210 BP	"Boomerang" model: For 1039 (with handle).	419,80	503,80	EUR
N H Y N B	M 270 B	"Boomerang" model: For 1013+ (without handle).	634,70	761,60	EUR
N H Y N B	M 165 TP	"Push/Pull" model: For 1124, 1116 (with handle).	234,90	281,90	EUR
N H Y N B	M 210 T	"Push/Pull" model: For 1417, 1419, 1449 (without handle).	419,80	503,80	EUR
N H Y N B	M 210 TV	"Push/Pull" model: For 1459 (with fan, without handle).	519,80	623,80	EUR
N H Y N B	M 210 TPV1	"Push/Pull" model: For 1439 (with handle and fan).	519,80	623,80	EUR
N H Y N B	M 270 T	"Push/Pull" model: For 1013+ (without handle).	634,70	761,60	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
TUNGSTEN THEATRE SPOTLIGHTS				
306 SPOTLIGHTS - Ø 150 LENS 1000W GX 9,5 "LUTIN"				
<i>Double slot front cassette for 180 x 180mm accessories, cardboard filter holder, 3-meter 3G 1,5mm² power cable, mounted with 10/16A + E NF/SCHUKO plug.</i>				
N H Y N B	 306 LPC	"LUTIN" 1000W GX 9,5 Tungsten spotlight with Ø 150mm Plano convex lens 10° - 66°	365,00	438,00 EUR
N H Y N B	306 LF	"LUTIN" 1000W GX 9,5 Tungsten spotlight with Ø 150mm Fresnel lens 6° - 45°	365,00	438,00 EUR
N H Y N B	306 LPB	"LUTIN" 1000W GX 9,5 Tungsten spotlight with Ø 150mm Pebble convex lens 11° - 63°	365,00	438,00 EUR
• Lamps				
N H Y N B	T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9,5 20X1	10,60	13,00 EUR
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1	10,40	12,00 EUR
• Accessories				
N H Y N B	G 500	180 x 180mm safety grid (306, 600 & 400 range) <i>(Included)</i>	6,70	8,00 EUR
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 & 400 range) <i>(Included)</i>	1,70	2,00 EUR
N H Y N B	PF 500 M	180 x 180mm metal filter holder (306, 600 & 400 range)	10,00	12,00 EUR
N H Y N B	CF 500 C	4 Rotating leaves on a rotating barndoor (306) (without safety cable).	56,60	67,90 EUR
310 SPOTLIGHTS - Ø 200 LENS 1000/1200W				
<i>Double slot front cassette for 215 x 215mm accessories delivered with a cardboard filter holder.</i>				
1000/1200W GX 9,5 - 220/240V input model : 3-meter 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.				
N H Y N B	 310 HPC	1000/1200W GX 9,5 Tungsten spotlight with Ø 200mm Plano convex lens 8° - 63°	400,00	480,00 EUR
N H Y N B	310 HF	1000/1200W GX 9,5 Tungsten spotlight with Ø 200mm Fresnel lens 6° - 46°	400,00	480,00 EUR
N H Y N B	310 HPB	1000/1200W GX 9,5 Tungsten spotlight with Ø 200mm Pebble convex lens 8° - 63°	400,00	480,00 EUR
1000/1200W G22 - 220/240V input model : 3-meter 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.				
N H Y N B	310 THPC	1000/1200W G22 Tungsten spotlight with Ø 200mm Plano convex lens 8° - 63°	430,00	516,00 EUR
N H Y N B	310 THF	1000/1200W G22 Tungsten spotlight with Ø 200mm Fresnel lens 6° - 46°	430,00	516,00 EUR
N H Y N B	310 THPB	1000/1200W G22 Tungsten spotlight with Ø 200mm Pebble convex lens 8° - 63°	420,00	504,00 EUR
• Lamps				
N H Y N B	T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9,5 20X1 <i>for 310 HPC/HF/HPB</i>	10,60	13,00 EUR
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1 <i>for 310 HPC/HF/HPB</i>	10,40	12,00 EUR
N H Y N B	T29 /OS/	OSRAM 64752 T/29 1200W 230V GX9,5 20X1 <i>for 310 HPC/HF/HPB</i>	18,80	23,00 EUR
N H Y N B	CP90 /OS/	OSRAM 64754 CP/90 1200W 230V GX9,5 20X1 <i>for 310 HPC/HF/HPB</i>	27,40	33,00 EUR
N H Y N B	CP71 /OS/	OSRAM 64747 CP71 1000W 230V G22 20X1 <i>for 310 THPC/THF/THPB</i>	11,60	14,00 EUR
N H Y N B	CP93 /OS/	OSRAM 64756 CP/93 1200W 230V G22 20X1 <i>for 310 THPC/THF/THPB</i>	29,50	35,00 EUR
• Accessories				
N H Y N B	G 1000	215 x 215mm safety grid (310, 700 & 900 range) <i>(Included)</i>	6,70	8,00 EUR
N H Y N B	PF 1000 C	215 x 215mm cardboard filter holder (310, 700 & 900 range) <i>(Included)</i>	1,70	2,00 EUR
N H Y N B	PF 1000 M	215 x 215mm metal filter holder (310, 700 & 900 range).	11,70	14,00 EUR
N H Y N B	CF 1000 C	4 Rotating leaves on a rotating barndoor (310) (without safety cable).	60,00	72,00 EUR
329 SPOTLIGHTS - Ø 200 LENS 2000/2500W G22				
<i>Double slot front cassette for 245 x 245mm accessories delivered with a metal filter holder.</i>				
2000/2500W - 220/240V input model : 3-meter 3G 1,5mm² power cable.				
N H Y N B	 329 HPC	2000/2500W G22 Tungsten spotlight with Ø 200mm Plano convex lens 16° - 72°	595,00	714,00 EUR
N H Y N B	329 HF	2000/2500W G22 Tungsten spotlight with Ø 200mm Fresnel lens 7° - 49°	595,00	714,00 EUR
N H Y N B	329 HPB	2000/2500W G22 Tungsten spotlight with Ø 200mm Pebble convex lens 9° - 68°	595,00	714,00 EUR
• Lamps				
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 20X1	22,40	27,00 EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 20X1	32,70	39,00 EUR
• Accessories				
N H Y N B	G 329	245 x 245mm safety grid (329) <i>(Included)</i>	8,30	10,00 EUR
N H Y N B	PF 329 M	245 x 245mm metal filter holder (329) <i>(Included)</i>	13,30	16,00 EUR
N H Y N B	CF 329 C	4 Rotating leaves on a rotating barndoor (329) (without safety cable).	68,30	82,00 EUR
325L SPOTLIGHTS - Ø 250 FRESNEL LENS 2000/2500W G22				
<i>Double slot front cassette for 333 x 333mm accessories delivered with a metal filter holder.</i>				
2000/2500W - With 220/240V input: 3-meter, 3G 1,5mm² power cable mounted with 10/16A				
N H Y N B	 325LF	2000/2500W G22 Tungsten spotlight with Ø 250 Fresnel lens 7° - 52°	840,00	1.008,00 EUR
• Lamps				
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 20X1	22,40	27,00 EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 20X1	32,70	39,00 EUR
• Accessories				
N H Y N B	G 325L	Safety grid for 325L, 350L, 312L 326L <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	PF 325	333 x 333mm Metal filter holder <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	CF 325	4 rotating leaves on a rotating barndoor (without safety cable).	190,00	228,00 EUR
N H Y N B	PFR 325	600 x 600mm extended filter holder with 4 clips.	135,00	162,00 EUR
N H Y N B	PFR CF 325	Extended filter holder and rotating barndoor set.	280,00	336,00 EUR

EC P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
FRESNEL Ø250 TUNGSTEN & DISCHARGE SPOTLIGHTS				
350L SPOTLIGHTS - Ø 250 FRESNEL LENS 5000W G38				
<i>Double slot front cassette for 333 x 333mm accessories delivered with a metal filter holder. The fan cooled front cassette allows the use of dark gels.</i>				
N H Y N B	 350LF	LE CIN'K 5000W G38 Tungsten spotlight without fan 10° - 54°	980,00	1.176,00 EUR
N H Y N B	350LFV	LE CIN'K 5000W G38 Tungsten spotlight with fan cooled front cassette 10° - 54°	1.110,00	1.332,00 EUR
• Lamps				
N H Y N B	CP85 /OS/	OSRAM 64805 CP/85 5000W 230V G38 1X1	66,10	79,00 EUR
N H Y N B	CP85 /RA/	RHS 5000W/CP85/230/G38 (RH 5004 X)	65,10	78,00 EUR
• Accessories				
N H Y N B	G 325L	Safety grid for 325L, 350L, 312L 326L <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	PF 325	333 x 333mm Metal filter holder <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	CF 325	4 rotating leaves on a rotating barndoor (without safety cable).	190,00	228,00 EUR
N H Y N B	PFR 325	600 x 600mm extended filter holder with 4 clips.	135,00	162,00 EUR
N H Y N B	PFR CF 325	Extended filter holder and rotating barndoor set.	280,00	336,00 EUR
312L SPOTLIGHTS Ø 250 FRESNEL LENS - 1200W MSR/MSD G22				
<i>Cold strike.</i>				
<i>Double slot front cassette for 333x333mm accessories with safety grid and metal filter holder.</i>				
230V Standard model: With 230/245V 50Hz input. 2,50m power cable mounted with a 10/16A NF/SCHUKO plug.				
N H Y N B	 312LF	1200W MSR/MSD G22 Spotlight 6° - 53°	1.979,00	2.375,00 EUR
• Lamps				
N H Y N B	MSD 1200 /MA/	MSD 1200 1CT/4, 6000K, 3000h	270,00	324,00 EUR
N H Y N B	MSD 1200 /PH/	MSD 1200 1CT/4, 6000K, 3000h	312,00	374,40 EUR
N H Y N B	MSR 1200 /PH/	MSR 1200 1CT/4, 6000K, 800h	160,00	192,00 EUR
N H Y N B	MSR 1200/2 /PH/	MSR 1200/2 1CT/4, 7200K, 800h	171,00	205,00 EUR
• Accessories				
N H Y N B	G 325L	Safety grid for 325L, 350L, 312L 326L <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	PF 325	333 x 333mm Metal filter holder <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	CF 325	4 rotating leaves on a rotating barndoor (without safety cable).	190,00	228,00 EUR
N H Y N B	PFR 325	600 x 600mm extended filter holder with 4 clips.	135,00	162,00 EUR
N H Y N B	PFR CF 325	Extended filter holder and rotating barndoor set.	280,00	336,00 EUR
N H Y N B	JAL2/280 A1	JALOUSIE 2 dimming shutter with adaptation for 312 & 326 <i>P.S.U. is required</i>	2.162,00	2.594,00 EUR
326L SPOTLIGHTS Ø 250 FRESNEL LENS - 2500W MSR G38				
<i>Hot restrike.</i>				
<i>Double slot front cassette for 333x333mm accessories with safety grid and metal filter holder, fan cooled front cassette, IEC auxiliary outlet for accessories.</i>				
230V Standard models: With 230/245V 50Hz input. 2,50m power cable mounted with 32A plug.				
N H Y N B	 326LFV	2500W MSR G38 Spotlight 10° - 54°	4.498,00	5.398,00 EUR
N H Y N B	FPR326LFV2	2500W MSR G38 Spotlight with DMX controlled lamp ignition 10° - 54°	4.758,00	5.710,00 EUR
• Lamps				
N H Y N B	HMI 2500W/SE /OS/	OSRAM HMI 2500W/SE XS G38 1X1	199,00	239,00 EUR
N H Y N B	HMI 2500W/SE /RA/	RSI 2500W/SE/230/G38	199,00	239,00 EUR
N H Y N B	MSR 2500 HR	MSR 2500 HR 1CT/4	228,00	274,00 EUR
• Accessories				
N H Y N B	G 325L	Safety grid for 325L, 350L, 312L 326L <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	PF 325	333 x 333mm Metal filter holder <i>(Included)</i>	21,70	26,00 EUR
N H Y N B	CF 325	4 rotating leaves on a rotating barndoor (without safety cable).	190,00	228,00 EUR
N H Y N B	PFR 325	600 x 600mm extended filter holder with 4 clips.	135,00	162,00 EUR
N H Y N B	PFR CF 325	Extended filter holder and rotating barndoor set.	280,00	336,00 EUR
N H Y N B	JAL2/280 A1	JALOUSIE 2 dimming shutter with adaptation for 312 & 326 <i>P.S.U. is required</i>	2.162,00	2.594,00 EUR
ACCESSORIES & SPARES FOR THEATRE SPOTLIGHTS				
ACCESSORIES & SPARES FOR 306L - 310H - 329H MODELS				
N H Y N B	 G 500	180 x 180mm safety grid (306, 600 & 400 range).	6,70	8,00 EUR
N H Y N B	G 1000	215 x 215mm safety grid (310, 700 & 900 range).	6,70	8,00 EUR
N H Y N B	G 329	245 x 245mm safety grid (329).	8,30	10,00 EUR
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 & 400 range).	1,70	2,00 EUR
N H Y N B	PF 1000 C	215 x 215mm cardboard filter holder (310, 700 & 900 range).	1,70	2,00 EUR
N H Y N B	PF 500 M	180 x 180mm metal filter holder (306, 600 & 400 range).	10,00	12,00 EUR
N H Y N B	PF 1000 M	215 x 215mm metal filter holder (310, 700 & 900 range).	11,70	14,00 EUR
N H Y N B	PF 329 M	245 x 245mm metal filter holder (329).	13,30	16,00 EUR
N H Y N B	CF 500 C	4 Rotating leaves on a rotating barndoor (306) (without safety cable).	56,60	67,90 EUR
N H Y N B	CF 1000 C	4 Rotating leaves on a rotating barndoor (310) (without safety cable).	60,00	72,00 EUR
N H Y N B	CF 329 C	4 Rotating leaves on a rotating barndoor (329) (without safety cable).	68,30	82,00 EUR
N H Y N B	TH 600	"Top hat" for 600S, 600 SX, 400 SX, 400 SNX and 306 range (without safety cable).	36,70	44,00 EUR
Specific accessories for 306L "LUTIN".				
N H Y N B	L 150 PC	Ø150 R150 plano-convex lens with lens holder.	46,60	55,90 EUR
N H Y N B	L 150 F	Ø150 R110 Fresnel lens with lens holder.	46,60	55,90 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
N H Y N B	L 150 PB	Ø150 R106 pebble convex lens with lens holder.	46,60	55,90	EUR
N H Y N B	L 150	Lens holder only, compatible for all 3 lenses.	20,00	24,00	EUR
ACCESSORIES & SPARES FOR Ø250 FRESNEL SPOTLIGHTS : 325 - 350 - 312 - 326					
N H Y N B	G 325	Safety grid for 325.	23,30	28,00	EUR
N H Y N B	G 325L	Safety grid for 325L, 350L, 312L 326L.	21,70	26,00	EUR
N H Y N B	PF 325	333 x 333mm Metal filter holder.	21,70	26,00	EUR
N H Y N B	CF 325	4 rotating leaves on a rotating barndoor (without safety cable).	190,00	228,00	EUR
N H Y N B	PFR 325	600 x 600mm extended filter holder with 4 clips.	135,00	162,00	EUR
N H Y N B	PFR CF 325	Extended filter holder and rotating barndoor set.	280,00	336,00	EUR
N H Y N B	JAL2/280 A1	JALOUSIE 2 dimming shutter with adaptation for 312 & 326**.	2.162,00	2.594,00	EUR
N H Y N B	T/325LF	325LF lamp compartment - 240V.	340,00	408,00	EUR
N H Y N B	T/350LFV	350LFV lamp compartment - 240V.	710,00	852,00	EUR
N H Y N B	T/350LF	350LF lamp compartment - 240V.	580,00	696,00	EUR
N H Y N B	T/350LFC	350LF lamp compartment - 110V.	600,00	720,00	EUR
N H Y N B	T/312LF	312LF lamp compartment - 110V / 240V* P.S.U. is required	693,00	832,00	EUR
N H Y N B	T/326LFV	326LFV lamp compartment - 208V / 240V* P.S.U. is required	2.159,00	2.591,00	EUR

PROFILES

600 SX RANGE TUNGSTEN PROFILES 1000/1200W



Double condenser 5 lens optical system, rotating lens tube incl. 4 shutters with locking device, internal filter holder and "A" size gobo-holder

Front single slot for 180 x 180mm accessories with cardboard filter holder - 3-meter 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.

1000/1200W GX 9,5 TUNGSTEN PROFILES - 220/240V STANDARD MODELS

N H Y N B	611 SX	1000W GX 9,5 tungsten profile with 11/26° zoom.	841,00	1.009,00	EUR
N H Y N B	613 SX	1000W GX 9,5 tungsten profile with 28/54° zoom.	798,00	958,00	EUR
N H Y N B	614 SX	1000W GX 9,5 tungsten profile with 16/35° zoom.	798,00	958,00	EUR
• Lamps					
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1	10,40	12,00	EUR
N H Y N B	T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9,5 20X1	10,60	13,00	EUR
N H Y N B	CP90 /OS/	OSRAM 64754 CP/90 1200W 230V GX9,5 20X1 /changing the position of the socket!!!	27,40	33,00	EUR
N H Y N B	T29 /OS/	OSRAM 64752 T/29 1200W 230V GX9,5 20X1 /changing the position of the socket!!!!	18,80	23,00	EUR
• Accessories					
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 & 400 range) (Included)	1,70	2,00	EUR
N H Y N B	PF 500 M	180 x 180mm metal filter holder (306, 600 & 400 range)	10,00	12,00	EUR
N H Y N B	G 500	180 x 180mm safety grid (306, 600 & 400 range)	6,70	8,00	EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass (Included)	16,70	20,00	EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00	EUR
N H Y N B	IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00	EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot)</i>	11,70	14,00	EUR
• Options for 1000/1200W GX 9,5 Profile - Standard models.					
N H Y N B	CAV 600	180 x 180mm double slot front cassette RJ standard - Extra cost:	35,00	42,00	EUR
N H Y N B	CAV 600 E	185 x 185mm double slot front cassette European standard - Extra cost:	32,00	38,00	EUR

700 SX2 RANGE TUNGSTEN PROFILES 2000/2500W




Double condenser 5 lens optical system, rotating gate incl. 4 shutters with locking device, internal filter holder and an "A" size gobo-holder.

220/240V Standard models - Front single slot for 215 x 215mm accessories, cardboard filter holder and 3-meter 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.

2000/2500W G22 TUNGSTEN PROFILES 700 SX2 RANGE

N H Y N B	710 SX 2	2000/2500W G22 (220/240V) tungsten profile with 10/25° zoom.	1.386,00	1.663,00	EUR
N H Y N B	711 SX 2	2000/2500W G22 (220/240V) tungsten profile with 8/16° zoom.	1.421,00	1.705,00	EUR
N H Y N B	713 SX 2	2000/2500W G22 (220/240V) tungsten profile with 29/50° zoom.	1.318,00	1.582,00	EUR
N H Y N B	714 SX 2	2000/2500W G22 (220/240V) tungsten profile with 15/40° zoom.	1.301,00	1.561,00	EUR
• Lamps					
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 20X1	22,40	27,00	EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 20X1	32,70	39,00	EUR
• Accessories					
N H Y N B	PF 1000 C	215 x 215mm cardboard filter holder (310, 700 and 900 range) (Included)	1,70	2,00	EUR
N H Y N B	PF 1000 M	215 x 215mm metal filter holder (310, 700 and 900 range).	11,70	14,00	EUR
N H Y N B	G 1000	215 x 215mm grid (310, 700 and 900 range).	6,70	8,00	EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass (Included)	16,70	20,00	EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00	EUR
N H Y N B	IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00	EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot)</i>	11,70	14,00	EUR
• Options for standard 700 SX2 Profiles.					
N H Y N B	CAV 700	215 x 215mm double slot front cassette RJ standard - Extra cost :	33,00	40,00	EUR
N H Y N B	CAV 700 J	245 x 245mm double slot front cassette European & Japanese standard - Extra cost :	40,00	48,00	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
"QUINCY" MSD 575W G22 PROFILES - HOT RESTRIKE					
<i>Electronic power supply 90 -> 260V 50/60Hz with PFC in a separate box, mounted on the yoke. Double condenser 5 lens optical system, rotating lens tube incl. 4 shutters and locking device, internal filter holder an "A" size gobo-holder. Standard models: front single slot for 180 x 180mm accessories with cardboard filter holder and 3-meter, 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.</i>					
SXE "QUINCY" PROFILES					
N H Y N B	421 SXE	MSD 575 G22 profiles with 11/26° zoom.	1.964,00	2.357,00	EUR
N H Y N B	423 SXE	MSD 575 G22 profiles with 28/54° zoom.	1.919,00	2.303,00	EUR
N H Y N B	424 SXE	MSD 575 G22 profiles with 16/35° zoom.	1.919,00	2.303,00	EUR
SNXE "QUINCY" PROFILES.					
<i>With built-in motorized shutter, CAD 2000 electronic control under the lens tube, DMX and 0/+10 volts control.</i>					
N H Y N B	421 SNXE	MSD 575 G22 profiles with 11/23° zoom.	3.309,00	3.971,00	EUR
N H Y N B	424 SNXE	MSD 575 G22 profiles with 16/28,5° zoom.	3.269,00	3.923,00	EUR
• Lamps					
N H Y N B	MSD 575 HR	PHILIPS MSD 575 HR G22, 6000K, 2000h			EUR
• Accessories					
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 & 400 range) (Included)	1,70	2,00	EUR
N H Y N B	PF 500 M	180 x 180mm metal filter holder (306, 600 & 400 range)	10,00	12,00	EUR
N H Y N B	G 500	180 x 180mm safety grid (306, 600 & 400 range)	6,70	8,00	EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass (Included)	16,70	20,00	EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00	EUR
N H Y N B	IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00	EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot)</i>	11,70	14,00	EUR
• Options for standard 700 SX2 Profiles.					
N H Y N B	CAV 700	215 x 215mm double slot front cassette RJ standard - Extra cost :	33,00	40,00	EUR
N H Y N B	CAV 700 J	245 x 245mm double slot front cassette European & Japanese standard - Extra cost :	40,00	48,00	EUR
FIGARO CDM-T 250W G12 ARCHITECTURAL PROFILES					
"Ready-to-use" profiles with ballast and cable.					
N H Y N B	451 SXC	Ready-to-use CDM-T 250W profiles with 11 / 26° zoom.	1.210,00	1.452,00	EUR
N H Y N B	453 SXC	Ready-to-use CDM-T 250W profiles with 28 / 54° zoom.	1.165,00	1.398,00	EUR
N H Y N B	454 SXC	Ready-to-use CDM-T 250W profiles with 16 / 35° zoom.	1.165,00	1.398,00	EUR
Profiles without ballast, without cable.					
N H Y N B	451 SX	CDM-T 250W profiles with 11 / 26° zoom without ballast.	860,00	1.032,00	EUR
N H Y N B	453 SX	CDM-T 250W profiles with 28 / 54° zoom without ballast.	815,00	978,00	EUR
N H Y N B	454 SX	CDM-T 250W profiles with 16 / 35° zoom without ballast.	815,00	978,00	EUR
• Lamps					
N H Y N B	CDM 250/830 /PH/	MASTERColour CDM-T 250W/830 G12 1CT, 3000K, 11000h	60,80	73,00	EUR
N H Y N B	CDM 250/942 /PH/	MASTERColour CDM-T 250W/942 G12 1CT, 4200K, 11000h	60,80	73,00	EUR
• Accessories					
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 & 400 range)	1,70	2,00	EUR
N H Y N B	PF 500 M	180 x 180mm metal filter holder (306, 600 & 400 range)	10,00	12,00	EUR
N H Y N B	G 500	180 x 180mm safety grid (306, 600 & 400 range)	6,70	8,00	EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass	16,70	20,00	EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00	EUR
N H Y N B	IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00	EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot)</i>	11,70	14,00	EUR
• Ballast for CDM-T 250W 230V lamp (cold strike).					
N H Y N B	P250/CMD-T	CDM-T 250W electronic ballast only, without cable.	195,00	234,00	EUR
N H Y N B	PC250/CDM-T	CDM-T 250W electronic ballast in metal casing.	340,00	408,00	EUR
• 4000 volts power linking cable Ballast/Lamp compartment.					
N H Y N B	CR/4000	Cable + 200 3G 1,5., Per meter.	6,70	8,00	EUR
900 SNX RANGE MSR HR G38 PROFILES					
Hot restrrike.					
<i>Double condenser 5 lens optical system, rotating gate includes 4 shutters with locking device, internal filter holder, front slots for 215 x 215mm accessories, "A" size gobo-holder and cardboard filter holder. Separate 3-meter lantern cable mounted with 16 x 16A + E Harting standard, 3-meter XLR7 standard remote control shutter cable. Separate power supply unit (P.S.U.) with input selector : 230/245V 50Hz and 208V 60Hz. ON/OFF Lamp addressing and light beam dimming (DMX, AVAB and 0/+10V) through CAD 900 integrated with the P.S.U. Maximum distance for Profile/P.S.U.: 30 meters. Standard models - Front single slot for 215 x 215mm accessories, cardboard filter holder and 2,50m power cable mounted with 32A P17 plug.</i>					
D'ARTAGNAN 2500W G38 PROFILES					
N H Y N B	930 SNX	MSR 2500W G38 hot restrrike profile with 10/25° zoom.	7.447,00	8.936,00	EUR
N H Y N B	933 SNX	MSR 2500W G38 hot restrrike profile with 29/50° zoom.	7.377,00	8.852,00	EUR
N H Y N B	934 SNX	MSR 2500W G38 hot restrrike profile with 16/38° zoom.	7.367,00	8.840,00	EUR
• Lamps					
N H Y N B	HMI 2500W/SE /OS/	OSRAM HMI 2500W/SE XS G38 1X1	199,00	239,00	EUR
N H Y N B	HMI 2500W/SE /RA/	RSI 2500W/SE/230/G38	199,00	239,00	EUR
N H Y N B	MSR 2500 HR	MSR 2500 HR 1CT/4	228,00	274,00	EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>	
		• Accessories			
N H Y N B	PF 1000 C	215 x 215mm cardboard filter holder (310, 700 and 900 range) (Included)	1,70	2,00	EUR
N H Y N B	PF 1000 M	215 x 215mm metal filter holder (310, 700 and 900 range).	11,70	14,00	EUR
N H Y N B	G 1000	215 x 215mm grid (310, 700 and 900 range).	6,70	8,00	EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass (Included)	16,70	20,00	EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00	EUR
N H Y N B	IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00	EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot)</i>	11,70	14,00	EUR
		ACCESSORIES AND SPARES FOR SX & SNX PROFILES			
		• Gate accessories.			
N H Y N B	IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00	EUR
N H Y N B	INW 755	Iris (monoplane), spare part only.	88,00	106,00	EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range.	12,00	14,00	EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00	EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass.	17,00	20,00	EUR
		• Double slot front cassette.			
N H Y N B	CAV 600 A	For accessories 180 x 180mm (600 and 400 range), RJ standard model.	32,00	38,00	EUR
N H Y N B	CAV 600 AE	For accessories 185 x 185mm (600 and 400 range), European standard model.	32,00	38,00	EUR
N H Y N B	CAV 600 AC	For accessories 191 x 191mm (600 and 400 range), North-American standard model.	42,00	50,00	EUR
N H Y N B	CAV 600 AJ	For accessories 195 x 195mm (600 and 400 range), Japanese standard model.	42,00	50,00	EUR
N H Y N B	CAV 700 A	For accessories 215 x 215mm (700 and 900 range), RJ standard model.	33,00	40,00	EUR
N H Y N B	CAV 700 AJ	For accessories 245 x 245mm (700 and 900 range), European & RJ standard model.	40,00	48,00	EUR
		• Front extension cassette.			
N H Y N B	RT613	Mobile slots for 613SX (180 x 180mm standard model).	70,00	84,00	EUR
N H Y N B	RV 934	For accessories 215 x 215mm Standard with fan (700 and 900 range).	175,00	210,00	EUR
N H Y N B	RVC 934	For accessories 254 x 254mm with fan (700 and 900 range).	195,00	234,00	EUR
N H Y N B	RPF 713	For accessories 215 x 215mm without fan (713 SX).	105,00	126,00	EUR
N H Y N B	RPFC 713	For accessories 254 x 254mm without fan (713 SX).	120,00	144,00	EUR
		• Filter holders.			
N H Y N B	PF 500 M	180 x 180mm metal filter holder (306, 600 and 400 range).	10,00	12,00	EUR
N H Y N B	PF 1000 M	215 x 215mm metal filter holder (310, 700 and 900 range).	12,00	14,00	EUR
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 and 400 range).	2,00	2,00	EUR
N H Y N B	PF 1000 C	215 x 215mm cardboard filter holder (310, 700 and 900 range).	2,00	2,00	EUR
		• Grids.			
N H Y N B	G 500	180 x 180mm grid (306, 600 and 400 range).	7,00	8,00	EUR
N H Y N B	G 1000	215 x 215mm grid (310, 700 and 900 range).	7,00	8,00	EUR
N H Y N B	G 1000 C	254 x 254mm grid (700 and 900 range, North-American model).	12,00	14,00	EUR
		• Frosted glass.			
N H Y N B	VD 100	A size frosted glass Ø97 for SGUX & SGUP.	10,00	12,00	EUR
N H Y N B	VD 120	Inner frosted glass 120 x 120mm.	12,00	14,00	EUR
		• Yokes.			
N H Y N B	DJ30446000	Angled yoke for 600 range.	25,00	30,00	EUR
N H Y N B	DJ20395102	Angled yoke for 700 & 900 range.	38,00	46,00	EUR
		Pole operated yoke.		Please consult RJ	
		• Others.			
N H Y N B	TH 600	Top hat for 600S, 600 SX, 400 SX, 400 SNX and 306 range (without safety cable).	37,00	44,00	EUR
N H Y N B	PC P17 16A	Extra cost for P17 16A male plug instead of a 10/16A N.F. plug.	18,00	22,00	EUR
		• Specific accessories and spares for 400 & 900 SNX range.			
N H Y N B	CAD 900 P	CAD 900 control module for 1013B, 1011+ B, 1039B, 1439B, 900SNX.	1.225,00	1.470,00	EUR
N H Y N B	900P020105	Complete motorised shutter for 1011+ B, 1039B, 1439B & 900 range (CAD 900 not included).	1.324,00	1.589,00	EUR
N H Y N B	400P020001	Complete DMX shutter CAD 2000 unit for 400 SNX range ("PIERROT").	1.339,00	1.607,00	EUR
N H Y N B	400P020002	Complete DMX shutter CAD 2000 unit for 400 SNXE range ("QUINCY").	1.349,00	1.619,00	EUR
		1 400 SX Profiles are not updatable (different lens tube).			
N H Y N B	A2 1616/3	3-meter H07 RNF 18 x 1,5mm ² standard profile cable with 16 x 16A + E Harting standard.	250,00	300,00	EUR
N H Y N B	A2 1616/10	10 meter H07 RNF 18 x 1,5mm ² standard profile cable with 16 x 16A + E Harting standard.	340,00	408,00	EUR
N H Y N B	C1 C14 XLR 7 R/3	3-meter CAD 900/shutter cable with XLR 7 M/F (CN 14).	75,00	90,00	EUR
N H Y N B	C1 C14 XLR 7 R/10	10 meter CAD 900/shutter cable with XLR 7 M/F (CN 14).	120,00	144,00	EUR
N H Y N B	P1 F2 XLR 4	0/+10V Local remote control unit with 1m cable XLR 4 (SN and SNX range).	152,00	182,00	EUR
N H Y N B	MLA	Hanging set for P.S.U.	33,00	40,00	EUR
N H Y N B	CAV 700	Double slot front cassette for 215 x 215mm accessories RJ standard - Extra cost:	33,00	40,00	EUR
N H Y N B	CAV 700J	Double slot front cassette for 245 x 245mm accessories European & Japanese standard - Extra cost:	40,00	48,00	EUR
		• Interchangeable socket assemblies for 400 & 600 SX range.			
N H Y N B	 T 600 SX	For GX9,5 lamps (220/240V) - 3m power cable mounted with PC 10/16A + E NF/SCHUKO plug (Standard model).	90,00	108,00	EUR
N H Y N B	T 600 CSX	For P28s lamps (100/120V) - 1,50m power cable without plug (North-American model).	140,00	168,00	EUR
N H Y N B	T 600 JSX	For G22 lamps (100/120V) - 1,50m power cable without plug (Japanese model). JP 100V 1000W Admissible lamps (H = 75mm).	140,00	168,00	EUR
N H Y N B	T 600 VSX	For G22 lamps (220/240V) - 3-meter 3G 1,5 power cable mounted with 10/16A + E NF/SCHUKO plug. With fan ("CRICKET" followspot) (H = 63,5mm).	195,00	234,00	EUR
N H Y N B	T 600 KSX	For G22 lamps (110V) without fan (H = 63,5mm).	160,00	192,00	EUR
N H Y N B	K 575 SXE	For G22 MSR/MSD 575W lamps with built-in hot restrike igniter and electronic P.S.U. - EC model.	1.025,00	1.230,00	EUR
N H Y N B	K 575 CSXE	For G22 MSR/MSD 575W lamps with built-in hot restrike igniter and electronic P.S.U. - UL/CSA model.	1.015,00	1.218,00	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	EUR
N H Y N B	TC250 CDM-T	For G12 CDM-T 250W lamps with electronic P.S.U. in a separate box. 3-meter cord mounted with 10/16A + E NF/SCHUKO plug (220/240 volts only).	465,00	558,00	EUR
N H Y N B	T 250 CDM-T	For G12 CDM-T 250W lamps without P.S.U., without cable.	90,00	108,00	EUR

NEW!**ASYMMETRICAL CYCLIGHT 625 / 1000 / 1250W R7s**

- Two safety switches for secure access to the lamp (hot lead/Neutral).
- Rapid gel changing in any position (no gel frame needed).
- "Unique "Easy Connect" rear handle for fast cable changing or electrical maintenance."
- Tip-up protection grid 3mm for easier access to the lamp.
- Side tilt adjustment with pointer.
- Standard hanging bracket and accessories.
- Designed to perform with no light spill.


NEW!**CYCLIGHT FOR 625 / 1000 / 1250W LAMPS "850 HORUS"**

Standard models: Delivered with 3-meter 3G1,5mm2 cable mounted with 10/16A + T NF/SCHUKO plug.

N H Y N B	850	HORUS Cyclorama light with standard yoke.	335,00	402,00	EUR
N H Y N B	850L	Set of 4 HORUS mounted horizontally with yoke.	1.298,00	1.558,00	EUR
N H Y N B	850C	Set of 4 HORUS mounted in square with yoke.	1.398,00	1.678,00	EUR
• Lamps					
N H Y N B	P0/x 1000 W /RA/	RJH-TS 1000W/230/C/R7S (185,7mm), 3000K, 2000h	4,50	5,40	EUR
N H Y N B	P2/7 /RA/	RHS 1000W/P2-7/230/R7S (RJ 1002 F) (185,7mm), 3200K, 200h	6,10	7,30	EUR
N H Y N B	P2/7 /OS/	OSRAM 64741 1000W 230V R7S-15 12X1, 185,7mm, 3200K, 200h	7,00	8,40	EUR
N H Y N B	P2/12 /RA/	RHS 1250W/P2-12/230/R7S (RJ 1250) (185,7mm), 3200K, 200h	5,30	6,40	EUR
N H Y N B	P2/12 /OS/	OSRAM 64751 P2/12 1250W 230V R7S-15 12X1, 185,7mm, 3200K, 200h	6,40	7,70	EUR
• Accessories.					
N H Y N B	MLA	Mini yoke.	33,00	40,00	EUR
N H Y N B	CF850H	Set of 2 horizontal barndoors.	60,00	72,00	EUR
N H Y N B	CF850V	Set of 2 vertical barndoors.	65,00	78,00	EUR
N H Y N B	FPAFIX0059	L yoke setup (horizontal).	180,00	216,00	EUR
N H Y N B	FPAFIX0060	C yoke setup (square).	350,00	420,00	EUR
N H Y N B	PAR850	Set of 2 side plates.	<i>Please consult RJ</i>		


DIMMABLE FLUO LIGHTS**"SOLO" SINGLE DIMMABLE FLUO LIGHT**


- Magnetic ballast for 1,20m, 40W Ø 38 fluorescent tubes.

N H Y N B	 FPRSLOM01	6 units with mounting and connecting accessories.	1.080,00	1.296,00	EUR
N H Y N B	744 A	"SOLO" single unit only, mounted with M & F connectors (without accessories).	165,00	198,00	EUR
• Electronic ballast for 1,20m, Ø26, 32 or 36W fluorescent tubes.					
N H Y N B	FPRSLOM02	6 units with mounting and connecting accessories.	1.709,00	2.051,00	EUR
N H Y N B	744 V	"SOLO" single unit only, mounted with M & F connectors (without accessories).	265,00	318,00	EUR
• Accessories and spares for "SOLO" fluo lights.					
N H Y N B	DJ40176400	Line connection accessory.	6,70	8,00	EUR
N H Y N B	DJ40176501	Curtain connection accessory.	6,70	8,00	EUR
N H Y N B	V110010005	H M10 x 25mm screw.	0,50	0,60	EUR
N H Y N B	COU0004205	4 pole female connector.	5,00	6,00	EUR
N H Y N B	COU0004104	4 pole male connector..	3,30	4,00	EUR
N H Y N B	C1 SOLO 1m	DIGI TOUR/FLUO cable - Harting 24, 2 side latches with splitter (6 female 4 pole connectors/SOLO - 1 meter).	255,00	306,00	EUR

"QUADRI" 4 CHANNEL DIMMABLE FLUO LIGHT

- Magnetic ballast for 1,20m, 40W Ø 38 fluorescent tubes.

N H Y N E	 QUADRI H/741A	4 channel ignition, connections on 16 x 16A Harting connector delivered with 2 CS3 safety cables.	875,00	1.050,00	EUR
N H Y N B	QUADRI H/741V	4 channel ignition, connections on 16 x 16A Harting connector delivered with 2 CS3 safety cables.	1.245,00	1.494,00	EUR
• Accessories and spares for "QUADRI" fluo lights.					
N H Y N B	F2/QUADRI	Set of 2 end riggings.	25,00	30,00	EUR
N H Y N B	F3/QUADRI	Set of 2 yokes.	27,00	32,00	EUR
N H Y N B	FFDR 16/16 FLUO	16 x 16A female Harting plug, 1 lock PG 29.	105,00	126,00	EUR
N H Y N B	FMD 16/16 FLUO	16 x 16A male Harting plug, 2 latches PG 29.	65,00	78,00	EUR
N H Y N B	C1/QUADRI	Connection cable from fluo dimmer pack to QUADRI light SMC 2416 PG29 - 2 latches/SFEC 1616 PG29 1 lock, 10-meter 19 x 1,5	398,00	478,00	EUR
N H Y N B	C2/QUADRI	QUADRI/QUADRI linking cable SMC 1616 PG29 - 2 latches/SFEC 1616 PG29 1 lock, 1-meter 19 x 1,5mm2 HO7RNF cable.	230,00	276,00	EUR
Ballast only.					
N H Y N B	PD70000012	Ballast + pre-heating transformer for 1,20m, 40W Ø38 fluorescent tubes.	32,00	38,00	EUR
N H Y N B	PD00000029	Electronic ballast for 1,20m, Ø26, 32 or 36W fluorescent tubes.	153,00	184,00	EUR
• Dimming: See DIGI TOUR & DIGI PACK special fluo • Warning ! 50 tubes maximum per channel of 16A.					

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>	
DIMMABLE LOW VOLTAGE BATTENS					
"BRABO" RANGE LOW VOLTAGE BATTENS FOR MR 16 LAMPS					
<i>With filter holder, barndoor and a set of end rigging accessories</i>					
• Single elements, unusable separately.					
N H Y N B	 BRABO 8S	"BRABO" 8S batten - 1 channel only (96 volts).	450,00	540,00	EUR
N H Y N B	BRABO 8	"BRABO" 8 batten - 2 or 4 channels.	530,00	636,00	EUR
• Ready to use Setups.					
N H Y N B	BRABO 16	Setup N° 1 : 2 "BRABO 8S" battens, 8 lamps - 1 channel, delivered with a 3-meter cable.	920,00	1.104,00	EUR
N H Y N B	BRABO 32	Setup N° 1 : 2 "BRABO 8S" battens, 8 lamps - 1 channel, delivered with a 3-meter cable.	2.284,00	2.741,00	EUR
N H Y N B	BRABO 64	Setup N° 3 : 8 "BRABO 8" battens, 8 lamps - 4 channels, 1 end connection with four 3-meter cables. Delivered with p	4.413,00	5.296,00	EUR
• Accessories and spares for "BRABO" battens.					
N H Y N B	PC/CF BRABO 8	Filter holder and barndoor (spare parts).	78,00	94,00	EUR
N H Y N B	FP/BRABO	Set of 2 end rigging accessories for "BRABO" (spare parts).	17,00	20,00	EUR
N H Y N B	ML/BRABO	Small yoke for "BRABO".	25,00	30,00	EUR
N H Y N B	FPACO00015	Cable strip for 2 ramps connection (spare part).	25,00	30,00	EUR
N H Y N B	FPACO00016	Cable strip for 2 channels (spare part).	73,00	88,00	EUR
N H Y N B	FPACO00017	Cable strip for 4 channels (spare part).	87,00	104,00	EUR
N H Y N B	FPACO00018	End-line plugs for 2 or 4 channels.	23,00	28,00	EUR
JALOUSIE 2 DIGITAL HMI SHUTTERS					
					
• Multichannel electronic power with automatic recognition.					
• External DMX or local control with HTP or LTP mode selection.					
• Delivered with a mains plug.					
JALOUSIE 2 DIGITAL HMI SHUTTERS WITHOUT ADAPTATIONS					
N H Y N B	JN2/206	Ø 206mm light beam aperture.	1.999,00	2.399,00	EUR
N H Y N B	JN2/280	Ø 280mm light beam aperture.	2.102,00	2.522,00	EUR
N H Y N B	JN2/340	Ø 340mm light beam aperture.	2.217,00	2.660,00	EUR
N H Y N B	JN2/404	Ø 404mm light beam aperture.	2.392,00	2.870,00	EUR
JALOUSIE 2 DIGITAL HMI SHUTTERS WITH MOUNTING ADAPTATIONS					
• For STRAND lighting units (new models).					
N H Y N B	JAL2/206 Q	Ø 206mm light beam aperture for Fresnel 1200W.	2.149,00	2.579,00	EUR
N H Y N B	JAL2/280 Q	Ø 280mm light beam aperture for Fresnel 2500W.	2.209,00	2.651,00	EUR
N H Y N B	JAL2/280 PS	Ø 280mm light beam aperture for PARLIGHT 1200W.	2.209,00	2.651,00	EUR
N H Y N B	JAL2/340 Q	Ø 340mm light beam aperture for Fresnel 4000W.	2.346,00	2.815,00	EUR
• For STRAND lighting units (old models).					
N H Y N B	JAL2/280 S	Ø 280mm light beam aperture for SIRIO 1200W.	2.209,00	2.651,00	EUR
N H Y N B	JAL2/340 S	Ø 340mm light beam aperture for SIRIO 2500 & 4000W.	2.346,00	2.815,00	EUR
• For LTM lighting units.					
N H Y N B	JAL2/206 N	Ø 206mm light beam aperture for LUXARC 575 & CINE PAR 1200.	2.149,00	2.579,00	EUR
N H Y N B	JAL2/206 P	Ø 206mm light beam aperture for PROLIGHT 1200.	2.149,00	2.579,00	EUR
N H Y N B	JAL2/280 P	Ø 280mm light beam aperture for PROLIGHT 2500W (theatre front slot).	2.209,00	2.651,00	EUR
N H Y N B	JAL2/340 P	Ø 340mm light beam aperture for PROLIGHT 4000W (theatre front slot).	2.346,00	2.815,00	EUR
N H Y N B	JAL2/280 N	Ø 280mm light beam aperture for LUXARC 1200W.	2.209,00	2.651,00	EUR
N H Y N B	JAL2/340	Ø 340mm light beam aperture for LUXARC 2500W.	2.346,00	2.815,00	EUR
N H Y N B	JAL2/404	Ø 404mm light beam aperture for LUXARC 4000W.	2.544,00	3.053,00	EUR
• For ARRI DAYLIGHT lighting units.					
N H Y N B	JAL2/280 AC	Ø 280mm light beam aperture for compact & compact theatre 2500W.	2.209,00	2.651,00	EUR
N H Y N B	JAL2/340 AC	Ø 340mm light beam aperture for compact & compact theatre 4000W.	2.346,00	2.815,00	EUR
• For DESISTI lighting units.					
N H Y N B	JAL2/206 D	Ø 206mm light beam aperture for Ref. 2510 "REMBRANDT" Piccolo 1200, 575, Fresnel Ø150mm.	2.149,00	2.579,00	EUR
N H Y N B	JAL2/280 D	Ø 280mm light beam aperture for Ref. 2610 "REMBRANDT" 1200, Fresnel Ø250mm.	2.209,00	2.651,00	EUR
N H Y N B	JAL2/340 B	Ø 340mm light beam aperture for Ref. 2532 "REMBRANDT" 2,5/4Kw & BISON, Fresnel Ø300mm.	2.349,00	2.819,00	EUR
• For RJ or other lighting units.					
N H Y N B	JAL2/280 A1	Ø 280mm light beam aperture for RJ 312 & 326, delivered with 4 screws and spacers.	2.164,00	2.597,00	EUR
N H Y N B	JAL2/340 A1	Ø 340mm light beam aperture for RJ 312 & 326, without front slot, (standard accessories are NOT compatible with th	2.347,00	2.816,00	EUR
N H Y N B	JAL2/404 A	Ø 404mm light beam aperture with adaptation kit for ARENA PHILIPS 1800W (including yoke).	3.047,00	3.656,00	EUR
N H Y N B	JAL2/404 K	Ø 404mm light beam aperture for ALFA 4 - K5600.	2.546,00	3.055,00	EUR
For all other models : on request.					

EC P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
DIGITAL DIMMERS				
DIGITOUR 6				
		<ul style="list-style-type: none"> • PORTABLE UNIT : Dimensions : 500 x 185 x 340mm. • POWER SUPPLY : EEC P17 3 x 32A + N + E plug, without female plug. Wiring : STAR 240/415V - 50/60Hz. • CHANNEL PROTECTION : 2 pole 6kA 240V automatic breakers. Mains protection : Optional. • OUTPUT MODELS : On selected sockets (see below). 		
				
DIGITOUR 6				
		• Keyboard programming and LED display.		
N H Y N B	DIGIT 6 - 616N	6 Channels of 16A P.C. twin 10/16A N.F. sockets.	1.714,00	2.057,00 EUR
N H Y N B	DIGIT 6 - 616E	6 Channels of 16A P.C. single 16A P17 socket.	1.739,00	2.087,00 EUR
N H Y N B	DIGIT 6 - 616D	6 Channels of 16A P.C. twin 16A SCHUKO sockets.	1.714,00	2.057,00 EUR
N H Y N B	DIGIT 6 - 616S	6 Channels of 16A P.C. triple 10A SWISS sockets.	1.739,00	2.087,00 EUR
N H Y N B	DIGIT 6 - 325E	3 Channels of 25A P.C. single 32A P17 socket.	1.749,00	2.099,00 EUR
N H Y N B	DIGIT 6 - 150E	1 Channel of 50A P.C. single 63A Hypra socket.	Please consult RJ	
DIGITOUR 6 S				
		<ul style="list-style-type: none"> • Keyboard programming and LCD display - 120 memories - 190 crossfades. • Local triggering for internal sequences (standalone). 		
N H Y N B	DIGIT 6 S - 616N	6 Channels of 16A P.C. twin 10/16A N.F. sockets.	1.794,00	2.153,00 EUR
N H Y N B	DIGIT 6 S - 616E	6 Channels of 16A P.C. single 16A P17 socket.	1.829,00	2.195,00 EUR
N H Y N B	DIGIT 6 S - 616D	6 Channels of 16A P.C. twin 16A SCHUKO sockets.	1.794,00	2.153,00 EUR
N H Y N B	DIGIT 6 S - 616S	6 Channels of 16A P.C. triple 10A SWISS sockets.	1.829,00	2.195,00 EUR
N H Y N B	DIGIT 6 S - 325E	3 Channels of 25A P.C. single 32A P17 socket.	1.829,00	2.195,00 EUR
N H Y N B	DIGIT 6 S - 150E	1 Channel of 50A P.C. single 63A Hypra socket.	Please consult RJ	
DIGITOUR OPTIONS				
N H Y N B	ML/TOUR	Hanging hardware.	20,00	24,00 EUR
		Set in factory (not upgradeable).		
N H Y N B	MULTI/DIGI	Electroflex wiring on 16 x 16A + E "Harting" socket - Extra cost. 2 latches on parallel with output plugs (for 6 x 16A only)	150,00	180,00 EUR
N H Y N B	FLUO/DIGI	Fluo model : Electroflex wiring on 24 x 16A + E "Harting" socket - Extra cost. 1 lateral lock on parallel with output plugs (for 6 x 16A only) (50 tubes maxi. per channel).	530,00	636,00 EUR
N H Y N B	DELTA/DIGI	TRIANGLE wiring option for all DIGITOUR models (except for 1 x 50A).	62,00	74,00 EUR
		Mains protection.	Please consult RJ	
		Other sockets.	Please consult RJ	
WALL MOUNTING RACK "TIVOLI"				
		<ul style="list-style-type: none"> • WALL MOUNTING RACK 1005 x 600 x 230mm (hardware included). • POWER SUPPLY : On a terminal. Wiring : STAR 240/415V - 50/60Hz. • CHANNEL PROTECTION : 1 pole + neutral 6kA 240V automatic breakers - Other types of protection optional. • MAINS PROTECTION : Optional ("A" class protections). • WIRING MODELS : Connections on breaker outputs or through front panel output sockets. 		
Model 1 : Wiring connections made on breakers.				
N H Y N B		TIVOLI B 24	24 Channels of 16A.	5.743,00 6.892,00 EUR
N H Y N B		TIVOLI B 24/2	12 Channels of 16A in a TIVOLI B 24 not extensible.	4.593,00 5.512,00 EUR
N H Y N B		TIVOLI B 12	12 Channels of 25A.	5.648,00 6.778,00 EUR
N H Y N B		TIVOLI B 18	12 Channels of 16A + 6 Channels of 25A.	5.743,00 6.892,00 EUR
Model 2 : Wiring connections made through front panel sockets.				
		16A Channels = Twin 10/16A + E sockets - French standard.		
		25A Channels = Single 32A P17 sockets.		
		Other types of output sockets : optional.		
N H Y N B		TIVOLI P 24	24 Channels of 16A on double 10/16A sockets.	6.158,00 7.390,00 EUR
N H Y N B		TIVOLI P 24/2	12 Channels of 16A in a TIVOLI P 24 not extensible.	4.743,00 5.692,00 EUR
N H Y N B		TIVOLI P 12	12 Channels of 25A on P17 32A sockets.	6.058,00 7.270,00 EUR
N H Y N B		TIVOLI P 18	12 Channels of 16A + 6 Circuits of 25A.	6.158,00 7.390,00 EUR
"TIVOLI" OPTIONS				
N H Y N B		Other mains inputs	Please consult RJ	
N H Y N B		Mains protection	Please consult RJ	
N H Y N B		Other channel protections	Please consult RJ	
N H Y N B		Other types of sockets	Please consult RJ	
N H Y N B		Multiplex connectors	Please consult RJ	
N H Y N B		* Please consult RJ before any order.	Please consult RJ	

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
COMPLETE FLIGHT-CASE "DIGIFLIGHT 6"				
		<ul style="list-style-type: none"> • PREWIRED 19" FLIGHT-CASE WITH DIGIPACK 6 RACKS (without castors). - 3 protected power-in checklights UNI + N fuse holders (10,3 x 38 HPC 100kA fuse). - One 10/16A direct output with protection. • High resolution smoothing of DMX from 256 up to 7500 steps. • Soft start protection (when lamp is cold). • POWER SUPPLY : Three phase Star/Delta operation at 240/415V on EEC P17 socket + female plug. • CHANNEL PROTECTION : On DIGIPACK 6: Depending on the power-in selected model. • OUTPUT MODELS : Choice of sockets on the DIGIPACK 6 x 16A. EEC P17 32A (25A) sockets on the front panel of the flight-case, for the DFSC 1225 (using EB 625 packs). • INPUT CONTROLS : DMX 512 digital protocol (automatic recognition) on XLR 5 Male/Female. • MAIN PROTECTION : on option. 		
		Model 1 : Triacs and 1 pole + neutral fuses (10,3 x 38 HPC 100kA).		
N H Y N B	DFSC 6 - 1216 F	12 Channels of 16A with 2 packs: 6 x 16A (10/16A sockets) - 6U.	4.848,00	5.818,00 EUR
N H Y N B	DFSC 6 - 2416 F	24 Channels of 16A with 4 packs: 6 x 16A (10/16A sockets) -12U.	9.086,00	10.903,00 EUR
		Model 2 : Triacs and 1 pole + neutral circuit breakers (6kA 240V).		
N H Y N B	DFSC 6 - 1216 D1	12 Channels of 16A with 2 packs: 6 x 16A (10/16A sockets) - 6U.	4.848,00	5.818,00 EUR
N H Y N B	DFSC 6 - 2416 D1	24 Channels of 16A with 4 packs: 6 x 16A (10/16A sockets) -12U.	9.086,00	10.903,00 EUR
		Model 3 : Thyristors and 1 pole + neutral fuses (10,3 x 38 HPC 100kA).		
N H Y N B	DFSC 6 - 625 F	6 Channels of 25A with 1 pack: 6 x 25A (32A P17 sockets) - 6U.	4.243,00	5.092,00 EUR
N H Y N B	DFSC 6 - 1225 F	12 Channels of 25A with 2 packs: 6 x 25A (32A P17 sockets) - 9U.	6.887,00	8.264,00 EUR
		Model 4 : Thyristors and 1 pole + neutral circuit breakers (6kA 240V).		
N H Y N B	DFSC 6 - 1216 D2	12 Channels of 16A with 2 packs: 6 x 16A (10/16A sockets) - 6U.	5.193,00	6.232,00 EUR
N H Y N B	DFSC 6 - 625 D2	6 Channels of 25A with 1 pack: 6 x 25A (32A P17 sockets) - 6U.	4.243,00	5.092,00 EUR
N H Y N B	DFSC 6 - 2416 D2	24 Channels of 16A with 4 packs: 6 x 16A (10/16A sockets) - 12U.	9.751,00	11.701,00 EUR
N H Y N B	DFSC 6 - 1225 D2	12 Channels of 25A with 2 packs: 6 x 25A (32A P17 sockets) - 9U.	7.167,00	8.600,00 EUR
DIGIFLIGHT OPTIONS				
N H Y N B		Other mains inputs	<i>Please consult RJ</i>	
N H Y N B		Mains protection	<i>Please consult RJ</i>	
N H Y N B		Other channel protections	<i>Please consult RJ</i>	
N H Y N B		Other type of sockets	<i>Please consult RJ</i>	
N H Y N B		Multiplex connectors	<i>Please consult RJ</i>	
N H Y N B		Set of castors	<i>Please consult RJ</i>	

CABINETS "DIGIRACK 6"




- 19" 43U BEIGE CABINET (600 x 600 x 2060 mm) : Pre-wired, without DIGIPACK 6 modules.
- 3 protected power-in checklights with protection.
- **POWER SUPPLY** : Three phase Star/Delta 240/415V on the upper part of the cabinet.
- **CHANNEL PROTECTION** : On DIGIPACK 6 : Depending on the power-in selected model.
- **WIRING Model** : Depending on the selected configuration : terminal on the upper part of the cabinet or sockets on front of the DI
- **INPUT CONTROL** : DMX 512 digital protocol on XLR 5 M/F (DMX 512 wiring standard).
- **REAR ACCESS** necessary for connections and service.
- **WITHOUT UPSTREAM PROTECTION FOR DIGIPACK** : (see options).
- **WITHOUT MAIN PROTECTION**.

DIGIPACK 6 MODULES

- **PLUG-IN DIGIPACKS FOR DIGIRACK AND DIGIFLIGHT**.
- **PLUG-IN** : Using "Harting" connector for power and D-sub connectors for control.
- **REMOTE CONTROL** : DMX 512 and AVAB on D-sub 9 male sockets - 0/+10V on Sub D9 male sockets.
- **Keypad programming and LED display** (addressing, curves, protocols, modes, frequencies ...).
- High resolution smoothing of DMX from 256 to over 7500 steps.
- Soft start protection (when lamp is cold).
- Harmonized features with "DIGITOUR 6" & "TIVOLI".

- **DIGIPACK 6 EB** : **TERMINAL Models** (Outputs on screw-in cabinet terminals).

- **Model 1 : Triacs and 1 pole + neutral fuse (10,3 x 38 HPC 100kA).**

N H Y N B		EB 6 - 616 F	6 Channels of 16A - 3U.	1.559,00	1.871,00 EUR
N H Y N B		EB 6 - 616 D1	6 Channels of 16A - 3U.	1.559,00	1.871,00 EUR
N H Y N B		EB 6 - 625 F	6 Channels of 25A - 3U.	1.979,00	2.375,00 EUR
N H Y N B		EB 6 - 625 D2	6 Channels of 25A - 3U.	1.994,00	2.393,00 EUR
N H Y N B		EB 6 - 350 D	3 Channels of 50A - 6U.	2.424,00	2.909,00 EUR



- **DIGIPACK 6 ES** : **SOCKET Models** (Output sockets on pack's front panel).

- **Model 1 : Triacs and 1 pole + neutral fuse (10,3 x 38 HPC 100kA).**














N H Y N B		ES 6 - 616 F	6 Channels of 16A - 3U/P.C. twin 10/16A N.F sockets.	1.614,00	1.937,00 EUR
N H Y N B		ESE 6 - 616 F	6 Channels of 16A - 3U/P.C. 16A P17 sockets.	1.654,00	1.985,00 EUR
N H Y N B		ES 6 - 616 D1	6 Channels of 16A - 3U/P.C. twin 10/16A N.F. sockets.	1.614,00	1.937,00 EUR
N H Y N B		ESE 6 - 616 D1	6 Channels of 16A - 3U/P.C. 16A P17 sockets.	1.634,00	1.961,00 EUR











E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		- Model 3 : Thyristors and 1 pole + neutral fuse (10,3 x 38 HPC 100kA).		
N H Y N B	ESE 6 - 625 F	6 Channels of 25A - 6U/P.C. 32A P17 sockets.	2.374,00	2.849,00 EUR
		- Model 4 : Thyristors and 1 pole + neutral automatic breakers (6kA 230V).		
N H Y N B	ESE 6 - 625 D2	6 Channels of 25A - 6U/P.C. 32A P17 sockets.	2.419,00	2.903,00 EUR
		- Model 5 : Thyristors and 2 pole automatic breakers (6kA 230V).		
N H Y N B	ESE 6 - 350 D	3 Channels of 50A - 6U/P.C. 63A P17 sockets.	2.729,00	3.275,00 EUR
		• DIGIPACK 6 FLUO : Single 10/16A. output sockets in parallel with Harting 24 x 16A + E socket. <i>1 lock (male plug supplied). Protected direct phases, built-in load resistor.</i>		
N H Y N B	ESF 6 - 616 F	6 Channels of 16A (either 6 x 6A. Fluo) Fuses and Thyristors.	2.119,00	2.543,00 EUR
N H Y N B	ESF 6 - 616 D2	6 Channels of 16A (either 6 x 6A. Fluo) Automatic breakers and Thyristors.	2.019,00	2.423,00 EUR
		• DIGIPACK 6 EB FLUO : Dimming outputs connector, direct phases protected and built-in load resistor. <i>EB 616 standard compatible module.</i>		
N H Y N B	EBF 6 - 616 D2	6 Channels of 16A (either 6 x 6A. Fluo) Automatic breakers and Thyristors.	1.954,00	2.345,00 EUR
		• OPTIONS FOR DIGIPACK 6 ES : OUTPUT SOCKETS.		
N H Y N B	PC SCHUKO 6C	Twin SCHUKO sockets by group of 6 channels.	0,00	0,00 EUR
N H Y N B	PC SUISSE 6C	Triple SWISS sockets by group of 6 channels.	30,00	36,00 EUR
		• TIROIRS MIXTES : Terminal + sockets output terminal and socket model).		
N H Y N B	FJV1000208	Extra cost for an ES 6 - 616 pack.	87,00	104,00 EUR
N H Y N B	FJV1000209	Extra cost for an ES 6 - 625 pack.	172,00	206,00 EUR
N H Y N B	FJV1000210	Extra cost for an ES 6 - 350 pack.	195,00	234,00 EUR
		• OPTION DIGIPACK 6 S : Keypad programming and LCD display <i>Soft patch, rename, real-time internal sequences, external controls (all EB models and only ES 350 model).</i>		
N H Y N B	OPTION 6 S	6 S option per module.	100,00	120,00 EUR
		ESPION 2 DMX ANALYSER		
N H Y N B	ESPION 2	DMX Analyser with USB interface, USB cord, leather belt case. <i>• Analysis and view the DMX stream.</i> <i>• Capture, edition, storage, sequences of DMX cues.</i> <i>• Personalised tests of moving lights through a fixture library.</i> <i>• Boost, regeneration, patch, back-up ...</i> <i>• USB connection for software upgrades, user friendly PC interface ...</i> <i>• Cable test.</i> <i>• RDM ready.</i>	795,00	954,00 EUR
N H Y N B	RJPNAP0004	USB/Mains adaptor EC plug - 230 volts.	28,00	34,00 EUR

ACCESSORIES AND SPARES FOR LUMINAIRES

HOOK CLAMPS				
N H Y N B		878	25 x 6mm with 23mm screw for Ø 35 to 50mm pipes (15Kg max).	13,50 16,20 EUR
N H Y N B		876	40 x 10mm with 28mm screw for Ø 35 to 50mm pipes (40Kg max).	19,00 22,80 EUR
N H Y N B		876 SV	40 x 10mm without screw for Ø 35 to 50mm pipes (40Kg max).	19,00 22,80 EUR
N H Y N B		880	40 x 10mm with 28mm screw for Ø 50 to 63mm pipes.	20,00 24,00 EUR
N H Y N B		880 SV	40 x 10 mm without screw for Ø 50 to 63mm pipes.	21,00 25,20 EUR
N H Y N B		877	60 x 10mm with 28mm screw for Ø 35 to 50mm pipes.	32,00 38,40 EUR
N H Y N B		883	876 SV hook clamp type with M10 x 60mm screw (for thick yoke).	21,00 25,20 EUR
N H Y N B		MLA	Hanging hardware for P.S.U.	34,00 40,80 EUR
FOLLOW SPOT STANDS FOLLOW SPOT STANDS				
N H Y N B		GT 4000	Complete heavy duty stand with security chain for all models	913,00 1.096,00 EUR
N H Y N B		GT 4000 R	Complete ball bearing heavy duty stand with security chain	983,00 1.180,00 EUR
N H Y N B		GT 4000 S	Complete heavy duty stand without security chain.	858,00 1.030,00 EUR
N H Y N B		C/GT 4000	Security chain for GT 4000 S stand (not mounted).	58,00 70,00 EUR
N H Y N B		R/GT 4000	Ball bearing and washer for GT 4000 & GT 4000 S stand (Kit, not mounted).	67,00 80,00 EUR
N H Y N B		GT 700	Complete luminaire stand (BUXIE, CRICKET, MARGOT, GINGER, LUCY & FLO)	260,00 312,00 EUR
N H Y N B		JPP	RJ leg for overhead followspots.	415,00 498,00 EUR
N H Y N B		T58110	Ø50mm - 90 degree fixed coupler for JJP (Doughty).	58,00 70,00 EUR
N H Y N B		FPAFIX0001	RJ swivel head for GT RJ & 515 stands.	155,00 186,00 EUR
SPARE PARTS FOR HOOK CLAMPS & STANDS				
N H Y N B		DU40067900	Male blocking screw M 16 x 60mm.	10,00 12,00 EUR
N H Y N B		DU40565900	Female blocking screw M 10 (replaces the wing nut).	9,00 10,80 EUR
N H Y N B		V110020006	Wing nut M 10.	1,50 1,80 EUR
N H Y N B		BO08020004	Wing screw M 8 x 20mm.	6,00 7,20 EUR
N H Y N B		BO02010001	Knob Ø60 M12 for GT 700 & GT 4000 stands.	7,50 9,00 EUR


WARNING! Appropriate settings of accessories shall be left to skilled technicians. In any case ROBERT JULIAT shall not be held responsible for improper choices.

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
SAFETY CABLES SAFETY CABLES				
N H Y N B	C S 2	For all luminaires Ø 3mm L = 650mm (breaking point : 75Kg).	7,50	9,00 EUR
N H Y N B	C S 3	For batten systems Ø 2mm L = 600mm (breaking point : 50Kg).	7,50	9,00 EUR
N H Y N B	C S 4	For front accessories Ø 1,5mm L = 300mm (breaking point : 5Kg).	5,80	7,00 EUR
ACCESSORIES AND SPARES FOR SX & SNX PROFILES				
• Gate accessories.				
N H Y N B	 IWSX 755	Drop-in iris (monoplane) with holder.	98,00	118,00 EUR
N H Y N B	 INW 755	Iris (monoplane), spare part only.	88,00	106,00 EUR
N H Y N B	D8	Black treated shutter, for SX and SNX range.	11,70	14,00 EUR
N H Y N B	SGCX 2	A size Ø100mm folded metal gobo-holder, for SX and SNX range.	15,00	18,00 EUR
N H Y N B	SGUX	Universal "A" size Ø100mm gobo-holder : metal, glass, frosted glass.	16,70	20,00 EUR
• Double slot front cassette.				
N H Y N B	 CAV 600 A	For accessories 180 x 180mm (600 and 400 range), RJ standard model.	31,70	38,00 EUR
N H Y N B	CAV 600 AE	For accessories 185 x 185mm (600 and 400 range), European standard model.	31,70	38,00 EUR
N H Y N B	CAV 600 AC	For accessories 191 x 191mm (600 and 400 range), North-American standard model.	41,70	50,00 EUR
N H Y N B	CAV 600 AJ	For accessories 195 x 195mm (600 and 400 range), Japanese standard model.	41,70	50,00 EUR
N H Y N B	CAV 700 A	For accessories 215 x 215mm (700 and 900 range), RJ standard model.	33,30	40,00 EUR
N H Y N B	CAV 700 AJ	For accessories 245 x 245mm (700 and 900 range), European & RJ standard model.	40,00	48,00 EUR
• Front extension cassette.				
N H Y N B	 RT613	Mobile slots for 613SX (180 x 180mm standard model).	70,00	84,00 EUR
N H Y N B	RV 934	For accessories 215 x 215mm Standard with fan (700 and 900 range).	175,00	210,00 EUR
N H Y N B	RVC 934	For accessories 254 x 254mm with fan (700 and 900 range).	195,00	234,00 EUR
N H Y N B	RPF 713	For accessories 215 x 215mm without fan (713 SX).	105,00	126,00 EUR
N H Y N B	RPFC 713	For accessories 254 x 254mm without fan (713 SX).	120,00	144,00 EUR
• Filter holders.				
N H Y N B	 PF 500 M	180 x 180mm metal filter holder (306, 600 and 400 range).	10,00	12,00 EUR
N H Y N B	PF 1000 M	215 x 215mm metal filter holder (310, 700 and 900 range).	11,70	14,00 EUR
N H Y N B	PF 500 C	180 x 180mm cardboard filter holder (306, 600 and 400 range).	1,70	2,00 EUR
N H Y N B	PF 1000 C	215 x 215mm cardboard filter holder (310, 700 and 900 range).	1,70	2,00 EUR
• Grids.				
N H Y N B	 G 500	180 x 180mm grid (306, 600 and 400 range).	6,70	8,00 EUR
N H Y N B	G 1000	215 x 215mm grid (310, 700 and 900 range).	6,70	8,00 EUR
N H Y N B	G 1000 C	254 x 254mm grid (700 and 900 range, North-American model).	11,70	14,00 EUR
• Grids.				
N H Y N B	 VD 100	A size frosted glass Ø97 for SGUX & SGUP.	10,00	12,00 EUR
N H Y N B	VD 120	Inner frosted glass 120 x 120mm.	11,70	14,00 EUR
• Yokes.				
N H Y N B	 DJ30446000	Angled yoke for 600 range.	25,00	30,00 EUR
N H Y N B	DJ20395102	Angled yoke for 700 & 900 range.	38,00	46,00 EUR
		Pole operated yoke.		Please consult R.I
• Other				
N H Y N B	 TH 600	Top hat for 600S, 600 SX, 400 SX, 400 SNX and 306 range (without safety cable).	37,00	44,00 EUR
N H Y N B	PC P17 16A	Extra cost for P17 16A male plug instead of a 10/16A N.F. plug.	18,00	22,00 EUR
		Outdoor enclosure for 420/450 and 600SX profile range.		Please consult R.I
Specific accessories and spares for 400 & 900 SNX range.				
• Motorized shutters				
N H Y N B	 CAD 900 P	CAD 900 control module for 1013B, 1011+ B, 1039B, 1439B, 900SNX.	1.225,00	1.470,00 EUR
N H Y N B	900P020105	Complete motorised shutter for 1011+ B, 1039B, 1439B & 900 range (CAD 900 not included).	1.324,00	1.589,00 EUR
N H Y N B	400P020001	Complete DMX shutter CAD 2000 unit for 400 SNX range ("PIERROT").	1.339,00	1.607,00 EUR
N H Y N B	400P020002	Complete DMX shutter CAD 2000 unit for 400 SNXE range ("QUINCY").	1.349,00	1.619,00 EUR
! 400 SX Profiles are not updatable (different lens tube).				
• Cables				
N H Y N B	 A2 1616/3	3-meter H07 RNF 18 x 1,5mm ² standard profile cable with 16 x 16A + E Harting standard.	250,00	300,00 EUR
N H Y N B	A2 1616/10	10 meter H07 RNF 18 x 1,5mm ² standard profile cable with 16 x 16A + E Harting standard.	340,00	408,00 EUR
N H Y N B	C1 C14 XLR 7 R/3	3-meter CAD 900/shutter cable with XLR 7 M/F (CN 14).	75,00	90,00 EUR
N H Y N B	C1 C14 XLR 7 R/10	10 meter CAD 900/shutter cable with XLR 7 M/F (CN 14).	120,00	144,00 EUR
• Local remote control				
N H Y N B	 P1 F2 XLR 4	0/+10V Local remote control unit with 1m cable XLR 4 (SN and SNX range).	152,00	182,00 EUR
• Other				
N H Y N B	 MLA	Hanging set for P.S.U.	33,00	40,00 EUR
N H Y N B	CAV 700	Double slot front cassette for 215 x 215mm accessories RJ standard - Extra cost:	33,00	40,00 EUR
N H Y N B	CAV 700J	Double slot front cassette for 245 x 245mm accessories European & Japanese standard - Extra cost:	40,00	48,00 EUR
Interchangeable socket assemblies for 400 & 600 SX range.				
N H Y N B	 T 600 SX	For GX9,5 lamps (220/240V) - 3m power cable mounted with PC 10/16A + E NF/SCHUKO plug (Standard model).	90,00	108,00 EUR
N H Y N B	T 600 CSX	For P28s lamps (100/120V) - 1,50m power cable without plug (North-American model).	140,00	168,00 EUR
N H Y N B	T 600 JSX	For G22 lamps (100/120V) - 1,50m power cable without plug (Japanese model). JP 100V 1000W Admissible lamps (H = 75mm).	140,00	168,00 EUR
N H Y N B	T 600 VSX	For G22 lamps (220/240V) - 3-meter 3G 1,5 power cable mounted with 10/16A + E NF/SCHUKO plug. With fan ("CRICKET" followspot) (H = 63,5mm).	195,00	234,00 EUR


E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	EUR
N H Y N B	T 600 KSX	For G22 lamps (110V) without fan (H = 63,5mm).	160,00	192,00	EUR
N H Y N B	K 575 SXE	For G22 MSR/MSD 575W lamps with built-in hot restrike igniter and electronic P.S.U. - EC model.	1.025,00	1.230,00	EUR
N H Y N B	K 575 CSXE	For G22 MSR/MSD 575W lamps with built-in hot restrike igniter and electronic P.S.U. - UL/CSA model.	1.015,00	1.218,00	EUR
N H Y N B	TC250 CDM-T	For G12 CDM-T 250W lamps with electronic P.S.U. in a separate box. 3-meter cord mounted with 10/16A + E NF/SCHUKO plug (220/240 volts only).	465,00	558,00	EUR
N H Y N B	T 250 CDM-T	For G12 CDM-T 250W lamps without P.S.U., without cable.	90,00	108,00	EUR
POWER SUPPLY UNITS (P.S.U.) FOR HMI - MSR / HSR - MSD LUMINAIRES					
• MAGNETIC P.S.U. - For cold strike lighting units (P17 500V standard) - 230/245V 50Hz and 208V 60Hz					
N H Y N B	 A1 1200	P.S.U. - 230V 1200W, cold strike (1011+ F, 312LF, 920SX, 1019, 1119, 1419).	800,00	960,00	EUR
N H Y N B	A5 2500	P.S.U. - 230V 2500W, cold strike with fan, P17 32A Standard (BISON).	1.070,00	1.284,00	EUR
• MAGNETIC P.S.U. - For hot restrike lighting units (16 x 16A + E Harting standard) - 230/245V 50Hz and 208V 60Hz					
N H Y N B	 A6 1200	P.S.U. - 230V 1200W, hot restrike (1011+, 1149, 1449).	1.120,00	1.344,00	EUR
N H Y N B	A4 1200	P.S.U. - 230V 1200W, hot restrike with CAD900 (910, 913, 914SNX, 1011+ B).	2.449,00	2.939,00	EUR
N H Y N B	A3 2500	P.S.U. - 230V 2500W, hot restrike with CAD900 (930, 933, 934SNX, 1013B, 1039B, 1439B).	2.754,00	3.305,00	EUR
N H Y N B	A2 2500	P.S.U. - 230V 2500W, hot restrike with manual control (1013, 1013+, 1013+ BS, 1015, 1015 BS, 1039, 1439, 326).	1.874,00	2.249,00	EUR
N H Y N B	A6 2500	P.S.U. - 230V 2500W, hot restrike with DMX lamp control (1013+ B, 1015 B, 326).	2.139,00	2.567,00	EUR
N H Y N B	A1 4000	P.S.U. - 230V 4000W HTI, hot restrike (LANCELOT).	2.699,00	3.239,00	EUR
• ELECTRONIC P.S.U.					
N H Y N B	 P70 / CDMT	70W for CDM & HQI 70W lamps with cable gland (LOLITA 70).	95,00	114,00	EUR
N H Y N B	P150 / CDMT	150W for CDM & HQI 150W lamps without cable gland (FIGARO).	130,00	156,00	EUR
N H Y N B	P250 / CDMT	250W for CDM-T 250W lamp without cable (FIGARO).	195,00	234,00	EUR
N H Y N B	SCE 575 / CE	575W for MSR, MSD 575W lamps (QUINCY, BUXIE) 90 --> 260V + PFC (CE).	795,00	954,00	EUR
N H Y N B	SCE 575 / UL	575W for MSR, MSD 575W lamps (QUINCY, BUXIE) 90 --> 260V + PFC (UL/CSA).	795,00	954,00	EUR
N H Y N B	SCE 1800 / CE	1800W for HMI/MSR 1800W lamps with P.F.C. (FLO & VICTOR) CE model.	2.399,00	2.879,00	EUR
N H Y N B	SCE 1800 / UL	1800W for HMI/MSR 1800W lamps with P.F.C. (FLO & VICTOR) UL/CSA model.	2.449,00	2.939,00	EUR
N H Y N B	MEPB 2500	2500W for HMI & MSR 2500W lamps with P.F.C. (ARAMIS, CYRANO).	3.978,00	4.774,00	EUR
N H Y N B	PG 4000	4000W for HTI 4000W lamp with P.F.C. (LANCELOT). Cable required if serial n° < 160785.	5.948,00	7.138,00	EUR
DIMMERS - CONTROL MODULES - CABLES					
• DMX dimmers working via Separate CAD 900.					
N H Y N B	 1013P21002	Motorized dimmer for 1013 B (without P1 F2).	1.324,00	1.589,00	EUR
N H Y N B	900P020105	Motorized dimmer for 1011+ B 1039B, 1439B, 900SNX (without P1 F2).	1.324,00	1.589,00	EUR
• DMX dimmers equipped with CAD 2000.					
N H Y N B	 1013P21006	Dimmer and CAD 2000 for 1013+ B, 1013+ BS.	1.939,00	2.327,00	EUR
N H Y N B	1015P21003	Dimmer + frosted glass and CAD 2000 for 1015B, 1015BS.	3.519,00	4.223,00	EUR
• Control modules for power supply units (complete without cover).					
N H Y N B	 CAD 900 P	CAD 900 control module for 1013B, 1011+ B, 1039B, 1439B, 900SNX.	1.225,00	1.470,00	EUR
N H Y N B	FPABC00004	DMX lamp control module for 1013+ B, 1015 B.	570,00	684,00	EUR
N H Y N B	FPABC00003	Manual lamp control module for 1011+, 1013, 1013+, 1015, 1039, 1439.	245,00	294,00	EUR
• DMX dimmers for "SUPER KORRIGAN" 1149, "LUCY" 1449, "FLO" 1459 & "VICTOR" 1159".					
N H Y N B		DMX dimmers for "SUPER KORRIGAN" 1149, "LUCY" 1449, "FLO" 1459 & "VICTOR" 1159".	<i>Please consult RJ</i>		
• Local control units.					
N H Y N B	 P1 F2 XLR4	0/+10V Local remote control unit mounted with 3m cable XLR 4, without clips.	152,00	182,00	EUR
N H Y N B	P1 F2 XLR4 C	0/+10V Local remote control unit mounted with 3m cable XLR 4 with clips.	160,00	192,00	EUR
N H Y N B	P1 F2 XLR4 D	0/+10V Local remote control unit mounted with 1m cable XLR 4 with clips.	160,00	192,00	EUR
N H Y N B	P1FCAN	Remote controller (maximum of 2 remote controllers per projector).	300,00	360,00	EUR
• Remote control linking cables: lighting unit/power supply unit - length 3-meters.					
N H Y N B	 C 1 4 XLR7 R / 3	CAD 900/dimmer remote control cable for 1011+ B, 1013B, 1039B, 1439B, 900SNX	75,00	90,00	EUR
N H Y N B	C5 XLR5 R/3	DMX lamp/CAD 2000 remote control cable 1013+ B, 1015B.	65,00	78,00	EUR
• Power linking cables: lighting unit/power supply unit (lamp cable) - length 3-meters.					
N H Y N B	 A2 1616 D/3	16 x 16A + E standard Harting, straight headed connector for 1011+, 1013+, 1015, 1039, 1439.	250,00	300,00	EUR
N H Y N B	A2 1616 C/3	16 x 16A + E standard Harting, angled headed connector for 1011+, 1013+, 1015, 1159B, 1459B, 1449B.	292,00	350,00	EUR
N H Y N B	A1 625	6 x 35A + E standard Harting, for 1013+ flight-case model (before 1993).	250,00	300,00	EUR
N H Y N B	AM 625	6 x 35A + E standard Harting, for 1013+ M, 1013+ BSM, 1015M, 1015BSM.	330,00	396,00	EUR
N H Y N B	CH 4000	4 meters Harting standard for LANCELOT 1021.	490,00	588,00	EUR
IGNITERS AND CHOKES IGNITERS AND CHOKES					
N H Y N B	AC 575	Hot restrike igniter 575W HMI for magnetic P.S.U.	494,80	594,00	EUR
N H Y N B	 AC 1200	Hot restrike igniter 1200W HMI for magnetic P.S.U. v1.	549,80	660,00	EUR
N H Y N B	AC 1200	Hot restrike igniter 1200W HMI for magnetic P.S.U. v2 (from serial n° 662 for 1149 & n° 133 for 1449).	549,80	660,00	EUR
N H Y N B	AC 1800	Hot restrike igniter 1800W MSD HR.	589,80	708,00	EUR
N H Y N B	AC 2500	Hot restrike igniter 2500W HMI et MSR HR hot restrike igniter for magnetic P.S.U.	642,70	771,00	EUR
N H Y N B	AC 4000	Hot restrike igniter 4000W HTI hot restrike igniter for magnetic P.S.U.	649,70	780,00	EUR
N H Y N B	EC 575	Spark gap for igniter 575 to 4000W.	92,00	110,00	EUR
N H Y N B	THT/1200	THT transformer (spare part for 1200W HMI igniter (3L).	184,90	222,00	EUR
N H Y N B	THT/2500	THT transformer for 2500W HMI igniter.	189,90	228,00	EUR
N H Y N B	ACS 575	Hot restrike igniter for electronic P.S.U.	81,00	97,00	EUR
N H Y N B	AM 1200	Cold strike igniter 1200W (312L).	36,00	43,00	EUR
N H Y N B	AM 1200/2500	Cold strike igniter 1200/2500W (Provence range).	44,00	53,00	EUR
N H Y N B	AF 1200	Cold strike igniter 1200W (former 312).	205,90	247,00	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	EUR
N H Y N B	AF 2500	Cold strike igniter 2500W 3L (BISON).	334,90	402,00	EUR
N H Y N B	ST 700	700W 230/245V 50Hz and 208V 60Hz choke.	229,90	276,00	EUR
N H Y N B	ST 1200	1200W 230/245V 50Hz and 208V 60Hz choke.	272,90	327,00	EUR
N H Y N B	ST 2500	2500W 230/245V 50Hz and 208V 60Hz choke.	314,90	378,00	EUR
N H Y N B	ST 4000	4000W HTI 230/245V 50Hz et 208V 60Hz	509,80	612,00	EUR
N H Y N B	T 1200/110	Autotransformer 110V/208V - 60Hz (700W/1200W)	164,90	198,00	EUR
N H Y N B	PD70000012	Ballast + pre-heating transformer for 40W RS fl uorescent tubes.	32,00	38,00	EUR

HANDLES - KNOBS

N H Y N B	 BM32	Ø32mm knob - for Ø6mm & Ø10mm rods with screw (kit).	6,00	7,20	EUR
N H Y N B	PD10000005	Ø23mm knob - for Ø10mm rods with screw (310).	6,00	7,20	EUR
N H Y N B	PO00000019	T M8 handle - L = 80mm, grey colour.	5,20	6,20	EUR
N H Y N B	PO00000025	M10 handle, grey colour (on yoke blocking system).	6,70	8,00	EUR
N H Y N B	PO00000012	M8 handle, black colour (on iris cassette)	4,50	5,40	EUR
N H Y N B	DU40422601	M6 handle with rod Ø10mm - L = 231 (600 SX, 700 SX, 400 SX).	13,50	16,20	EUR
N H Y N B	DU40422603	M6 handle with rod Ø10mm - L = 366 (900 SNX).	34,50	41,40	EUR
N H Y N B	BO02010001	Ø60mm M12 knob (locking knob for followspot stands).	7,50	9,00	EUR
N H Y N B	PO00000018	Grey shutter handle.	2,20	2,60	EUR
N H Y N B	PO00000001	Blue shutter handle.	2,20	2,60	EUR
N H Y N B	PO00000037	Red shutter handle (700SX2).	2,20	2,60	EUR

LAMP SOCKETS-REFLECTORS

N H Y N B	 SOG5300003	G5,3 with wire, length = 140mm (BRABO).	7,00	8,40	EUR
N H Y N B	SOA0000001	MR16 lamp holder (BRABO).	3,20	3,80	EUR
N H Y N B	SOG6350001	G6,35 socket (400W 36V) (P611/400, 1009).	15,00	18,00	EUR
N H Y N B	SOG1200001	G12 with wires L = 200mm for CDM-T lamp (440 SX).	6,70	8,00	EUR
N H Y N B	PD30000029	GX 9,5 base KR3. with wire, length = 160mm (actual 600 S, 600 SX & 1116).	20,00	24,00	EUR
N H Y N B	PD30000007	GX 9,5 KR kit for all models.	30,00	36,00	EUR
N H Y N B	SOG9500005	GX 9,5 B & W with 550mm wires (306L).	15,50	18,60	EUR
N H Y N B	PD60000023	Adaptation for GX 9,5 "KR" & "B W" sockets (with screws).	3,50	4,20	EUR
N H Y N B	SOGY160001	GY16 KR socket (700 S, 700 SX, 339).	40,00	48,00	EUR
N H Y N B	PD60000033	G22 BW socket (with fi xing screws) (329, 400, 325, 1114, 1124, 1116, 600J).	37,50	45,00	EUR
N H Y N B	PD70000033	G22 RJ socket set with wires for 700 SX2.	113,00	135,60	EUR
N H Y N B	1017P10008	G22 RJ socket set with wires for 1017, 1117, 1417.	112,00	134,40	EUR
N H Y N B	PD10190001	G22 RJ socket set with wires for 1019, 1119, 1419.	112,00	134,40	EUR
N H Y N B	PD70000038	G22 RJ Control mechanism.	27,00	32,40	EUR
N H Y N B	PD90000006	G38 KR blocking jaw with axle and knob (930-933-934 SNX, 1039, 1439).	149,90	179,90	EUR
N H Y N B	SOG3800004	G38 KR lever model (350L).	149,90	179,90	EUR
N H Y N B	SOG3800003	G38 BU standard (not modifi ed).	90,00	108,00	EUR
N H Y N B	PD90000007	G38 BU modifi ed (910-913-914 SNX).	113,00	135,60	EUR
N H Y N B	SOFLUO0006	G13 (Fluo).	0,70	0,80	EUR
N H Y N B	CF00100004	C26 clips for Ø 26mm fl uorescent tubes.	0,50	0,60	EUR
N H Y N B	CF00100003	C26 clips for Ø 38mm fl uorescent tubes.	0,50	0,60	EUR
N H Y N B	1011P10011	For 1011-1012 followspots.	61,00	73,20	EUR
N H Y N B	900P010006	For Profi les (900-900 S-900 SN).	289,90	347,90	EUR
N H Y N B	PD85000003	R7s socket set for HORUS.	22,00	26,40	EUR

REFLECTORS

N H Y N B	MI00000003	Outer Ø cut = 65,5, Inner Ø used = 50, R = 35 (1009, 1010).	8,50	10,20	EUR
N H Y N B	MI00000001	Outer Ø cut = 112, Inner Ø used = 90, R = 60 (700 S, 900 S, 1011, 1012).	9,50	11,40	EUR
N H Y N B	MI00000010	Outer Ø cut = 168, Inner Ø used = 145, R = 90 (320, 321, 325, 329, 339).	31,00	37,20	EUR
N H Y N B	MI00000013	Outer Ø cut = 230, Inner Ø used = 200, R = 110 (350L, 326L).	41,00	49,20	EUR
N H Y N B	MI00000002	Outer Ø cut = 90, R = 60 (300, 900 SNX, 1039, 1439, 1019, 1119, 1419, 1149, 1449).	6,70	8,00	EUR
N H Y N B	MI00000012	Outer Ø cut = 90, R = 55 (400 SX, 600 SX, 700 SX, 1011 +, 1017, 1117, 1417, 1114, 1124, 1116).	6,70	8,00	EUR
N H Y N B	PD10150023	Complete reflector for 1013+ and 1015 (without reflector holder).	30,00	36,00	EUR
N H Y N B	PD10130039	Upgrade refl ector and refl ector holder kit for 1013 & 1015 with heatsink (ventilation turbine, before 2004).	120,00	144,00	EUR
N H Y N B	1013P10211	Upgrade refl ector and refl ector holder kit for 1013 & 1015 with heatsink (models after 2003).	98,00	117,60	EUR

LENSES**• PLANO-CONVEX LENSES.**

N H Y N B	PC100 R 78	Ø100 R78 VB (614 S, 714 S, 914 S, 1012).	25,00	30,00	EUR
N H Y N B	PC100 R129	Ø100 R129 VB (611 S, 614 S, 710 S, 714 S, 914 S, 1009, 1010, 1012).	23,00	27,60	EUR
N H Y N B	PC110 R150	Ø110 R150 VX (SX, 1013, 1119, 1011, 1039, 1439, 1117, 1417, 1419, 1149, 1449).	38,00	45,60	EUR
N H Y N B	PC110 R250	Ø110 R250 VX (SX, 1015, 1019, 1114, 1116, 1124, 1039, 1017, 1419, 1449)	37,00	44,40	EUR
N H Y N B	PC140 R272	Ø140 R272 VX (1021).	67,00	80,40	EUR
N H Y N B	PC150 R111	Ø150 R111,6 or R115 BO (305 HP, 306 HP).	33,00	39,60	EUR
N H Y N B	PC150 R150	Ø150 R150 VB (614 S, 306 LPC).	31,00	37,20	EUR
N H Y N B	PC150 R230	Ø150 R230 VB (611 S, 611 SX, 1114, 1116, 1124, 411 SX).	46,00	55,20	EUR
N H Y N B	PC152 R163	Ø152 R163 VB (614 SX, 414SX, 424 SX, 444 SX).	41,00	49,20	EUR
N H Y N B	PC200 R178	Ø200 R178 VB (310 HPC - 329 et 339 HPC).	58,00	69,60	EUR
N H Y N B	PC200 R190	Ø200 R190 VB (714 S, 914 S, 1012, 714 SX, 914 SNX, 934 SNX, 1439, 1417, 1419, 1449).	90,00	108,00	EUR
N H Y N B	PC200 R272	Ø200 R272 VB (710 S, LP 1000/2000, 710 SX, 1019, 910 SNX, 930 SNX, 1017, 1039).	88,00	105,60	EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>	
N H Y N B	PC200 R320	Ø200 R320 VB (1011, 1011+, 1119, 1117, 1149).	90,00	108,00	EUR
N H Y N B	PC250 R240	Ø200 R240 VB (350LPC).	192,90	231,50	EUR
N H Y N B	PC254 R381	Ø254 R381 VB (1013+).	192,90	231,50	EUR
N H Y N B	PC254 R520	Ø254 R520 VB (1015).	192,90	231,50	EUR
N H Y N B	PC320 R600	Ø320 R600 VB (1021).	333,90	400,70	EUR
• PEBBLE-CONVEX LENSES					
N H Y N B	PB150 R106	Ø150 R106 BO (306 HPB, 306 LPB).	31,00	37,20	EUR
N H Y N B	PB200 R132	Ø200 R132,5 BO (310 HPB, 310 THPB, 310 CHPB, 329 HPB).	58,00	69,60	EUR
• BICONVEX LENSES.					
N H Y N B	BC100 R123	Ø100 R123 VB (400 SX, 600 SX, 1114, 1116, 1124).	29,00	34,80	EUR
N H Y N B	BC100 R256	Ø100 R256 VX (930, 934, 910, 913, 914 SNX, 1039, 1439, 1019, 1119, 1149, 1449).	56,00	67,20	EUR
N H Y N B	BC110 R211	Ø110 R211 VX (700 SX, 933 SNX, 1017, 1117, 1417, 1419).	49,00	58,80	EUR
• BICONCAVE LENS.					
N H Y N B	BCC140 R361	Ø140 R-361 VB (1021).	106,00	127,20	EUR
• HIGH PRESSURE TREATED ASPHERICAL LENSES (CONDENSER).					
N H Y N B	AHP 60	ASPH. Ø60 (600 S, 700 S, 900 S, 900 SN, 1011+)(*40 pieces).	22,00	26,40	EUR
N H Y N B	AHP 68	ASPH. Ø68 (600 SX, 400 SX, 1114, 1124, 1116) (*40 pieces).	20,00	24,00	EUR
N H Y N B	AHP 68 D	ASPH. Ø68 DURAN (600 SX, 1200W).	33,00	39,60	EUR
N H Y N B	AHP 80 F59	ASPH. Ø80 (700 SX, 910 SNX, 913 SNX, 914 SNX, 1017, 1117, 1417, 1019, 1119, 1419, 1149, 1449) (*30 pieces).	34,00	40,80	EUR
N H Y N B	AHP 80 F67	ASPH. Ø80 (930 SNX, 933 SNX, 934 SNX, 1039, 1439) (*20 pieces).	37,00	44,40	EUR
(*) Special fixed packed price.					
• QUARTZ ASPHERICAL LENSES.					
N H Y N B	AHP 60 Q	ASPH. Ø60 Quartz (1013+, 1015).	889,60	1.067,50	EUR
N H Y N B	AHP 71 Q	ASPH. Ø71 Quartz (1021).	1.299,50	1.559,40	EUR
• FRESNEL LENSES.					
N H Y N B	F150 R110	Ø150 (305, 306 HF, 306 LF).	31,00	37,20	EUR
N H Y N B	F200 R140	Ø200 (310, 329, 339 HF).	43,00	51,60	EUR
N H Y N B	F250 R120	Ø250 (ARC 2000, 325 F, 312 FF).	108,00	129,60	EUR
• FROSTED GLASS.					
N H Y N B	VD 70	70 x 70mm (600 S, 700 S).	7,00	8,40	EUR
N H Y N B	VD120	120 x 120mm (600 SX, 400 SX, 700 SX, 900 SX, LP).	12,00	14,40	EUR
N H Y N B	VD 85	Ø85mm (1011, 1012, 1013+, 1039, 1439).	9,50	11,40	EUR
N H Y N B	VD 84	84 x 84mm (SX & SNX range).	9,00	10,80	EUR
N H Y N B	VD 97	Ø97mm (*A" size) for SGUX, SGUP & FOLLOWSPOTS.	10,00	12,00	EUR
• COMPLETE CONDENSERS WITH HOLDERS (Without reflectors and reflector holders).					
N H Y N B	C60/600S	Condenser with holder for 600 S range.	35,00	42,00	EUR
N H Y N B	C60 Q	Condenser with holder for ARAMIS et CYRANO (Quartz condenser).	909,60	1.091,50	EUR
N H Y N B	C60/700S	Condenser with holder for 700 S range. Model before June 95.	47,00	56,40	EUR
N H Y N B	C60/700S2	Condenser with holder for 700 S range. Model after June 95.	49,00	58,80	EUR
N H Y N B	C60/1011	Condenser with holder for 1011+.	48,00	57,60	EUR
N H Y N B	DC 68-1	Double condenser with holder for 600 SX, 400 SX, 1114, 1116.	70,00	84,00	EUR
N H Y N B	DCD 68-1	Double condenser with holder for 600 SX "DURAN".	83,00	99,60	EUR
N H Y N B	DC 80-4	Double condenser with holder for 700 SX, 1017, 1019, 1119.	134,90	161,90	EUR
N H Y N B	DC 80-1	Double condenser with holder for 910 SNX, 913 SNX, 914 SNX.	149,90	179,90	EUR
N H Y N B	DC 80-2	Double condenser with holder for 930 SNX, 934 SNX.	144,90	173,90	EUR
N H Y N B	DC 80-3	Double condenser with holder for 933 SNX.	129,90	155,90	EUR
• 5500° → 3400°K & DICHROIC FILTERS.					
N H Y N B	FC 85	5500K → 3400K Ø 85mm conversion filter for 1013+.	28,00	33,60	EUR
N H Y N B	FC 120	5500K → 3400K Ø 120mm conversion filter for 1015.	41,00	49,20	EUR
N H Y N B	OP12054003	Blue dichroic filter Ø 120mm for 1015.	66,00	79,20	EUR
N H Y N B	FAC 97	Anticaloric filter Ø 97mm (FLO & VICTOR).	45,00	54,00	EUR
N H Y N B	FAC 120	Anticaloric filter Ø 120mm.	95,00	114,00	EUR
N H Y N B	FAC 150	Anticaloric filter Ø 150mm (LANCELOT).	45,00	54,00	EUR
MISCELLANEOUS					
N H Y N B	C 220/3 x 1,5	3-meter 3 x 1,5 H07 RNF mounted with 10/16A. + E male plug (French standard).	11,50	13,80	EUR
N H Y N B	C 220/3 x 2,5	3-meter 3 x 2,5 H07 RNF mounted with 10/16A. + E male plug (French standard).	37,50	45,00	EUR
N H Y N B	C 220/2001	3-meter 3 x 1 H05 VVF mounted with 10/16A. + E male plug (French standard).	7,50	9,00	EUR
N H Y N B	GTN 4	Ø 4mm high temperature protection (luminaire inner equipments) per meter.	1,20	1,40	EUR
N H Y N B	CAU0010110	1 x 1,5mm2 high temperature cable, per meter.	0,80	1,00	EUR
N H Y N B	CAU0010112	1 x 2,5mm2 high temperature cable, per meter.	1,30	1,60	EUR
N H Y N B	RPADIV0006	Graphite spray - 500g.	19,00	22,80	EUR
N H Y N B	RPADIV0007	Silicone - 1 litre.	29,00	34,80	EUR
N H Y N B	FPADIV0015	Professional gloves - size = 9.	12,00	14,40	EUR

