



Price List 1/2010

Effective January 14, 2010

Subject to change without prior notice.

All former price lists expire with the publishing of this version.

All prices are suggested net retail prices; ex works.

There are applicable our General Terms of Business, only.

Net Price List PROFESSIONAL USER








ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions

www.pro-technica.com

EUR

Articles marked * will be discontinued soon!

E C P B R	MODEL					EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
LOW & MID FREQUENCY								
5"								
Y H Y N B		5G40Nd	100 w AES	90 - 17000 Hz	Nd	93 dB	53,00	64,00 EUR
Y H Y N B		5M30	50 w RMS	60 - 12000 Hz	Ferr	91 dB	28,00	34,00 EUR
Y H Y N B		5MP60/N	50 w RMS	50 - 12000 Hz	Ferr	91 dB	31,00	37,00 EUR
6"								
Y H Y N B		6M1100	250 w AES	150 - 6000 Hz	Ferr	97 dB	61,00	73,00 EUR
Y H Y N B		6P200Nd	200 w AES	60 - 9000 Hz	Nd	92 dB	88,00	106,00 EUR
Y H Y N B		6G40Nd	170 w AES	70 - 9000 Hz	Nd	95 dB	60,00	72,00 EUR
Y H Y N B		605Nd	125 w AES	150 - 8000 Hz	Nd	100 dB	83,00	100,00 EUR
Y H Y N B		6M190	125 w AES	150 - 8000 Hz	Ferr	98 dB	50,00	60,00 EUR
Y H Y N B		6B30/P	50 w RMS	50 - 12000 Hz	Ferr	90 dB	26,00	31,00 EUR
8"								
Y H Y N B		8LW30	250 w AES	65 - 6000 Hz	Nd	95 dB	93,00	112,00 EUR
Y H Y N B		8M1100	250 w AES	150 - 7000 Hz	Ferr	98 dB	61,00	73,00 EUR
Y H Y N B		8G40	250 w AES	65 - 6000 Hz	Ferr	95 dB	77,00	92,00 EUR
Y H Y N B		SM108	150 w AES	65 - 6000 Hz	Ferr	95 dB	53,00	64,00 EUR
Y H Y N B		8M70	90 w RMS	120 - 9000 Hz	Ferr	95 dB	45,00	54,00 EUR
Y H Y N B		8WOOFER/P	50 w RMS	30 - 3500 Hz	Ferr	92 dB	41,00	49,00 EUR
Y H Y N B		8BR40	50 w RMS	35 - 6000 Hz	Ferr	90 dB	31,00	37,00 EUR
10"								
Y H Y N B		10G40	400 w AES	45 - 4000 Hz	Ferr	96 dB	97,00	116,00 EUR
Y H Y N B		10MW/ND	350 w AES	45 - 7000 Hz	Nd	95 dB	107,00	128,00 EUR
Y H Y N B		10M1100	350 w AES	70 - 4000 Hz	Ferr	101 dB	118,00	142,00 EUR
Y H Y N B		SM110/N	200 w AES	45 - 6500 Hz	Ferr	95 dB	64,00	77,00 EUR
Y H Y N B		10BR60	100 w RMS	30 - 5000 Hz	Ferr	91.5 dB	54,00	65,00 EUR
12"								
Y H Y N B		12P1000Nd	900 w AES	30 - 2500 Hz	Nd	96 dB	184,00	221,00 EUR
Y H Y N B		12G40	500 w AES	35 - 4000 Hz	Ferr	97 dB	122,00	146,00 EUR
Y H Y N B		12M1100	450 w AES	40 - 4000 Hz	Ferr	100 dB	123,00	148,00 EUR
Y H Y N B		SM112/N	400 w AES	35 - 4000 Hz	Ferr	97dB	83,00	100,00 EUR
Y H Y N B		SM112/W	400 w AES	35 - 4000 Hz	Ferr	96 dB	105,00	126,00 EUR
Y H Y N B		12MWNd	350 w AES	35 - 6000 Hz	Nd	97 dB	116,00	139,00 EUR
Y H Y N B		SM212	350 w AES	45 - 6000 Hz	Ferr	98 dB	75,00	90,00 EUR
Y H Y N B		12B100/R	150 w RMS	25 - 4000 Hz	Ferr	93.6 dB	132,00	158,00 EUR
Y H Y N B		12BR70	125 w RMS	25 - 4000 Hz	Ferr	94.5 dB	60,00	72,00 EUR
15"								
Y H Y N B		15P1200Nd	1200 w AES	30 - 2000 Hz	Nd	97 dB	241,00	289,00 EUR
Y H Y N B		15 P1000Nd	1000 w AES	30 - 2000 Hz	Nd	97 dB	209,00	251,00 EUR
Y H Y N B		15P1000Fe	1000 w AES	30 - 2000 Hz	Ferr	97 dB	186,00	223,00 EUR
Y H Y N B		15P80Nd	800 w AES	30 - 5000 Hz	Nd	100 dB	223,00	268,00 EUR
Y H Y N B		15G450N	750 w AES	30 - 1500 Hz	Ferr	98 dB	202,00	242,00 EUR
Y H Y N B		15G40	700 w AES	25 - 1500 Hz	Ferr	97 dB	171,00	205,00 EUR
Y H Y N B		SM115/K	500 w AES	25 - 2000 Hz	Ferr	98 dB	146,00	175,00 EUR
Y H Y N B		15M1100	450 w AES	30 - 4000 Hz	Ferr	101 dB	138,00	166,00 EUR
Y H Y N B		15MWNd	400 w AES	30 - 3500 Hz	Nd	99 dB	130,00	156,00 EUR
Y H Y N B		SM115/N	400 w AES	30 - 3000 Hz	Ferr	98 dB	101,00	121,00 EUR
18"								
Y H Y N B		18SW1600Nd	1600 w AES	25 - 1200 Hz	Nd	97 dB	353,00	424,00 EUR
Y H Y N B		18P1200Nd	1200 w AES	25 - 2000 Hz	Nd	98 dB	279,00	335,00 EUR
Y H Y N B		18P1000Nd	1000 w AES	25 - 2000 Hz	Nd	98 dB	233,00	280,00 EUR
Y H Y N B		18P1000Fe	1000 w AES	25 - 2000 Hz	Ferr	98 dB	174,00	209,00 EUR
Y H Y N B		18G550	900 w AES	25 - 1500 Hz	Ferr	98 dB	210,00	252,00 EUR
Y H Y N B		18P80Nd	800 w AES	25 - 4000 Hz	Nd	100 dB	265,00	318,00 EUR
Y H Y N B		18G50	750 w AES	25 - 1500 Hz	Ferr	98 dB	245,00	294,00 EUR
Y H Y N B		18G40	700 w AES	25 - 1500 Hz	Ferr	97 dB	202,00	242,00 EUR
Y H Y N B		SM118/N	400 w AES	30 - 3000 Hz	Ferr	97 dB	126,00	151,00 EUR


E C P B R

MODEL

EUR
Netto
(ex. VAT)

EUR
+ 20% DDS
(incl. VAT)



COAXIALS

Y H Y N B		8"							
		8XC20	170/40 w AES	65 - 20000 Hz	Ferr/Nd	98/105 dB	136,00	163,00	EUR
		8BX	100/20 w AES	25 - 20000 Hz	Ferr	92/102 dB	85,00	102,00	EUR
Y H Y N B		10"							
		10XC25	250/40 w AES	55 - 20000 Hz	Ferr/Nd	98/105 dB	152,00	182,00	EUR
Y H Y N B		12"							
		12XA30Nd	350/90 w AES (*)	35 - 20000 Hz	Nd	98/105 dB	249,00	299,00	EUR
Y H Y N B		12KX	300/100 w AES (*)	35 - 17000 Hz	Ferr	98/105 dB	228,00	274,00	EUR
Y H Y N B		12XC30	250/40 w AES	45 - 20000 Hz	Ferr/Nd	98/105 dB	163,00	196,00	EUR
Y H Y N B		15"							
		15XA38Nd	350/90 w AES	25 - 20000 Hz	Nd	99/105 dB	279,00	335,00	EUR
Y H Y N B		15KX	300/100 w AES	25 - 17000 Hz	Ferr	99/105 dB	253,00	304,00	EUR

PLEATED DIAPHRAGM TWEETERS

Y H Y N B		TPL 150	80 w AES	1 - 29 kHz	Nd	99 dB	311,00	373,00	EUR
Y H Y N B		TPL 150/H	80 w AES	0,7k-23k	Nd	102 dB	358,00	430,00	EUR


COMPRESSION TWEETERS

Y H Y N B		CP22	25 w AES	4 - 20 kHz	Ferr	107 dB	62,00	74,00	EUR
Y H Y N B		CP21/F	25 w AES	3,5 - 20 kHz	Ferr	105 dB	57,00	68,00	EUR
Y H Y N B		CP25	25 w AES	2,5 - 20 kHz	Ferr	104 dB	56,00	67,00	EUR
Y H Y N B		CP12/N	15 w AES	3 - 20 kHz	Ferr	107 dB	28,00	34,00	EUR
Y H Y N B		CP16	15 w AES	3 - 20 kHz	Ferr	105 dB	26,00	31,00	EUR
Y H Y N B		CP09	15 w AES	2 - 20 kHz	Ferr	104 dB	34,00	41,00	EUR


COMPRESSION DRIVERS

Y H Y N B		1"							
		CP380/M	70 w AES	0,8 - 20 kHz	Ferr	107 dB	91,00	109,00	EUR
		CP350/Ti	70 w AES	0,8 - 20 kHz	Ferr	104 dB	111,00	133,00	EUR
		SMC1050/N	60 w AES	0,8 - 18 kHz	Ferr	108 dB	69,00	83,00	EUR
		SMC280ST	50 w AES	0,8 - 18 kHz	Ferr	105 dB	49,00	59,00	EUR
		CP385Nd	40/60 w AES (*)	0,8 - 20 kHz	Nd	107 dB	122,00	146,00	EUR
		SMC225Nd	40 w AES	0,8 - 20 kHz	Nd	108 dB	81,00	97,00	EUR
		SMC8060	50 w AES	1,8 - 18 kHz	Ferr	107 dB	61,00	73,00	EUR
Y H Y N B		1,4"							
		CP755/Ti	90 w AES	0,6 - 20 kHz	Ferr	110 dB	170,00	204,00	EUR
		SMC65Nd	70 w AES	0,6 - 20 kHz	Nd	108 dB	223,00	268,00	EUR
		CP755Nd	60/90 w AES (*)	0,6 - 20 kHz	Nd	112 dB	283,00	340,00	EUR
		CP755Nd/Al	60/80 w AES (*)	0,6 - 20 kHz	Nd	112 dB	283,00	340,00	EUR
		SMC65	50/70 w AES (*)	0,7k-18k	Ferr	107 dB	159,00	191,00	EUR
Y H Y N B		2"							
		SMC60	80 w AES	0,5 - 18 kHz	Ferr	109 dB	145,00	174,00	EUR
		CP750/Ti	70/90 w AES (*)	0,6 - 20 kHz	Ferr	110 dB	186,00	223,00	EUR
		CP850Nd	65 w AES	0,5 - 20 kHz	Nd	112 dB	412,00	494,00	EUR
		CP800/Ti	65 w AES	0,5 - 20 kHz	Ferr	112 dB	285,00	342,00	EUR
		CP750Nd	60/80 w AES (*)	0,6 - 20 kHz	Nd	112 dB	297,00	356,00	EUR


COMPRESSION DRIVERS WITH WAVE GUIDES

Y H Y N B		0,8"							
		(2) WL4	40 w AES	0,7 - 20 kHz	Nd	105 dB	136,00	163,00	EUR
		(2) WL3	40 w AES	0,7 - 20 kHz	Nd	105 dB	131,00	157,00	EUR
Y H Y N B		1,4"							
		(2) WL5	70 w AES	0,6 - 20 kHz	Nd	108 dB	261,00	313,00	EUR

DOMES TWEETERS

Y H Y N B		MC115	25 w RMS	600 - 12500 Hz	Ferr	91 dB	37,00	44,00	EUR
Y H Y N B		T2030	15 w RMS	1,5-20 kHz	Ferr	95 dB	27,00	32,00	EUR
Y H Y N B		SMC2012/N	15 w AES	1 - 20 kHz	Nd	101 dB	28,00	34,00	EUR
Y H Y N B		T2010	12 w RMS	1,5-20 kHz	Ferr	92 dB	24,00	29,00	EUR

HORNS

Y H Y N B		Diameter 1 "							
		TD235	90° x 40° Aluminum	1,2 kHz		29,00	35,00	EUR	
		TD245	60° x 40° Aluminum	1,2 kHz		29,00	35,00	EUR	
		TDWL4	90° x 20° Aluminum	800 Hz		110,00	132,00	EUR	
Y H Y N B		Diameter 1,4 "							
		TD385	80° x 50° Aluminum	800 Hz		51,00	61,00	EUR	
		TD365	60° x 50° Aluminum	800 Hz		51,00	61,00	EUR	

E C P B R	MODEL				EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
	Diameter 2 "						
Y H Y N B	TD590	90° x 40° Rigid Polyurethane Foam	800 Hz		99,00	119,00	EUR
Y H Y N B	TD460/N	60° x 40° Rigid Polyurethane Foam	800 Hz		100,00	120,00	EUR
Y H Y N B	TD360	60° x 40° Aluminum	1 kHz		33,00	40,00	EUR
	Diameter 3 "						
Y H Y N B	TD595	90° x 40° Rigid Polyurethane Foam	800 Hz		99,00	119,00	EUR

PASSIVE FILTERS

Y H Y N B	(2) FD350	600 w RMS	2-7 kHz	12 dB/Oct	64,00	77,00	EUR
Y H Y N B	(2) FD25	600 w RMS	250 Hz	-12 dB/Oct	105,00	126,00	EUR
Y H Y N B	(2) FD2XC2	600 w RMS	2,2 kHz	12 dB/Oct	48,00	58,00	EUR
Y H Y N B	(2) FD250	600 w RMS	2 kHz	12 dB/Oct	55,00	66,00	EUR
Y H Y N B	(2) FD2XC1	600 w RMS	2 kHz	12 dB/Oct	47,00	56,00	EUR
Y H Y N B	(2) FD2XA	600 w RMS	1,8 kHz	12 dB/Oct	49,00	59,00	EUR
Y H Y N B	(2) FD212	600 w RMS	1,2 kHz	12 dB/Oct	60,00	72,00	EUR
Y H Y N B	(2) F102	300 w RMS	8 kHz	18 dB/Oct	17,00	20,00	EUR
Y H Y N B	(2) F100	300 w RMS	6,3 kHz	18 dB/Oct	18,00	22,00	EUR
Y H Y N B	(2) F200	300 w RMS	400 Hz	-12 dB/Oct	54,00	65,00	EUR
Y H Y N B	(2) 2V HI-FI	300 w RMS	4 kHz	-12 dB/Oct	18,00	22,00	EUR
Y H Y N B	(2) F130	300 w RMS	3 kHz	18 dB/Oct	20,00	24,00	EUR
Y H Y N B	(2) 3V HI-FI	300 w RMS	0,8 - 5 kHz	-2-6 dB/Oct	49,00	59,00	EUR
Y H Y N B	(2) F300	300 w RMS	0,8 - 5 kHz	12 dB/Oct	69,00	83,00	EUR
Y H Y N B	FC15/2	(**) Enclosure SM15/2			208,00	250,00	EUR
Y H Y N B	FC15/1	(**) Enclosure SM15/1			208,00	250,00	EUR
Y H Y N B	FR15B/4	(**) Enclosure FR15B/4			132,00	158,00	EUR
Y H Y N B	FP15B/3	(**) Enclosure FR15B/3			216,00	259,00	EUR
Y H Y N B	FP12B/2	(**) Enclosure FR12B/2			209,00	251,00	EUR
Y H Y N B	FP12B/1	(**) Enclosure FR12B/1			209,00	251,00	EUR
Y H Y N B	FP12A/1	(**) Enclosure FR12A/1			213,00	256,00	EUR

FULL RANGE

	8"						
Y H Y N B	8AG/N	35 w RMS	60-18000 Hz	Ferr 96 dB	21,00	25,00	EUR
Y H Y N B	8AG/1N	30 w RMS	70-15000 Hz	Ferr 94 dB	17,00	20,00	EUR
	10"						
Y H Y N B	10AG/N	100 w RMS	60-17000 Hz	Ferr 97 dB	28,00	34,00	EUR
	12"						
Y H Y N B	12GA50	250 w AES	70 - 1800 Hz	Ferr 102 dB	61,00	73,00	EUR

PUBLIC ADDRESS

	3"						
Y H Y N B	HT3100	3/6 w (70-100 v)	100-20000 Hz	Ferr 85 dB	16,00	19,00	EUR
	5"						
Y H Y N B	IW5	40 w RMS	20-20000 Hz	Ferr 87 dB	68,00	82,00	EUR
Y H Y N B	CL5/T	30 w RMS	55-20000 Hz	Ferr 89 dB	41,00	49,00	EUR
	6"						
Y H Y N B	IW6	50 w RMS	20-20000 Hz	Ferr 88 dB	78,00	94,00	EUR
Y H Y N B	CL6/T	45 w RMS	40-20000Hz	Ferr 89 dB	47,00	56,00	EUR
Y H Y N B	SE6VT	3/6 w (70-100 v)	60-20000 Hz	Ferr 90 dB	26,00	31,00	EUR
	8"						
Y H Y N B	CL8/T	55 w RMS	40-20000 Hz	Ferr 91 dB	58,00	70,00	EUR